




## roof plan



## first floor plan



## ground floor plan



0	5m
scale bar 1:50	

_remove existing recent timber floor and supporting battens. Overlay existing concrete floor with 1200gauge visqueen dpm, turned up at perimeter to lap dpc. Overlay with 90mm Celotex GA4000, with all joints taped and sealed, and install 22mm type P5 floating t&g chipboard floor
_remove 1no. historic stud, and part of existing wall plate to create opening through between

cement boarding (as Building Control requirement) with all joints sealed with intumescent mastic to give minimum 30mins fire protection. Overline with Tyvek Housewrap or similar, and 25x50 treated sw vertical battens. install 200x25 black stained treated sw feather edged boards, treated with fire retardant to Euroclass B-s3, d2 protection as required by Building Control. Install proprietary metal vent strip to base and top of cladding to ensure continuous

Between studs cut in tightly 75mm Celotex GA4000, and seal to timber studs, leaving 15mm wiring void internally. To face of secondary studs / between primary studs, install 12.5mm 10kg plasterboard

Rev. Date Details	Drawn Checked		
	LISTED BUILDING		
Project/Client:	Project No:		
2 Bridge Street	1782		
Needham Market	Dwg No: Rev:		
Neceriain Market	50		
	Scale: @ A1 1:50		
Drawing:	North:		
building plans			
as proposed	Drawn By: Date: nb 18.12.22		
	Checked By: Date:		
	nb 18.12.22		

## Nick BARBER

42 Kirby Rise / Barham / IPSWICH / Suffolk / IP6 0AX 01473 839 767 / 07932 033 360 Nick BARBER Architects Ltd / Registered in England 8867467

Contractors must work only to figured dimensions which are to be checked on site

This line measures 90mm at stated sheet size