



Part G Compliance Report

PROJECT DETAILS

Project Reference:

Client:

Property: 24 Ambleside Drive

Oxford

Oxfordshire OX3 0AQ

Local Authority:

Agent:

Assessor: Apex Home and Energy Surveyors Ltd

Address: IBC, Delta Crescent, Warrington, WA5 7WQ

Contact: 01925 555490 sales@apexhes.co.uk

Software: G-Calc 2015 version 3.0.2

Prepared on: 08-Nov-23

RESULT SUMMARY

By following the Government's national calculation methodology for assessing water efficiency in new dwellings this 4 bed dwelling, as designed, achieves a water consumption of 106.1 litres per person per day.

Compliance with Building Regulation 36(1) has been demonstrated.

| Table 1: The W | ater Calculator | for New | Dwellings | 5 | |
|----------------------------|-----------------------------|--|---------------|--------------|-------------------|
| Installation Type | Unit of measure | Value | Use factor | Fixed use | litres/person/day |
| WC(single flush) | Flush volume | | | | |
| | (litres) | 0 | 4.42 | 0.00 | 0 |
| WC(dual flush) | Full flush vol. | 0 | 1.46 | 0.00 | 0 |
| | Part flush vol. | 0 | 2.96 | 0.00 | 0 |
| WC(multiple fittings) | Average effective | | | | |
| | Flush vol. (litres) | 3.66 | 4.42 | 0.00 | 16.18 |
| Taps(excl. Kitchen) | Flow rate | | | | |
| D :: 1 () | (litres/min) | 5 | 1.58 | 1.58 | 9.48 |
| Bath (shower | Capacity to | 1.40 | 0.11 | 0.00 | 15.4 |
| also present) Shower (bath | overflow (litres) Flow rate | 140 | 0.11 | 0.00 | 15.4 |
| also present) | (litres/min) | 8 | 4.37 | 0.00 | 34.96 |
| Bath only | Capacity to | <u> </u> | т.57 | 0.00 | 54.50 |
| Bacil Olly | overflow (litres) | | 0.50 | 0.00 | 0 |
| Shower only | Flow rate | | 0.00 | | |
| • | (litres/minute) | | 5.6 | 0.00 | 0 |
| Kitchen sink taps | Flow rate | | | | |
| | (litres/minute) | 7 | 0.44 | 10.36 | 13.44 |
| Washing Machine | litres/kg | | | | |
| | dry load | 8.17 | 2.1 | 0.0 | 17.16 |
| Dishwasher | litres/place | | | | |
| 107 | setting | 1.25 | 3.6 | 0.0 | 4.5 |
| Waste disposal | litres/use | 0 | 3.08 | 0.0 | 0 |
| Water softener | litres/person/day | 0 | 1.0 | 0.0 | 0 |
| | | | culated use | 0.0 | |
| | | (litres/per | | | 111.12 |
| | | | ion from grey | water | |
| | | (litres/per | rson/day) | | - |
| | | Contribut | ion from rain | water | |
| | | (litres/per | rson/day) | | - |
| | | Normalisa | ation factor | | 0.91 |
| | | Total Wat | ter Consumpt | ion. Code | |
| | | for Sustainable Homes (litres/person/day) | | 101.1 | |
| | | | | | |
| | | External v | | | 5.0 |
| | | | ter Consumpt | ion. (36(1)) | |
| | | (litres/per | rson/day) | | 106.1 |

| Table 2: Consumption Calculator for multiple fittings for New Dwellings | | | |
|---|-------------------|----------------|--------------|
| 2.1: Taps (excluding kitchen sink taps) | | | |
| | Flow Rate (I/min) | Quantity (No.) | Total per |
| | | | fitting type |
| 1 Wash Hand Basins | 5 | 3 | 15 |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| Total | | | |
| (Sum of all Quantities) 3 | | | |
| Total | | | |
| (Sum of all totals per fitting ty | 15 | | |
| Average Flow Rate (I/min) | | | 5 |
| Maximum Flow Rate (I/min) | | | 5 |
| Proportionate flow Rate (I/min) | | | 3.5 |

| Table 2: Consumption Calculator for multiple fittings for New Dwellings | | | |
|---|-------------------|----------------|--------------|
| 2.3: Taps (kitchen/utility sink taps) | | | |
| | Flow Rate (I/min) | Quantity (No.) | Total per |
| | | | fitting type |
| 1 Kitchen | 8 | 1 | 8 |
| 2 Utility | 6 | 1 | 6 |
| 3 | | | |
| 4 | | | |
| Total | | | |
| (Sum of all Quantities) | 2 | | |
| Total | | | |
| (Sum of all totals per fitting ty | 14 | | |
| Average Flow Rate (I/min) | | | 7 |
| Maximum Flow Rate (I/min) | | | 8 |
| Proportionate flow Rate (I/min) | | | 5.6 |

| Table 2: Consumption Calculator for multiple fittings for New Dwellings | | | |
|---|-------------------|----------------|--------------|
| 2.6: Showers | - | _ | _ |
| Shower Type | Flow rate (I/min) | Quantity (No.) | Total per |
| | | | fitting type |
| 1 Showers | 8 | 2 | 16 |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| Total | | | |
| (Sum of all Quantities) 2 | | | |
| Total | | | |
| (Sum of all totals per fitting type) | | | 16 |
| Average Flow rate (I/min) | | | 8 |
| Maximum Flow rate (I/min) | | | 8 |
| Proportionate flow rate (I/min) | | | 5.6 |

| Table 2: Consumption Calculator for multiple fittings for New Dwellings | | | |
|---|--------------------|----------------|--------------|
| 2.7: WC's | | | |
| WC Type | Effective flushing | Quantity (No.) | Total per |
| | volume (litres) | | fitting type |
| 1 WCs | 3.66 | 3 | 10.98 |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| Total | | | |
| (Sum of all Quantities) 3 | | | |
| Total | | | |
| (Sum of all totals per fitting type) | | | 10.98 |
| Average effective flushing volume (litres) | | | 3.66 |

| Summary of fitting types "As Designed" | | | |
|--|------------------|--------------------------|-----|
| Туре | Description | Flow rates, volumes etc. | Qty |
| Taps | Wash Hand Basins | 5 litres/min | 3 |
| Baths | Bath | 140 litres to overflow | 1 |
| Dishwashers | Dishwasher | 1.25 litres/place | 1 |
| Washing Machines | Washing Machine | 8.17 litres/kg | 1 |
| Showers | Showers | 8 litres/min | 2 |
| WC's | WCs | 5 / 3 litres flush vols. | 3 |
| Kitchen/Utility taps | Kitchen | 8 litres/min | 1 |
| | Utility | 6 litres/min | 1 |

The lower section of this table is to be filled in by the builder prior to completion. The descriptions, values and quantities should represent the 'as built' specification. Please note the values above represent design values and should not be exceeded without prior consultation with the agent/designer ().

The completed table should be returned to the assessor: Apex Home and Energy Surveyors Ltd (Contact: 01925 555490 sales@apexhes.co.uk).

| Declaration of fitting types "As Built" | | | | |
|---|----------------|--------------------------|-----|--|
| Туре | Make and Model | Flow rates, volumes etc. | Qty | |
| Taps | | | | |
| Baths | | | | |
| Dishwashers | | | | |
| Washing Machines | | | | |
| Showers | | | | |
| WC's | | | | |
| Kitchen/Utility taps | | | | |
| | | | | |

Project ref: - 24 Ambleside Drive

The above declaration of fittings, values and quantities is a true reflection of those installed on this project.

| Name: | Signature: | . Date: |
|-------|----------------|---------|
| | End of Report | |