

Compare

Compare variants

Welsh Slate Cwt-Y-Bugail Dark Blue Grey Natural Roofing Slate

Verified by

◆ manufacturer 1 year ago



500 x 250 mm

Variant:

500 x 250 mm

Third party certifications:

QA QA Certificate

Natural slate in a Dark Blue colour produced from the Cwt Y Bugail quarry in the heart of Snowdonia National Park

Jump to:

[Specification data](#)

[Environmental information](#)



+44 (0)1248 600656

Website

Contact manufacturer

Add to spec

Download BIM



Application ^

Commercial or residential roof pitches.

Description ^

Cwt Y Bugail Welsh Slate roofing is quarried from what is widely recognised as the finest quality and most durable slate deposit in the world. Cwt Y Bugail is located in Llan Ffestiniog on the edge of the Snowdonia National Park, North Wales. Cwt Y Bugail slate is generally dark blue grey in colour. The slate is naturally split along cleavage planes created by over 590 millions of years of intense pressure and heat to produce extremely strong roofing slates with a riven surface.

Features and benefits:

- Conform to BS EN 12326-1: (A1, S1, T1).
- Hold BS Kitemark accreditation and have a proven durability of in excess of 100 years.
- Available in 5.5 mm, 7 mm and 9 mm thickness.

General information ^

Finish	Natural
Material	Slate
Shape	Rectangle
Size Other sizes are available, consult manufacturer.	-
Length	500 mm 400 mm 300 mm
Width	250 mm 200 mm
<p>NBS Source UK <input type="text" value="Search NBS Source..."/> All ▼ Sign in</p>	
Variant:	<div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">500 x 250 mm ▼</div> 5.5 mm
WarrantyDescription 100 year guarantee.	Lifetime
Uniclass	Pr_25_93_72_56 Natural slates <small>Primary</small>
CAWS	H62/105 Roof slating null Roof slating with counterbattens H62/3 Roof slating null Roof slating with counterbattens

Specification data - Natural slates



Slate type	-
Colour	Dark blue grey.
Slate size	-
Length (minimum) Other sizes are available, consult manufacturer.	500 mm.
Width (minimum) Other sizes are available, consult manufacturer.	250 mm.
Standards	-
Product specification	To BS EN 12326-1.
Methods of test	To BS EN 12326-1.
Properties	-
Water absorption	<0.25%.
Roof pitch	25°.
Head-lap Minumum/ maximum.	50/ 110 mm.
Grade	5.5 mm, Capital. 7 mm, County. 9 mm, Celtic.
Fixing	Copper/ aluminium cloutnails.

Environmental information



Contains Red List materials No

Country of material origin United Kingdom

Country of product manufacture United Kingdom

Recycled content 0 %


BIM objects



NBS BIM object standard

This BIM object has been authored to meet the requirements of the NBS BIM object standard.
Find out more about the NBS BIM object standard.


Platform	Compatible	Version
 Revit	-	1
 IFC	-	1



01. Welsh Slate Roofing Brochure




ISO 14001: 2015 Cwt-y-Bugail Quarry



ISO 45001: 2018 Cwt-y-Bugail Quarry




ISO 9001: 2015 Cwt-y-Bugail Quarry



Case studies





Welsh Slate tops the menu at Clifton Colle... 



Welsh Slate helps historic country mansio... 

Third party certifications




- BS Kitemark: Certificate no. KM08014 : CE Marking

Similar products from Welsh Slate



Welsh Slate Ffestiniog Blue Grey Natura... 



Welsh Slate Penrhyn Heather Blue Natu... 

Help

[Support articles](#)

[Submit a support ticket](#)

[Feedback](#)

Quick links

[NBS Events and webinars](#)

Corporate information

[About us](#)

[Terms and conditions](#)

[Privacy policy](#)

[Cookies](#)

[Careers](#)

[NBS Code of conduct](#)

Contact us

General enquiries:

0345 456 9594

info@theNBS.com

Manufacturer enquiries:

0345 200 1056

manufacturers@theNBS.com

Change region

[Australia](#)

[Canada](#)

[United Kingdom](#)

Social



© 2023 NBS Enterprises Ltd. All rights reserved.