



TREE PITS WITH ROOT BARRIERS



UTILITIES WITHIN 3M OF TRUNK POSITION.

Deflective root casing to be laid over services/ utilities within 3m of trunk position. Vertical side to sit at base of service trench. Horizontal side to full width of service trench. Lengths of casing to overlap by 500mm.



NOTE:
Root barrier installed wherever a tree is to be located within the 3 metre easement of drainage or services routes. See latest services or drainage drawings for locations.

Root barrier need to be installed if the tree pit is adjacent to hard surfacing.

Root Barrier
to 600mm depth, Green Blue Urban 'ReRoot 600' installed with root deflecting ribs facing the tree and finishing 10mm above tree pit soil level.

Rev	Drawn	Chkd	App'd	Description	Date
-----	-------	------	-------	-------------	------

Purpose of Issue
Issued for Information

Classification
Commercial and Confidence

Client
Consensus Support Services Ltd

Project
Bromley Croft

Drawing
Tree Pit Detail

Scale at A3	Drawn	Checked	Approved
1:40	BM	TC	TC

Project No.	Date
23-0022	2023-12-14

Project - Originator - Zone - Level - File Type - Role - Number	Revision
BCR-epd-ELS-XX-DR-L-1003	P01



Glendale Countryside Limited
The Stables, Duxbury Park,
Duxbury Hall Road, Chorley, PR7 4AT
Tel: 01257 460 461 www.epdlandscape.co.uk