

**60 Sheepwalk Lane
Ravenshead
NG15 9FU**

**Pre-development Arboricultural Report
(Phase 2)**

**Prepared at the request of
BSG Ecology Ltd**

14 November 2023

**By
Ian Kennedy
Wharnccliffe Trees and Woodland Consultancy**

All rights in this report are reserved. No part of it may be reproduced or transmitted, in any form or by any means, electronic, mechanical, recording or otherwise, or stored in any retrieval system of any nature, without written permission. Its content and format are for the exclusive use of the addressee in respect of this site. It may not be sold, lent, hired out or divulged to any third party not directly involved in this site without written consent.

Summary

Wharncliffe Trees and Woodlands has been instructed by BSG Ecology Ltd to undertake a pre-development survey of the significant trees growing in the garden of 60 Sheepwalk, Ravenshead, Nottinghamshire.

The approximate locations of the trees are recorded on Plan 1 that shows the existing site layout.

Table 1 records their species, dimensions, age, life expectancy, any defects and their amenity and habitat value. This information was collected, interpreted and recorded in accordance with BS5837:2012 *Trees in relation to design, demolition and construction – Recommendations*. The information is used to attribute retention categories to the trees; A, B, C and U. These retention categories are described in Appendix 2.

The property is a detached dwelling centrally located within a generous garden. The trees are growing mostly around the boundaries, including within the garden of the neighbouring property.

There are four large, significant trees growing along the southern boundary. These have been included in the second highest retention category (B). These trees have appreciable amenity value to the wider area. The remaining trees within the interior of the garden are typically smaller and are only of value to 60 Sheepwalk Lane. These trees are included in the lowest retention category (C). There are two dead trees in the front garden.

The development proposes four detached dwellings connected by a shared central driveway.

Section 4 of the report is the arboricultural impact assessment that discusses the impact of the proposals on the existing trees.

CONTENTS

1	INTRODUCTION	6
1.1	Instruction	6
1.2	Documents and Provided Information	6
1.3	Limitations.....	6
2	SITE VISIT AND OBSERVATIONS	7
2.1	Site visit.....	7
2.2	Brief Site description	7
2.3	Development Proposals.....	7
2.4	Locations of the Trees	7
2.5	Hedges and Other Vegetation	8
2.6	Tree observations	9
3	Interpretation of Information and References.....	13
3.1	BS5837:2012 Tree Retention Categories	13
3.2	Below Ground Constraints; Root Protection Areas (RPAs).....	13
3.3	Above Ground Constraints; Crown Spreads	14
3.4	Conception and Design.....	14
4	ARBORICULTURAL IMPACT ASSESSMENT.....	15
4.1	Discussion of the trees	15
4.2	Arboricultural Impact Assessment.....	16
5	REFERENCES, PLANNING POLICY AND GUIDANCE	17
5.1	National policy	17
5.2	British Standard: Trees in relation to design, demolition and construction – Recommendations (BS 5837, 2012).....	18
5.3	Broxtowe Borough Gedling Borough Nottingham City Aligned Core Strategies Part 1 Local Plan	18
6	LEGAL CONSIDERATIONS.....	19
6.1	Protected trees	19
6.2	Wildlife conservation legislation	19

TABLES

Table 1	The Tree Survey.....	9
---------	----------------------	---

PLANS

Plan 1	Tree constraints plan showing the existing site layout.....	20
Plan 2	Tree constraints plan showing the proposed site layout.....	21

APPENDICES

Appendix 1	The Experience and Qualifications of Ian Kennedy	22
Appendix 2	Tree Retention Categories	24
Appendix 3	Explanatory notes for some of the terms used in this report.....	25

1 INTRODUCTION

1.1 Instruction

Wharncliffe Trees and Woodland Consultancy has been instructed by BSG Ecology Ltd to undertake a pre-development survey of the trees growing in the garden of 60 Sheepwalk Lane, Ravenshead, Nottinghamshire.

The tree survey is intended to provide a structured, impartial assessment of the tree population that could be affected by a proposed development.

The survey is intended to be informative to all stages of the development process and was carried out in accordance with *BS5837: 2012 Trees in relation to design, demolition and construction – Recommendations*.

1.2 Documents and Provided Information

I was provided with the following plan:

A topographical survey of the property by Survey Hub showing the positions of most of the trees included in this report. Reference: 5384.

A drawing of the proposed layout shared by Mr N Walker by email on 13 November 2023.

1.3 Limitations

This report is concerned only with assessing the condition of the trees, their importance in the local landscape and any cultural and conservation values.

It takes no account of the affects the trees may have on the soil, such as heave where trees are removed or shrinkage where trees are retained.

Trees are dynamic organisms influenced by weather, pests and diseases. Therefore, this report can only remain valid for a period of 24 months.

Any works around the trees such as trenching, pruning, storage of materials and trafficking that has not first been approved by a suitably qualified arboriculturalist will invalidate this report.

This report has been prepared for pre-development purposes. Whilst the condition of the trees has been assessed this is primarily to attribute a retention category. It is not a tree condition and safety report and may not include the same level of detail on tree health and structural condition.

No decay detection equipment was used to gather information on the condition of the trees.

All survey and inspection was completed at ground level.

2 SITE VISIT AND OBSERVATIONS

2.1 Site visit

I visited the property on 03 November 2023 to complete the survey.

All dimensions were taken using recognised methodology and arboricultural measuring equipment, unless otherwise stated. The methodology used in the survey recognises the guidance set out in BS5837 for measuring trees:

Stems are measured at 1.5m above ground level.

Where a stem divides below 1.5m both stems are measured.

The crown spread is measured at the four main cardinal points of north, south, east and west as a minimum.

The principles of BS5837:2012 were applied to the assessment and evaluation of the trees.

The weather at the time of inspection was sunny with good visibility. Winds were light.

2.2 Brief Site description

The property is located to the east of Sheepwalk Lane, Ravenshead, Nottinghamshire. The property is a large, detached dwelling centrally located within a generous garden. There are large hedges and substantial shrubs around the boundaries of the property provided screening and seclusion.

The large trees are growing along the southern boundary, including in the neighbouring garden. There are several small trees growing in the front garden of the property.

The centre of the property is located at Ordnance Survey grid reference: SK 55807 54833.

2.3 Development Proposals

The development proposes four detached dwellings with a new shared central driveway serving the properties.

2.4 Locations of the Trees

The positions of most of the trees were provided to me on the topographical survey plan produced by Survey Hub; reference 5384. One tree growing in the garden of the neighbouring property has been included in this report but was not included on the topographical survey. This is Tree 13.

2.5 Hedges and Other Vegetation

There is a substantial beech hedge growing along the northern boundary to approximately 2.5m high and a substantial Rhododendron hedge growing along the western boundary with Sheepwalk Lane. This is a similar height.

An approximately 10m high Leyland cypress hedge is growing along the eastern boundary in the rear garden.

There are holly and hazel shrubs growing along the southern boundary.

2.6 Tree observations

Table 1. The Tree Survey

Tree number	Species	Height (M)	Stem diameter in MM at 1.5m	Branch spread (M)	Ht of first branch above ground level	Ht of canopy above ground level	Life stage	Health	General observations on the tree's condition	Estimated life in years	Amenity value	Habitat value	Category (*1)
T1	Beech	8.0	250#	North – 4.0 South – 4.0 East – 4.0 West – 4.0	0.0	0.0	Young mature	Normal	A large shrub/small multi-stemmed tree growing on the frontage of the property.	10+	Low	Medium	C 1
T2	Silver birch	12.0	110, 180, 190	North – 2.9 South – 3.1 East – 2.7 West – 3.0	0.2	0.3	Young mature	Normal	A small and fairly insignificant but healthy tree growing in the front garden.	10+	Low	Low	C 1
T3	Rowan	7.0	200	North – 3.0 South – 2.0 East – 1.8 West – 3.0	1.5	1.5	Mature	Dead	A small and insignificant tree that is dead.	0	Low	Low	U
T4	Holly	9.0#	190, 280, 280	North – 3.0 South – 3.0 East – 3.0 West – 3.5	1.0	1.0	Young mature	Moderate	Growing on the frontage of the garden. It is only moderately healthy for the species.	10+	Low	Low	C 1

Tree number	Species	Height (M)	Stem diameter in MM at 1.5m	Branch spread (M)	Ht of first branch above ground level	Ht of canopy above ground level	Life stage	Health	General observations on the tree's condition	Estimated life in years	Amenity value	Habitat value	Category (*1)
T5	Austrian pine	25.0	650#	North – 6.0 South – 6.0# East – 1.5 West – 6.0	10.0	10.0	Mature	Normal	A large and significant tree that appears to be growing the neighbouring garden. It appears in good health, but inspection was limited to the garden of No. 60.	20+	High	Low	B 1&2
T6	Austrian Pine	25.0	650#	North – 5.0 South – 6.0# East – 6.0 West – 1.5	10.0	10.0	Mature	Normal	A large and significant tree that appears to be growing the neighbouring garden. It appears in good health, but inspection was limited to the garden of No. 60.	20+	High	Low	B 1&2
T7	Holly	8.0	220#	North – 3.0 South – 3.0 East – 3.0 West – 3.0	0.0	0.0	Mature	Normal	A small and healthy tree. It has little value to the wider area beyond the garden.	10+	Low	Low	C 1
T8	Austrian pine	18.0	400#	North – 3.0 South – 6.0# East – 5.0# West – 5.0#	6.0	5.0	Mature	Normal	A large and significant tree that appears to be growing the neighbouring garden. It appears in good health, but inspection was limited due to dense shrubs.	20+	High	Low	B 1&2

Tree number	Species	Height (M)	Stem diameter in MM at 1.5m	Branch spread (M)	Ht of first branch above ground level	Ht of canopy above ground level	Life stage	Health	General observations on the tree's condition	Estimated life in years	Amenity value	Habitat value	Category (*1)
T9	Weeping ornamental plum	3.0	180	North – 3.0 South – 3.0 East – 3.0 West – 3.0	1.5	1.2	Mature	Normal	A small and insignificant tree.	10+	Low	Low	C 1
T10	Plum?	5.0	260	North – 2.0 South – 1.0 East – 1.0 West – 3.0	1.0	1.8	Mature	Dead	The tree is dead.	0	Low	Low	U
T11	Hawthorn	6.0#	180	North – 5.0 South – 3.0 East – 4.0 West – 4.0#	3.0	3.0	Mature	Normal	A healthy tree growing on the southern boundary in the rear garden. It has no amenity value outside the rear garden.	10+	Low	Low	C 2
T12	Holly	10.0	300	North – 4.0 South – 2.0 East – 2.0 West – 2.0	2.0	2.0	Mature	Normal	A healthy tree growing on the southern boundary in the rear garden. It has no amenity value outside the rear garden.	10+	Low	Low	C 2
T13	Pedunculate Oak	14.0	480#	North – 7.0 South – 2.0# East – 7.0# West – 7.0#	3.0	2.0	Mature	Normal	A healthy tree growing in the neighbouring garden.	20+	Medium	Low	B 1

Tree number	Species	Height (M)	Stem diameter in MM at 1.5m	Branch spread (M)	Ht of first branch above ground level	Ht of canopy above ground level	Life stage	Health	General observations on the tree's condition	Estimated life in years	Amenity value	Habitat value	Category (*1)
G1	2 x holly (8 stems in total)	12.0	160 – 360	North – 5.0 South – 3.0# East – 2.0# West – 3.0	6.0	6.0	Mature	Moderate	Moderately healthy trees growing in the southeast corner of the rear garden.	10+	Low	Low	C 2
T14	Horse chestnut	13.0	510	North – 4.0 South – 3.7 East – 4.0 West – 3.4	2.0	1.0	Mature	Normal	There are multiple dead patches of bark to the lower stem. This is likely to be associated with bacterial bleeding canker. The tree has recovered from the bleeding canker and the old wounds are now healing over with new sap wood. The tree has little value beyond the rear garden of the property.	10+	Low	Low	C 1

*1 Please see appendix 2 below for sub category definitions. # - Estimated measurement

3 Interpretation of Information and References

My interpretation and appraisal of information gathered from the survey is based on experience of tree species, visual risk hazard assessment and the guidance set out in BS5837:2012 *Trees in Relation to Design, Demolition, Construction – Recommendations*.

3.1 BS5837:2012 Tree Retention Categories

All trees have been assessed and assigned a retention category in accordance with Table 1 of the standard. A copy of Table 1 from BS5837: 2012 is included as Appendix 2.

This categorisation is intended to rank trees according to their importance in terms of quality, health, life expectancy, amenity and landscape value, together with wildlife and cultural importance. This ranking assists in determining the suitability and appropriateness of trees for retention in any development. Categories A to C are those considered for retention, 'A' being highest.

Category A and B trees tend to be considered more valuable for retention than category C trees.

Category 'U' trees are those not suitable for retention because of impaired condition.

Hedges and shrubs are not assigned retention categories but their heights and species are simply noted on the tree constraints plan.

3.2 Below Ground Constraints; Root Protection Areas (RPAs)

The root protection area is the area of land considered necessary for trees should they be retained as part of any development. This is calculated using the stem diameter measured at 1.5 metres from ground level. This protection area is shown diagrammatically as a circle centred on the base of the tree where it is expected that rooting has not been impeded in any one direction and where disturbance has not taken place. Where rooting has been impeded or disturbance taken place then the shape and size of the root protection area is modified according to an assessment of where rooting is likely to take place.

Where trees are to be retained, it is optimal to locate structures and services outside the RPA. However, where incursion becomes necessary, technical solutions may be possible to limit damage, areas lost can be compensated elsewhere, or the soil environment can be improved. In these circumstances an arboricultural method statement will be necessary to ensure that works are undertaken sympathetically and do not damage the below ground parts of the trees.

3.3 Above Ground Constraints; Crown Spreads

Ideally, working areas will be out with the crown spreads of trees to be retained.

Any permanent development proposed within the canopy spread of a tree should be assessed to determine whether the level of pruning necessary to accommodate the layout would be acceptable. However, the effects of shade and other perceived inconveniences of trees this close to property should also be considered, together with the future growth potential of the trees and the maintenance obligation this will bring.

Where temporary access by high sided vehicles and machinery for construction or erection of scaffolding is necessary within the crown spreads of trees to facilitate development an arboricultural method statement will be necessary to ensure pruning works are carried out sympathetically prior to demolition or construction works commencing.

3.4 Conception and Design

The constraints imposed by trees should assist with site design and layout, together with the other competing needs of development.

The provisions of services and the access space required for construction itself should be considered.

4 ARBORICULTURAL IMPACT ASSESSMENT

This section of the report considers the impact that the proposed layout could have on the trees that are included in Table 1 and shown on Plan 1; *Tree Constraints Plan showing the existing layout*.

This section discusses the engineering solutions that may be available to retain trees where development is proposed within their RPAs or the pruning options available where development might affect crown spreads.

Where there is no option but to remove a tree to accommodate the proposed layout this section will discuss the impact on amenity and ecology and any mitigation that could be offered such as opportunities for replacement planting.

4.1 Discussion of the trees

Trees in the front garden

These trees are small and provide little in the way of amenity value beyond the garden of the property. Two are dead. The live trees are included in the lowest retention category (C). The dead trees are included in the removal category (U).

These trees would not normally be considered a constraint to development.

Trees on the southern boundary

There are three tall pines growing along this boundary. They are significant trees and contribute to the wider amenity of the area. They appear in good health, albeit that inspection was limited. The three pines have been included in the second highest retention category.

Tree 13, an oak, is growing in the neighbouring garden. Whilst not as large and prominent as the pines it is expected to live from many decades and has been included in retention category B.

Trees in the rear garden

These are typically small and have no particular value beyond providing some garden screening. Tree 14, the horse chestnut, might have been included in the higher retention category had it not been for the impact of bleeding canker on the stem.

4.2 Arboricultural Impact Assessment

Trees 1, 2, 3, 4, 7, 9 and 10

These trees would need to be removed to accommodate the proposed layout. These are low value trees. Most are included in the lowest retention (C). Two are dead and included in the removal category.

Trees 5 and 6

The building within Plot 2 would encroach significantly into the RPAs of these trees. It would not be possible to retain these trees with the building in this position.

Tree 8

There are no buildings proposed within the RPA of this tree, only a driveway. There is an existing driveway within the RPA of this tree. Provided there are no changes to levels the proposed layout could be implemented around this tree.

Trees 11 and 12

These trees could be retained but their crowns would need to be pruned. They are hawthorn and holly and would tolerate pruning to manage them as a boundary hedge.

Tree 13

The outer crown of this tree would need to be pruned to provide the required clearance for Plot 3.

There is minor encroachment of Plot 3 into the RPA of the tree but this is very minor and would be acceptable to the tree.

Group 1 and Tree 14

These trees would be unaffected by the proposed layout.

5 REFERENCES, PLANNING POLICY AND GUIDANCE

5.1 National policy

Section 197 in the Town and Country Planning Act 1990 makes it the duty of Local Planning Authorities (LPAs), ‘*in the interests of amenity,*’ to protect trees, when granting planning permission, either by the imposition of conditions or serving Tree Preservation Orders (TPOs).

The National Planning Policy Framework (NPPF) (2021) mentions trees and should be taken into account.

131. *Trees make an important contribution to the character and quality of urban environments, and can also help mitigate and adapt to climate change. Planning policies and decisions should ensure that new streets are tree-lined, that opportunities are taken to incorporate trees elsewhere in developments (such as parks and community orchards), that appropriate measures are in place to secure the long-term maintenance of newly-planted trees, and that existing trees are retained wherever possible. Applicants and local planning authorities should work with highways officers and tree officers to ensure that the right trees are planted in the right places, and solutions are found that are compatible with highways standards and the needs of different users.*

174. *Planning policies and decisions should contribute to and enhance the natural and local environment by:*

(b) recognising the intrinsic character and beauty of the countryside, and the wider benefits from natural capital and ecosystem services – including the economic and other benefits of the best and most versatile agricultural land, and of trees and woodland;

180. *When determining planning applications, local planning authorities should apply the following principles:*

(a) if significant harm to biodiversity resulting from a development cannot be avoided (through locating on an alternative site with less harmful impacts), adequately mitigated, or, as a last resort, compensated for, then planning permission should be refused;

(b) development on land within or outside a Site of Special Scientific Interest, and which is likely to have an adverse effect on it (either individually or in combination with other developments), should not normally be permitted. The only exception is where the benefits of the development in the location proposed clearly outweigh both its likely impact on the features of the site that make it of special scientific interest, and any broader impacts on the national network of Sites of Special Scientific Interest;

(c) development resulting in the loss or deterioration of irreplaceable habitats (such as ancient woodland and ancient or veteran trees) should be

refused, unless there are wholly exceptional reasons and a suitable compensation strategy exists; ...

(d) development whose primary objective is to conserve or enhance biodiversity should be supported; while opportunities to improve biodiversity in and around developments should be integrated as part of their design, especially where this can secure measurable net gains for biodiversity or enhance public access to nature where this is appropriate.

Annex 2: Glossary

Ancient or veteran tree: A tree which, because of its age, size and condition, is of exceptional biodiversity, cultural or heritage value. All ancient trees are veteran trees. Not all veteran trees are old enough to be ancient, but are old relative to other trees of the same species. Very few trees of any species reach the ancient life-stage.

Ancient woodland: An area that has been wooded continuously since at least 1600 AD. It includes ancient semi-natural woodland and plantations on ancient woodland sites (PAWS).

Irreplaceable habitat: Habitats which would be technically very difficult (or take a very significant time) to restore, recreate or replace once destroyed, taking into account their age, uniqueness, species diversity or rarity. They include ancient woodland, ancient and veteran trees, blanket bog, limestone pavement, sand dunes, salt marsh and lowland fen.

5.2 British Standard: Trees in relation to design, demolition and construction – Recommendations (BS 5837, 2012)

The British Standard: *Trees in relation to design, demolition and construction – Recommendations* (BS 5837, 2012) contains guidance on how to assess trees in or close to proposed development and information to include in pre-development arboricultural reports submitted with planning applications. Appendices 2 and 3 contain relevant extracts from BS 5837 (2012).

5.3 Broxtowe Borough Gedling Borough Nottingham City Aligned Core Strategies Part 1 Local Plan

Section C: Our Environment

Policy 16: Green Infrastructure, Parks and Open Space

Policy 17: Biodiversity

6 LEGAL CONSIDERATIONS

6.1 Protected trees

According to Gedling Borough Council's online records which were checked on 07 November 2023, none of the trees included in this report are protected by a Tree Preservation Order (TPO) and the property is not within a Conservation Area.


6.2 Wildlife conservation legislation

Breeding birds are protected, together with bats and their roosts are, whether their roosts are in use or not.

Consideration should be given to the presence of protected species prior to any proposed tree removal or maintenance. This will include breeding birds, principally between March and August, and bats at any time of year.




Tree surgeons should also be aware of their duties under legislation to protect wildlife and carry out their site assessment and work accordingly.


The hedges are likely to be attractive to breeding birds.



Plan 1 Tree Constraints Plan showing the existing layout


1:250 @ A3





Plan 2 Tree Constraints Plan showing the proposed layout

1:250 @ A3



Appendix 1

The Experience and Qualifications of Ian Kennedy

1. Qualifications

Ian graduated from the Scottish Agricultural College in August 1995 with a Higher National Diploma in Horticulture (HND) with Distinction.

In 1998 Ian graduated from the University of Aberdeen with a BSc (Hons) Upper second class in Forestry with Arboriculture and Amenity Forestry.

He passed the LANTRA Professional Tree Inspection examination in (2006).

In 2009 his application to become a professional member of the Arboricultural Association was assessed to fulfil all the necessary requirements and he became a professional member of the Association that year.

In 2011 he passed the final examination of the Institute of Chartered Foresters and became a member of that institute in January 2012.

2. Practical experience

Presently Ian is working in private practice as an independent arboricultural and woodland management consultant undertaking tree conditions surveys, pre-development tree surveys to the BS5837:2012 standard, mortgage reports and woodland management planning works. Clients range from home owners and farmers to architects, building companies, local authorities, schools and larger development companies.

Prior to private practice Ian held a number of positions in local government. Firstly, he was the arboriculturalist within a planning office in Essex. Ian gained considerable experience regarding trees in relation to development, in particular BS 5837.

Development work formed the core of his duties and applications ranged from small back garden developments to major schemes such as the redevelopment of Ministry of Defence land for private residential development. Ian also undertook all functions associated with Tree Preservation Orders (TPOs), including the making of new TPOs, assessing suitability of applications to work on protected trees and trees in conservation areas.

Ian went on to manage a 500 hectare woodland estate for a local authority in South Yorkshire that included a mix of urban and rural woodlands. This included preparation and implementation of detailed management plans for multiple use woodlands. He undertook all aspects of silvicultural management from marking to contract tendering and monitoring. He also managed the access, conservation, landscape and archaeological requirements of the estate.

Ian was directly involved in the estate achieving Forest Stewardship Council certification in 2003 and personally ensured continued certification.

Ian has worked extensively with Forestry Commission to obtain the necessary licences for management works and ensured the estate benefited fully from the full range of grants available.

Latterly at the same authority Ian went on to manage the trees and woodlands unit, having overall responsibility for management of the authority's tree and woodland stock and associated staff, together with delivery of other tree related services such as those associated with the Town and Country Planning Acts.

3. Continuing professional development

Ian regularly attends meetings, seminars and training events hosted by The Arboricultural Association, Institute of Chartered Foresters, Royal Forestry Society and Forestry Commission and benefits from the respective journals, briefings and newsletters available to members of the first three of the organisations listed.

4. Relevant experience

Ian Kennedy has spent 23 years working with trees, including as the arboricultural advisor to planning officers for a Local Planning Authority and manager of a trees and woodlands unit for another local authority with overall responsibility for trees, including in relation to the Town and Country Planning Acts.

Appendix 2

Tree Retention Categories

Table 1 Cascade chart for tree quality assessment

Category and definition	Criteria (including subcategories where appropriate)	Identification on plan		
Trees unsuitable for retention (see Note)				
Category U Those in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years	<ul style="list-style-type: none"> Trees that have a serious, irremediable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other category U trees (e.g. where, for whatever reason, the loss of companion shelter cannot be mitigated by pruning) Trees that are dead or are showing signs of significant, immediate, and irreversible overall decline Trees infected with pathogens of significance to the health and/or safety of other trees nearby, or very low quality trees suppressing adjacent trees of better quality <p><i>NOTE Category U trees can have existing or potential conservation value which it might be desirable to preserve; see 4.5.7.</i></p>	See Table 2		
<p>1 Mainly arboricultural qualities 2 Mainly landscape qualities 3 Mainly cultural values, including conservation</p>				
Trees to be considered for retention				
Category A Trees of high quality with an estimated remaining life expectancy of at least 40 years	Trees that are particularly good examples of their species, especially if rare or unusual; or those that are essential components of groups or formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue)	Trees, groups or woodlands of particular visual importance as arboricultural and/or landscape features	Trees, groups or woodlands of significant conservation, historical, commemorative or other value (e.g. veteran trees or wood-pasture)	See Table 2
Category B Trees of moderate quality with an estimated remaining life expectancy of at least 20 years	Trees that might be included in category A, but are downgraded because of impaired condition (e.g. presence of significant though remediable defects, including unsympathetic past management and storm damage), such that they are unlikely to be suitable for retention for beyond 40 years; or trees lacking the special quality necessary to merit the category A designation	Trees present in numbers, usually growing as groups or woodlands, such that they attract a higher collective rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality	Trees with material conservation or other cultural value	See Table 2
Category C Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150 mm	Unremarkable trees of very limited merit or such impaired condition that they do not qualify in higher categories	Trees present in groups or woodlands, but without this conferring on them significantly greater collective landscape value; and/or trees offering low or only temporary/transient landscape benefits	Trees with no material conservation or other cultural value	See Table 2

Appendix 3

Explanatory notes for some of the terms used in this report

- **Stem Diameter:** The diameter of the trunk at 1.5m above ground level and recorded in millimetres measured with a diameter tape.
- **Compass Bearing:** N = north; S = south; E = east; W = west;
- **Life Stage:** Assessed as either:
 - Semi-mature = a size which could be easily transplanted;
 - Juvenile mature = prior to seed bearing age and could be transplanted with care;
 - Young Mature = early maturity, not fully grown but of seed bearing age and may have achieved mature height;
 - Mature = fully grown, annual growth is much reduced;
 - Old Mature = old for the species, possibly starting to decline;
 - Veteran = Beyond maturity for the species. This can be characterised by larger than average stem diameters, scaffold branches or crown spreads. Often still growing with full crowns.
 - Ancient = Well beyond normal mature age. It will have special characteristics associated with its age, including biological, cultural. Growth rates will significantly reduced and the tree may be declining in size.
- **Estimated size: #**
- **Health:**
 - Normal Vitality = normal growth and twig extension;
 - Moderate Vitality = reduced twig extension but other than that few signs of ill-health;
 - Early Decline = reduced twig extension and some dead twigs in the outer canopy;
 - Mid-decline = small internodes, the canopy may be thinning and contain dead twigs and/or branches in the outer canopy, older branch wounds that haven't occluded may be decaying and forming cavities;
 - Severe Decline = sparse crown, numerous dead twigs and branches in the outer canopy, older branch wounds likely to be decaying and forming cavities;
 - Dead.
- **Structural Condition**
 - Acute stem union = a weak union between two or more stems at the main forking point caused by the formation of reaction wood. Mechanical pressure

at the forking point increases as secondary thickening occurs increasing the risk of failure at that point.

- Acute branch union = the same principle as acute stem unions but between a stem and a branch or two branches rather than 2 main stems.
- **Estimated life**
 - The life expectancy brackets of <10 years, 10+ years, 20+ years and 40+ years accord with the guidance in BS5837:2012 and should be considered as the useful life expectancy in the location the trees are growing in. For example, a tree with significant defects growing in a quiet area could be retained for longer than a tree growing next to a busy highway or a residential building.
- **Amenity**
 - High = Growing in a place that is very publicly visible such as a next to a busy road or places where people gather. The tree is also likely to be large or very large.
 - Medium = A smaller tree growing in a very publicly visible place or a large tree growing in a place with reduced public access.
 - Low = A small to medium sized tree growing in a quiet location where it is barely or not visible to anyone other than the landowner.

Ian Kennedy
Wharcliffe Trees and Woodland Consultancy
16 Hartcliffe View
Thurgoland
Sheffield
S35 7BD

0114 288 5501
07891 488303

info@wharcliffetwc.co.uk