



**SANITARY FITTINGS**

Sanitary fittings to be fitted in accordance with BS EN 12056-2:2000, with the following minimum waste pipe sizes:

- Sinks 40mm diameter waste, 75mm deep seal trap
- Baths 40mm diameter waste, 75mm deep seal trap
- Washbasins 32mm diameter waste, 75mm deep seal trap
- Showers 40mm diameter waste, 75mm deep seal trap

Smaller waste pipes sizes to be increased if standard distances to SVP are exceeded.

As outlined in Part G, Schedule 1 ensure a supply of wholesome water to the property. Wholesome water means water complying with the requirements of regulations made under Section 67 (Standards of wholesomeness) of the Water Industry Act 1991. The regulations made under this Section at the time of publication of this Approved Document are for England the Private Water Supplies Regulations 2009 (SI 2009/3101), for Wales the Private Water Supplies (Wales) Regulations (SI 2010/66) and, for England, the Water Supply (Water Quality) Regulations 2000 (SI 2000/3184 as amended), and, for Wales, the Water Supply (Water Quality) Regulations 2001 (SI 2001/3911 as amended).

**NOTE:**  
CONTRACTOR TO VERIFY ALL SIZES ON SITE BEFORE COMMENCEMENT.

**NOTE:**  
PLEASE DO NOT SCALE FROM THIS DRAWING.

**Party Wall Act**  
Notices under the Party Wall Act are to be served by the building owner or appropriate body appointed by the building owner. For further clarification on the Party Wall etc Act 1996 contact: Cairn Wharf Consultancy Ltd, 2 Boroughgate, Off Bay Horse Court, Otley, LS21 1SB M 07739 576181 cw@cairnwharf.com For further information on the Party Wall etc Act 1996: <http://www.communities.gov.uk/documents/planningandbuilding/pdf/133214.pdf>

**Building Contract**  
It is recommended that a formal written agreement is put in place between the building owner and the building contractor. A typical agreement that protects both owner and builder would be produced by the JCT. For further information on building contracts contact: Cairn Wharf Consultancy Ltd, 2 Boroughgate, Off Bay Horse Court, Otley, LS21 1SB M 07739 576181 cw@cairnwharf.com

**CDM 2015 Regulations**  
The Construction (Design and Management) Regulations 2015 applies to all construction work. Designers, builders and Clients all have duties under the regulations. For further information on the CDM 2015 Regulations contact: Cairn Wharf Consultancy Ltd, 2 Boroughgate, Off Bay Horse Court, Otley, LS21 1SB M 07739 576181 cw@cairnwharf.com

**GENERAL NOTES**  
Materials to match existing.

These notes do not comprise a full specification. The drawings are for building regulation purposes only and are not working plans. They do not comprise of a complete specification for the whole of the works. Their primary function is to assist the local authority inspector to determine compliance in line with building regulation standards.

Where further clarifications are required contractor shall refer to the client for details and instruction.

All dimensions must be checked by the contractor and any discrepancies noted in writing to MAS Design Consultants Ltd.

All works must be carried out in accordance with current Building Regulations, Codes of Practice and Planning Officers requirements.

All materials must comply with current British Standards in situations used.

Rev.D	Added building regulations notes (subject to change). Removed sun tunnels, gas meter & chimney. Added side facing landing window. Reduced living room and master bedroom windows to North elevation, master bedroom window to west elevation. Removed east elevation playroom window. Omitted Bay window glazing bars. Changed en suite and bathrooms doors to pocket doors. All to suit clients comments.	12.12.23
Rev.C	Added bay windows to Senior Planners comments.	07.09.23
Rev.B	Added bay windows to Senior Planners comments.	24.04.23
Rev.A	Updated fenestration to Senior Planners comments.	01.02.23
REV		



www.masdesignconsultants.com  
1 Oxford Street, Guiseley, Leeds, LS20 9AX

**PROPOSED**

**EXTENT OF PROJECT:**  
**PROPOSAL: PROPOSED GROUND FLOOR PORCH EXTENSION. PROPOSED FIRST FLOOR EXTENSION. PROPOSED REFURBISHMENT OF DWELLING. PROPOSED NEW INSULATED RENDER EXTERNAL FINISH.**

**CLIENT DETAILS:**  
**MR S JARVIS.**  
**1 POOL ROAD,**  
**OTLEY.**  
**LS21 1HL.**

**DRAWING TITLE:**  
**PROPOSED EAST ELEVATION.**

PAPER	SCALE	DATE	DRAWING No	REV
A3	1:50	11/22	M3905/04/204	D