

*** QUOTATION - DESIGN DETAIL ***

1	Heritage Casement Window O/A Sizes 1180mm x 1180mm (13) Louisa Room	Specification	Chk	
		Range	Heritage	[]
		Heritage Joint Type	GENUS (Timber Look Joinery)	[]
		Sash	P10527 FLUSH SASH	[]
		Reinforcing rule	Standard Reinforcing	[]
		Frame (Head)	P10531 Rustique Small Outer	[]
		Frame (Cill)	P10531 Rustique Small Outer	[]
		Frame (Left jamb)	P10531 Rustique Small Outer	[]
		Frame (Right jamb)	P10531 Rustique Small Outer	[]
		Tran/Mull joints	Mechanical Joint(s)	[]
		Mullion	P10533/P10536 R2 70mm T/M	[]
		Colour	Rosewood/White Foil	[]
		Sash colour	Rosewood/White Foil	[]
		Cill colour	Rosewood/White Foil	[]
		Cill	P90042 150mm Flat Bed Cill	[]
		Drainage	Concealed Drainage	[]
		Weld Finish	Knifed Off Both Sides	[]
		Bead type	28mm Rustique Bead (Flush 32)	[]
		Security Claw	Flush Sash Security Claws	[]
		Handle	Tear Drop Handle Graphite	[]
		Friction stay	Standard Stay	[]
		Casement locking	MK2 Flush Locking System	[]
		Ventilator (Head)	-	[]
		Ventilator (Sash)	-	[]
		Ventilator (Frame)	-	[]
		Frame drip bar	-	[]
	Add-on (Head)	5000 Vent in 45mm Extension	[]	
	Add-on (Cill)	-	[]	
	Add-on (Left jamb)	-	[]	
	Add-on (Right jamb)	-	[]	
	Glazed in/out	Internally Beaded	[]	
	Viewed from	Viewed From Outside	[]	
	Energy Rating	A Rated	[]	

45.71 kg : 100.77 lb

Glazing Details & Apertures	
4-20-4 Clear Toughened EcoPane : 20mm Swiss Black Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F • Argon Filled	W
A1 - (443 x 927)	F1 - (423 x 927)

Quote No. 2414

Your Ref. Mike Armstrong

2	Heritage Casement Window O/A Sizes 1760mm x 1180mm (16D) Master Room	Specification	Chk	
		Range	Heritage	[]
		Heritage Joint Type	GENUS (Timber Look Joinery)	[]
		Sash	P10527 FLUSH SASH	[]
		Reinforcing rule	Standard Reinforcing	[]
		Frame (Head)	P10531 Rustique Small Outer	[]
		Frame (Cill)	P10531 Rustique Small Outer	[]
		Frame (Left jamb)	P10531 Rustique Small Outer	[]
		Frame (Right jamb)	P10531 Rustique Small Outer	[]
		Tran/Mull joints	Mechanical Joint(s)	[]
		Mullion	P10533/P10536 R2 70mm T/M	[]
		Colour	Rosewood/White Foil	[]
		Sash colour	Rosewood/White Foil	[]
		Cill colour	Rosewood/White Foil	[]
		Cill	P90042 150mm Flat Bed Cill	[]
		Drainage	Concealed Drainage	[]
		Weld Finish	Knifed Off Both Sides	[]
		Bead type	28mm Rustique Bead (Flush 32)	[]
		Security Claw	Flush Sash Security Claws	[]
		Handle	Tear Drop Handle Graphite	[]
		Friction stay	Standard Stay	[]
		Casement locking	MK2 Flush Locking System	[]
		Ventilator (Head)	-	[]
		Ventilator (Sash)	-	[]
		Ventilator (Frame)	-	[]
		Frame drip bar	-	[]
		Add-on (Head)	5000 Vent in 45mm Extension	[]
		Add-on (Cill)	-	[]
		Add-on (Left jamb)	-	[]
		Add-on (Right jamb)	-	[]
		Glazed in/out	Internally Beaded	[]
	Viewed from	Viewed From Outside	[]	
	Energy Rating	A Rated	[]	

67.31 kg : 148.40 lb

Glazing Details & Apertures	
4-20-4 Clear Toughened EcoPane : 20mm Swiss Black Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F Argon Filled W	
A1 - (443 x 927)	D1 - (424 x 927) H1 - (443 x 927)

Quote No. 2414

Your Ref. Mike Armstrong

Page No 4

3	Heritage Casement Window O/A Sizes 1760mm x 1180mm (16D) Christophers Room	Specification	Chk
		Range	Heritage []
		Heritage Joint Type	GENUS (Timber Look Joinery) []
		Sash	P10527 FLUSH SASH []
		Reinforcing rule	Standard Reinforcing []
		Frame (Head)	P10531 Rustique Small Outer []
		Frame (Cill)	P10531 Rustique Small Outer []
		Frame (Left jamb)	P10531 Rustique Small Outer []
		Frame (Right jamb)	P10531 Rustique Small Outer []
		Tran/Mull joints	Mechanical Joint(s) []
		Mullion	P10533/P10536 R2 70mm T/M []
		Colour	Rosewood/White Foil []
		Sash colour	Rosewood/White Foil []
		Cill colour	Rosewood/White Foil []
		Cill	P90042 150mm Flat Bed Cill []
		Drainage	Concealed Drainage []
		Weld Finish	Knifed Off Both Sides []
		Bead type	28mm Rustique Bead (Flush 32) []
		Security Claw	Flush Sash Security Claws []
		Handle	Tear Drop Handle Graphite []
		Friction stay	Standard Stay []
		Casement locking	MK2 Flush Locking System []
		Ventilator (Head)	- []
		Ventilator (Sash)	- []
		Ventilator (Frame)	- []
		Frame drip bar	- []
		Add-on (Head)	5000 Vent in 45mm Extension []
		Add-on (Cill)	- []
		Add-on (Left jamb)	- []
		Add-on (Right jamb)	- []
		Glazed in/out	Internally Beaded []
	Viewed from	Viewed From Outside []	
	Energy Rating	A Rated []	

67.31 kg : 148.40 lb


Glazing Details & Apertures										
4-20-4 Clear Toughened EcoPane	: 20mm Swiss Black Astragal	Clip On Bar	Putty Ext	Ovolo Int	Rosewood on WH F	Argon Filled	W			
A1 - (443 x 927)	D1 - (424 x 927)	H1 - (443 x 927)								

Continued

Quote No. 2414

Your Ref. Mike Armstrong

4	Heritage Casement Window O/A Sizes 1180mm x 1020mm (13) Bathroom	Specification	Chk
		Range	Heritage []
		Heritage Joint Type	GENUS (Timber Look Joinery) []
		Sash	P10527 FLUSH SASH []
		Reinforcing rule	Standard Reinforcing []
		Frame (Head)	P10531 Rustique Small Outer []
		Frame (Cill)	P10531 Rustique Small Outer []
		Frame (Left jamb)	P10531 Rustique Small Outer []
		Frame (Right jamb)	P10531 Rustique Small Outer []
		Tran/Mull joints	Mechanical Joint(s) []
		Mullion	P10533/P10536 R2 70mm T/M []
		Colour	Rosewood/White Foil []
		Sash colour	Rosewood/White Foil []
		Cill colour	Rosewood/White Foil []
		Cill	P90042 150mm Flat Bed Cill []
		Drainage	Concealed Drainage []
		Weld Finish	Knifed Off Both Sides []
		Bead type	28mm Rustique Bead (Flush 32) []
		Security Claw	Flush Sash Security Claws []
		Handle	Tear Drop Handle Graphite []
		Friction stay	Standard Stay []
		Casement locking	MK2 Flush Locking System []
		Ventilator (Head)	- []
		Ventilator (Sash)	- []
		Ventilator (Frame)	- []
		Frame drip bar	- []
		Add-on (Head)	5000 Vent in 45mm Extension []
		Add-on (Cill)	- []
		Add-on (Left jamb)	- []
		Add-on (Right jamb)	- []
		Glazed in/out	Internally Beaded []
		Viewed from	Viewed From Outside []
		Energy Rating	A Rated []



38.55 kg : 84.98 lb

Glazing Details & Apertures


4-20-4 Patterned Toughened EcoPane : 20mm Swiss Black Stippolyte Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F Arg
 A1 - (443 x 767) F1 - (423 x 767)

Quote No. 2414

Your Ref. Mike Armstrong

5	Heritage Casement Window
	O/A Sizes 1160mm x 1180mm (13)
	Simons Room 1/2

Specification	Chk
Range	Heritage []
Heritage Joint Type	GENUS (Timber Look Joinery) []
Sash	P10527 FLUSH SASH []
Energy Rating	A Rated []
Reinforcing rule	Standard Reinforcing []
Frame (Head)	P10531 Rustique Small Outer []
Frame (Cill)	P10531 Rustique Small Outer []
Frame (Left jamb)	P10531 Rustique Small Outer []
Frame (Right jamb)	P10531 Rustique Small Outer []
Tran/Mull joints	Mechanical Joint(s) []
Mullion	P10533/P10536 R2 70mm T/M []
Colour	Rosewood/White Foil []
Sash colour	Rosewood/White Foil []
Cill colour	Rosewood/White Foil []
Cill	P90042 150mm Flat Bed Cill []
Drainage	Concealed Drainage []
Weld Finish	Knifed Off Both Sides []
Bead type	28mm Rustique Bead (Flush 32) []
Security Claw	Flush Sash Security Claws []
Handle	Tear Drop Handle Graphite []
Friction stay	Standard Stay []
Casement locking	MK2 Flush Locking System []
Ventilator (Head)	- []
Ventilator (Sash)	- []
Ventilator (Frame)	- []
Frame drip bar	- []
Add-on (Head)	5000 Vent in 45mm Extension []
Add-on (Cill)	- []
Add-on (Left jamb)	- []
Add-on (Right jamb)	- []
Glazed in/out	Internally Beaded []
Viewed from	Viewed From Outside []



44.58 kg : 98.28 lb

Glazing Details & Apertures


4-20-4 Clear Toughened EcoPane : 20mm Swiss Black Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F Argon Filled W
 A1 - (443 x 927) F1 - (403 x 927)

Quote No. 2414

Page No 7

Your Ref. Mike Armstrong

6	Heritage Casement Window
	O/A Sizes 590mm x 1000mm (11)
	Simon's Room 2/2



Specification		Chk
Range	Heritage	[]
Heritage Joint Type	GENUS (Timber Look Joinery)	[]
Sash	P10527 FLUSH SASH	[]
Reinforcing rule	Standard Reinforcing	[]
Frame (Head)	P10531 Rustique Small Outer	[]
Frame (Cill)	P10531 Rustique Small Outer	[]
Frame (Left jamb)	P10531 Rustique Small Outer	[]
Frame (Right jamb)	P10531 Rustique Small Outer	[]
Colour	Rosewood/White Foil	[]
Sash colour	Rosewood/White Foil	[]
Cill colour	Rosewood/White Foil	[]
Cill	P90042 150mm Flat Bed Cill	[]
Drainage	Concealed Drainage	[]
Weld Finish	Knifed Off Both Sides	[]
Bead type	28mm Rustique Bead (Flush 32)	[]
Security Claw	Flush Sash Security Claws	[]
Handle	Tear Drop Handle Graphite	[]
Friction stay	Standard Stay	[]
Casement locking	MK2 Flush Locking System	[]
Ventilator (Head)	-	[]
Ventilator (Sash)	-	[]
Ventilator (Frame)	-	[]
Frame drip bar	-	[]
Add-on (Head)	5000 Vent in 45mm Extension	[]
Add-on (Cill)	-	[]
Add-on (Left jamb)	-	[]
Add-on (Right jamb)	-	[]
Glazed in/out	Internally Beaded	[]
Viewed from	Viewed From Outside	[]
Energy Rating	A Rated	[]


18.04 kg : 39.77 lb

Glazing Details & Apertures

4-20-4 Clear Annealed EcoPane: 20mm Swiss Black Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F Argon Filled War
 A1 - (412 x 747)

Quote No. 2414
Your Ref. Mike Armstrong

7	Heritage Casement Window
	O/A Sizes 1200mm x 980mm (13)
	Kitchen



Specification	Chk
Range	Heritage []
Heritage Joint Type	GENUS (Timber Look Joinery) []
Sash	P10527 FLUSH SASH []
Reinforcing rule	Standard Reinforcing []
Frame (Head)	P10531 Rustique Small Outer []
Frame (Cill)	P10531 Rustique Small Outer []
Frame (Left jamb)	P10531 Rustique Small Outer []
Frame (Right jamb)	P10531 Rustique Small Outer []
Tran/Mull joints	Mechanical Joint(s) []
Mullion	P10533/P10536 R2 70mm T/M []
Colour	Rosewood/White Foil []
Sash colour	Rosewood/White Foil []
Cill colour	Rosewood/White Foil []
Cill	P90042 150mm Flat Bed Cill []
Drainage	Concealed Drainage []
Weld Finish	Knifed Off Both Sides []
Bead type	28mm Rustique Bead (Flush 32) []
Security Claw	Flush Sash Security Claws []
Handle	Tear Drop Handle Graphite []
Friction stay	Standard Stay []
Casement locking	MK2 Flush Locking System []
Ventilator (Head)	- []
Ventilator (Sash)	- []
Ventilator (Frame)	- []
Frame drip bar	- []
Add-on (Head)	5000 Vent in 45mm Extension []
Add-on (Cill)	- []
Add-on (Left jamb)	- []
Add-on (Right jamb)	- []
Glazed in/out	Internally Beaded []
Viewed from	Viewed From Outside []
Energy Rating	A Rated []



37.85 kg : 83.45 lb

890-
90031011 ✓

Glazing Details & Apertures

4-20-4 Clear Annealed EcoPane : 20mm Swiss Black Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F Argon Filled War
A1 - (443 x 727) F1 - (443 x 727)

Heritage Multi Segment	Specification	Chk
------------------------	---------------	-----



2040 x 2060


1.65 kg : 3.64 lb

Specification	Chk
Range	Heritage []
Reinforcing rule	Standard Reinforcing []
Colour	Rosewood/White Foil []
Sash colour	Rosewood/White Foil []
Cill colour	Rosewood/White Foil []
Cill	P90039 85mm Flat Bed Cill []
Weld Finish	Knifed Off Both Sides []
Add-on (Head)	- []
Add-on (Cill)	- []
Add-on (Left jamb)	- []
Add-on (Right jamb)	- []
Coupler ver	6mm Coupling Sculptured []

Quote No. 2414

Your Ref. Mike Armstrong

8	Heritage Casement Window
	O/A Sizes 1197mm x 950mm (13)
	1 of 2 of Multi-segment



Specification	Chk
Range	Heritage []
Heritage Joint Type	GENUS (Timber Look Joinery) []
Sash	P10527 FLUSH SASH []
Reinforcing rule	Standard Reinforcing []
Frame (Head)	P10531 Rustique Small Outer []
Frame (Cill)	P10531 Rustique Small Outer []
Frame (Left jamb)	P10531 Rustique Small Outer []
Frame (Right jamb)	P10531 Rustique Small Outer []
Mullion	P10533/P10536 R2 70mm T/M []
Colour	Rosewood/White Foil []
Sash colour	Rosewood/White Foil []
Drainage	Concealed Drainage []
Weld Finish	- []
Bead type	28mm Rustique Bead (Flush 32) []
Security Claw	Flush Sash Security Claws []
Handle	Chrome Handle []
Friction stay	Standard Stay []
Casement locking	MK2 Flush Locking System []
Ventilator (Head)	- []
Ventilator (Sash)	- []
Ventilator (Frame)	- []
Frame drip bar	- []
Add-on (Head)	10000 Vent in 45mm Extension []
Add-on (Cill)	- []
Add-on (Left jamb)	- []
Add-on (Right jamb)	- []
Glazed in/out	Internally Beaded []
Viewed from	Viewed From Outside []
Energy Rating	A Rated []

35.70 kg : 78.69 lb

40 Fc to Mac

Glazing Details & Apertures


4-20-4 Clear Toughened EcoPane : 20mm Swiss Black Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F Argon Filled W

A1 - (443 x 727) F1 - (440 x 727)

Quote No. 2414
 Your Ref. Mike Armstrong

9	Heritage Single Door
	O/A Sizes 837mm x 2030mm (Cornard) 2 of 2 of Multi-segment

Specification	Chk
Range	Heritage ✓ []
Heritage Joint Type	GENUS (Timber Look Joinery) []
Sash	P10510/P10511 110mm Door Sash []
Reinforcing rule	Standard Reinforcing []
Frame (Head)	P10531 R2 Small Outer (Drs) []
Frame (Cill)	P10532 Rustique Large Outer []
Frame (Left jamb)	P10532 Rustique Large Outer []
Frame (Right jamb)	P10532 Rustique Large Outer []
Threshold	- []
Midrail joints	Mechanical Joint(s) ✓ []
Midrail	P10505 116mm System10 Midrail ✓ []
Colour	Rosewood/White Foil []
Sash colour	Rosewood/White Foil []
Drainage	Concealed Drainage []
Weld Finish	Shadow Grooved []
Open in/out	Open In ✓ []
Bead type	28mm Rustque Bead []
Door hinge	Chrome Blag Hinges ✓ []
Door lock	Multipoint Lock Inc Shootbolts ✓ []
Cylinder	Yale 3* Nickel Thumb/Turn ✓ []
Security Claw	Door Security Claws (Fitted) ✓ []
Handle	Graphite Lever Lever (In Line) ✓ []
Fingerpull	- []
Door Knockers	- []
Spyhole	- []
Restrictor	- []
Ventilator (Head)	- []
Ventilator (Sash)	- []
Ventilator (Frame)	- []
Frame drip bar	- []
Add-on (Head)	- []
Add-on (Cill)	- []
Add-on (Left jamb)	- []
Add-on (Right jamb)	- []
Glazed in/out	Internally Beaded []
Viewed from	Viewed From Outside []



Handwritten notes: 2053, 2091, 2090, 810, 850, 840 ✓

44.06 kg : 97.13 lb

Handwritten note: PM Flat ✓

Handwritten note: 2050 to 10

Glazing Details & Apertures

4-20-4 Clear Toughened EcoPane : 20mm Swiss Black Argon Filled Warmedge spacer
 A1 - (561 x 1050)

Panel Details & Apertures


Halo 28mm Flat Foiled Panel / Rosewood/White Woodgrain 9010
 A7 - (561 x 634)

Quote No. 2414

Page No 11

Your Ref. Mike Armstrong

10	System10 V2 In-Line Patio O/A Sizes 1800mm x 2040mm (OX) Kitchen Door	Specification	Chk
		Slider Option	EXTERNAL Slider ✓ []
		Sash	P58151 Chamfered IN-Line Sash []
		Frame	105178 In-Line Outer (Welded) []
		Threshold	- []
		Colour	Rosewood/White Foil []
		Sash colour	Rosewood/White Foil []
		Cill colour	Rosewood/White Foil []
		Patio Handle	Graphite Pembroke Handle ✓ []
		Cill	P90042 P 150mm Flat Bed Cill ✓ []
		Drainage	Concealed Drainage ✓ []
		Weld Finish	Knifed Off Both Sides []
		Bead type	28mm System10 Bead (Flush 32) []
		Door lock	6 Point Patio Door Lock ✓ []
		Cylinder	40/40 3*Nickel Patio []
		Add-on (Head)	5000 Vent in 45mm Extension ✓ []
		Add-on (Cill)	- []
		Add-on (Left jamb)	- []
		Add-on (Right jamb)	- []
		Glazed in/out	Internally Beaded []
		Viewed from	Viewed From Outside []
		Document Q	- []



1781
1805
771

129.06 kg : 284.53 lb

890 900 1011

Glazing Details & Apertures

4-20-4 Clear Toughened EcoPane : 20mm Swiss Black Argon Filled Warmedge spacer
 A1 - (750 x 1719) F1 - (750 x 1719)

1130 1150


Quote No. 2414

Page No 12

Your Ref. Mike Armstrong

11	Heritage Casement Window
	O/A Sizes 1760mm x 1320mm (16D)
	Living Room

Specification	Chk
Range	Heritage []
Heritage Joint Type	GENUS (Timber Look Joinery) []
Sash	P10527 FLUSH SASH []
Reinforcing rule	Standard Reinforcing []
Frame (Head)	P10531 Rustique Small Outer []
Frame (Cill)	P10531 Rustique Small Outer []
Frame (Left jamb)	P10531 Rustique Small Outer []
Frame (Right jamb)	P10531 Rustique Small Outer []
Tran/Mull joints	Mechanical Joint(s) []
Mullion	P10533/P10536 R2 70mm T/M []
Colour	Rosewood/White Foil []
Sash colour	Rosewood/White Foil []
Cill colour	Rosewood/White Foil []
Cill	P90042 150mm Flat Bed Cill []
Drainage	Concealed Drainage []
Weld Finish	Knifed Off Both Sides []
Bead type	28mm Rustique Bead (Flush 32) []
Security Claw	Flush Sash Security Claws []
Handle	Tear Drop Handle Graphite []
Friction stay	Standard Stay []
Casement locking	MK2 Flush Locking System []
Ventilator (Head)	- []
Ventilator (Sash)	- []
Ventilator (Frame)	- []
Frame drip bar	- []
Add-on (Head)	5000 Vent in 45mm Extension []
Add-on (Cill)	- []
Add-on (Left jamb)	- []
Add-on (Right jamb)	- []
Glazed in/out	Internally Beaded []
Viewed from	Viewed From Outside []
Energy Rating	A Rated []



1742
1770
1760


73.97 kg : 163.08 lb

Glazing Details & Apertures

4-20-4 Clear Toughened Eco Pane : 20mm Swiss Black Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F Argon Filled W
 A1 - (443 x 1067) D1 - (424 x 1067) H1 - (443 x 1067)

Quote No. 2414
Your Ref. Mike Armstrong

12	Heritage Casement Window O/A Sizes 590mm x 1000mm (11) W/C Down Stairs	Specification	Chk
		Range	Heritage []
		Heritage Joint Type	GENUS (Timber Look Joinery) []
		Sash	P10527 FLUSH SASH []
		Reinforcing rule	Standard Reinforcing []
		Frame (Head)	P10531 Rustique Small Outer []
		Frame (Cill)	P10531 Rustique Small Outer []
		Frame (Left jamb)	P10531 Rustique Small Outer []
		Frame (Right jamb)	P10531 Rustique Small Outer []
		Colour	Rosewood/White Foil []
		Sash colour	Rosewood/White Foil []
		Cill colour	Rosewood/White Foil []
		Cill	P90042 150mm Flat Bed Cill []
		Drainage	Concealed Drainage []
		Weld Finish	Knifed Off Both Sides []
		Bead type	28mm Rustique Bead (Flush 32) []
		Security Claw	Flush Sash Security Claws []
		Handle	Tear Drop Handle Graphite []
		Friction stay	Standard Stay []
		Casement locking	MK2 Flush Locking System []
		Ventilator (Head)	- []
		Ventilator (Sash)	- []
		Ventilator (Frame)	- []
		Frame drip bar	- []
		Add-on (Head)	5000 Vent in 45mm Extension []
		Add-on (Cill)	- []
		Add-on (Left jamb)	- []
		Add-on (Right jamb)	- []
		Glazed in/out	Internally Beaded []
		Viewed from	Viewed From Outside []
		Energy Rating	A Rated []



18.04 kg : 39.77 lb

Glazing Details & Apertures

4-20-4 Patterned Toughened EcoPane : 20mm Swiss Black Stippolyte Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F Arg
A1 - (412 x 747)

Handwritten mark resembling '712'.

Quote No. 2414

Page No 14

Your Ref. Mike Armstrong

Heritage Single Door O/A Sizes 860mm x 2030mm (Lavenham)		Specification	Chk
<p>13</p>	Range	Heritage ✓	[]
	Heritage Joint Type	GENUS (Timber Look Joinery)	[]
	Sash	P10510/P10511 110mm Door Sash	[]
	Reinforcing rule	Standard Reinforcing	[]
	Frame (Head)	P10531 R2 Small Outer (Drs)	[]
	Frame (Cill)	P10532 Rustique Large Outer	[]
	Frame (Left jamb)	P10532 Rustique Large Outer	[]
	Frame (Right jamb)	P10532 Rustique Large Outer	[]
	Threshold	-	[]
	Midrail joints	Mechanical Joint(s)	[]
	Dummy (Transom)	P10505 116mm System 10 Midrail ✓	[]
	Dummy joints	Mechanical Joint(s)	[]
	Dummy (Mullion)	P10505 116mm System 10 Midrail ?	[]
	Midrail	P10505 116mm System 10 Midrail ?	[]
	Colour	Rosewood/White Foil	[]
	Sash colour	Rosewood/White Foil	[]
	Cill colour	Rosewood/White Foil	[]
	Cill	P90042 150mm Flat Bed Cill ✓	[]
	Drainage	Concealed Drainage ✓	[]
	Weld Finish	Knifed Off Both Sides ✓	[]
	Open in/out	Open In ✓	[]
	Bead type	28mm Rustque Bead ✓	[]
	Door hinge	White Blag Hinges ✓	[]
	Door lock	Multipoint Lock Inc Shootbolts ✓	[]
	Cylinder	Yale 3* Nickel Thumb/Turn ✓	[]
	Security Claw	Door Security Claws (Fitted) ✓	[]
	Handle	Graphite Lever Lever (In Line) ✓	[]
	Fingerpull	-	[]
	Letterbox	-	[]
	Door Knockers	-	[]
Spyhole	-	[]	
Restrictor	-	[]	
Ventilator (Head)	-	[]	
Ventilator (Sash)	-	[]	
Ventilator (Frame)	-	[]	
Frame drip bar	-	[]	
Add-on (Head)	-	[]	
Add-on (Cill)	-	[]	
Add-on (Left jamb)	-	[]	
Add-on (Right jamb)	-	[]	
Glazed in/out	Internally Beaded	[]	
Viewed from	Viewed From Outside	[]	
Letterbox	Graphite 70mm L/Box ✓	[]	

Aperture Options	Chk	Chk
Letterbox	Graphite 70mm L/Box ✓ (A7)	
	43.49 kg : 95.88 lb	

Glazing Details & Apertures
4-20-4 Patterned Toughened EcoPane : 20mm Swiss Black Stippolyte Argon Filled Warmedge spacer
A1 - (249 x 335) F1 - (249 x 335)

Panel Details & Apertures
Halo 28mm Flat Foiled Panel / Rosewood/White Woodgrain 9010
A3 - (249 x 596) A8 - (249 x 634) F3 - (249 x 596) F8 - (249 x 634)


Quote No. 2414

Your Ref. Mike Armstrong

Page No 15

14	Heritage Casement Window O/A Sizes 487mm x 980mm (L) Porch	Specification	Chk
		Range	Heritage []
		Heritage Joint Type	GENUS (Timber Look Joinery) []
		Reinforcing rule	Standard Reinforcing []
		Frame (Head)	P10531 Rustique Small Outer []
		Frame (Cill)	P10531 Rustique Small Outer []
		Frame (Left jamb)	P10531 Rustique Small Outer []
		Frame (Right jamb)	P10531 Rustique Small Outer []
		Colour	Rosewood/White Foil []
		Energy Rating	A Rated []
		Cill colour	Rosewood/White Foil []
		Cill	P90042 150mm Flat Bed Cill []
		Drainage	Concealed Drainage []
		Weld Finish	- []
		Bead type	28mm Rustique Bead (Flush 32) []
		Ventilator (Head)	- []
		Ventilator (Frame)	- []
		Frame drip bar	- []
		Add-on (Head)	2500 Vent in 45mm Extension []
		Add-on (Cill)	- []
		Add-on (Left jamb)	- []
		Add-on (Right jamb)	- []
		Glazed in/out	Internally Beaded []
		Viewed from	Viewed From Outside []

Ordered
Red
As per
E-Mail



12.15 kg : 26.79 lb

Glazing Details & Apertures
4-20-4 Clear Annealed EcoPane : 20mm Swiss Black Astragal Clip On Bar Putty Ext Ovolo Int Rosewood on WH F Argon Filled War A1 - (407 x 825)

Extra Items	Gross	Disc.	Nett
-------------	-------	-------	------

Sub Totals

LAGO.