

**BS5837:2012 Tree Survey**

Fallen&Found Arboriculture Ltd

Client: [REDACTED]  
 Project: Q0193 5 Kilderkin 2022  
 Survey Date: 10/01/2022  
 Surveyor: Oliver Lower



**Fallen&Found**  
Arboriculture



Tree and Tag No Species	Hght (m)	Stems		Crown		Age	RP A (m <sup>2</sup> ) R (m)	Phys Condition	Structural Condition	Preliminary Recommendations Survey Comment	Cat ERC
		No	Ø (mm)	Spread (m)	Clear (m)						
H1 N/A											
A Group	3	1	75	N	1	M	A: 2.5 R: 0.89	Fair	C: Fair S: Fair B: Fair	And overgrown laurel hedge which runs the length of the northern property boundary .	C.2 10 to 20 yrs
- -				E	1						
				S	1						
				W	1						
T1 N/A										Estimated Measurements	
Scots Pine <i>Pinus sylvestris</i>	19.4	1	900	N	9	12.02 OM	A: 366.5 R: 10.8	Fair	C: Fair S: Fair B: Fair	A large Scots pine tree located a short distance from the rear property boundary .	C.2 10 to 20 yrs
				E	7						
				S	10						
				W	5						
T2 N/A											
Sycamore <i>Acer pseudoplatanus</i>	15.4	1	600	N	3.5	6 M	A: 162.9 R: 7.2	Fair	C: Fair S: Fair B: Fair	A Sycamore tree located in the corner of the garden which has been previously reduced .	C.2 10 to 20 yrs
				E	5	6					
				S	4.91	5					
				W	4.7	6					
T3 N/A										Estimated Measurements	
Common Beech <i>Fagus sylvatica</i>	20	1	600	N	7	M	A: 162.9 R: 7.2	Fair	C: Fair S: Fair B: Fair	A slender Beech tree located on adjacent property . Tree canopy has previously been pruned away from main house.	B.2 20 to 40 yrs
				E	8						
				S	4	6					
				W	2						

<b>Age Classifications:</b>	N	Newly planted	EM	Early Mature	<b>Condition:</b>	C	Crown	<b>Stems:</b>	Ø	Diameter
	Y	Young	M	Mature		S	Stem		(Eq)	Equivalent stem diameter using BS5837:2012 definition
	SM	Semi-mature	OM	Over Mature		B	Basal area	<b>ERC:</b>		Estimated Remaining Contributio

Tree and Tag No Species	Hght (m)	Stems		Crown		Age	RP A (m <sup>2</sup> ) R (m)	Phys Condition	Structural Condition	Preliminary Recommendations Survey Comment	Cat ERC
		No	Ø (mm)	Spread (m)	Clear (m)						
T4 N/A										Estimated Measurements	
Common Beech <i>Fagus sylvatica</i>	20	1	350	N E S W	3 3 3 4	SM	A: 55.4 R: 4.19	Fair	C: Poor S: Poor B: Fair	A slender beech tree covered in ivy which has a poor height to slenderness coefficient.	C.2 10 to 20 yrs
T5 N/A										Estimated Measurements	
Common Beech <i>Fagus sylvatica</i>	24	1	750	N E S W	7 3 5 4	M	A: 254.5 R: 9	Good	C: Fair S: Good B: Good	A moderate quality Beech tree with normal vitality . Included bark stem union noted at 8 metres above ground level at main point of stem bifurcation .	B.2 20 to 40 yrs
T6 N/A										Estimated Measurements	
Common Beech <i>Fagus sylvatica</i>	25	1	800	N E S W	5 3 5 5	M	A: 289.6 R: 9.6	Good	C: Fair S: Good B: Fair	A prominent tree located on neighbouring property marking the end of the row of Beech trees . Tree has been previously crown reduced .	B.2 20 to 40 yrs
<b>Age Classifications:</b>	N	Newly planted	EM	Early Mature	<b>Condition:</b>	C	Crown	<b>Stems:</b>	Ø	Diameter	
	Y	Young	M	Mature		S	Stem		(Eq)	Equivalent stem diameter using BS5837:2012 definition	
	SM	Semi-mature	OM	Over Mature		B	Basal area	<b>ERC:</b>		Estimated Remaining Contributio	