

Royal Borough of Greenwich
 Directorate of Regeneration, Enterprise & Skills
 The Woolwich Centre, 5th Floor
 35 Wellington Street
 London, SE18 6HQ

01 February 2024

HOCHTIEF-MURPHY Joint Venture
 SGN Gasholders
 Old Kent Road
 Southwark
 London
 SE15 1JZ

Our Ref: LPT2-HMV-TUN-XXXX-COR-SM-0000021

Dear Sir/ Madam

Re. Compliance with Decision Notice 18/4264/F

The table below reference requirements within the 18/4264/F Decision Notice, Schedule of Conditions, Reasons and informatives as they relate to the construction of a head house. They are intended to provide reference to the document/ documents submitted to discharge the referenced Condition.

Table 1: Planning Condition 18/4264/F No. 08: Acoustic Report


RBG-8	Compliance with RBG Planning Condition
<p>a. Prior to operational use of the head house building hereby permitted, an Acoustic Report shall be submitted to the Local Planning Authority for approval. The Acoustic Report shall include details of the following:</p> <ul style="list-style-type: none"> • A survey of the existing background/ambient sound level, • Manufacturers noise specification (Sound power/Sound pressure level, octave band spectral levels) of proposed ventilation equipment, • The proposed operational hours of the ventilation equipment, • Proposed mitigation measures to ensure the existing background sound level will not increase when measured at one metre from the façade of the nearest noise sensitive premises. In order to achieve this, the ventilation equipment shall b designed/selected, or the noise should be attenuated, so that it is 10dB below the existing background sound level 	<p>Refer to:</p> <p>LPT2-HMV-TUN-ELTH-PLN-EN-250014. Eltham BS4142 Assessment_Rev03</p> <p>LPT2-HMV-TUN-ELTH-PLN-EN-250013 Eltham Baseline Noise Monitoring</p>

Joint Venture

RBG-8	Compliance with RBG Planning Condition
<p>(LA9015min). The measurements and assessment shall be made in accordance to the latest British Standard 4142.</p> <p>b. The approved measures shall be implemented prior to operational use of the head house building and shall be permanently maintained thereafter.</p>	

I trust the information provided is sufficient to meet this requirement. Please do not hesitate to contact me should you require any further information.

Yours Faithfully,



Stephen Marr
Environment, Consents & Legacy Manager

M +44 (0) 7767 653412

E stephenmarr@murphygroup.co.uk