



No. 19

LINTELS

- IG CAVITY LINTEL REF. L1/HD 150 USED OVER "CONSERVATORY FRAME"
- IG CAVITY LINTEL REF. L1/S 150 USED ELSEWHERE

WASTE PIPES

- KITCHEN WASTE - 40mm dia. PIPE WITH 75mm* SEAL TRAP
- EN-SUITE BASIN - 32mm PIPE & 75mm SEAL TRAP
- SHOWER - 50mm PIPE & 75mm TRAPS
- WC - 110mm PIPE

DEPTH, SIZE & LOCATION OF ALL EXISTING STORM & FOUL DRAINS, TOGETHER WITH EXISTING MANHOLES TO BE LOCATED BY GENERAL CONTRACTOR ONCE WORK HAS COMMENCED

PROPOSED GROUND FLOOR PLAN

No. 15

John R. Firkins Halesowen WEST MIDLANDS	Mr & Mrs L. Stolworthy 17 Gillows Croft Monkspath Solihull B90 4UH	Rear extension & internal alterations Sheet 2 (Proposed Ground Floor Plan)	DATE	October 2023	DRAWN	JRF		
			SCALE	1:50	SIZE	A3	CHECKED	APPROVED
			DRAWING NUMBER					REVISION
			M23-07-02					