



- General Notes
 1. The drawing referred to in the application shows the general description of the project and materials to be used. All construction details and specifications shall be checked with any relevant manufacturer's product data.
 2. All works to be carried out in accordance with the Scottish Technical Handbook (One and Standards). All materials to be designed, manufactured and installed in accordance with current British Standards.
 3. All materials to be designed, manufactured and installed in accordance with earth and Safety at Work Act 2001 and all subsequent CDM Regulations.
 5. No high Alumita cement to be used in any new or alteration works.
 6. The appointed contractor is responsible for confirming all sizes on sile prior to placing orders for material. Any discrepancies noted in the drawings should be confirmed with the client / designer immediately.
 7. All Electrical Works must be carried out by an NICEIC approved electrical contraction is still accordance with being and the states torsion of the IEE Regulations.
 8. New Electrical installations must comply with BS7671 and all subsequent amendments.
 9. Amendments to lighting circuits to be carried out in accordance with CIBSE SLL 2012.
 10. Lighting removals or alterations must give particular attention to the disposal of lamps and emergency luminaire battery packs due to the hazardous nature of their content. Ensure all lamps containing mercury, such as fluorescent lamps are disposed of in special lamfill sites which are supervised by the local authority. Use only sealed lamp cursers or other safe means and ensure adequate ventilation during disposal.
 11. Amendments to heating distribution to comply with Building Regulations and CIBSE Cuides A, B and C.
 12. The proposed ventilation systems shall comply with section 3.14 of the Scottish Building Standards, 2023 (Domestic).

Replace poor condition rainwater goods with uPVC. Colour: Black

Existing smooth rendered walls to be repaired locally where required and redecorated to match existing. False mortar joints to be replicated.

Infill existing window opening. Finish with smooth render to match existing.

Rev Date Details Issued for Planning / Building Warrant Elevation C as proposed 27 Onslow Drive, Dennistoun, G31 2LY Scale Drawn By 5m 1/50 A3 FH Date Drawing No.						
Elevation C as proposed 27 Onslow Drive, Dennistoun, G31 2LY Scale Drawn By 5m 1/50 A3 FH Date Drawing No.		Rev	Date	Details		
27 Onslow Drive, Dennistoun, G31 2LY Scale Drawn By 5m 1/50 A3 Date Drawing No.		Issue	Issued for Planning / Building Warrant			
Scale Drawn By 5m 1/50 A3 FH Date Drawing No. 11/01/0001 11/01/0001		Elevation C as proposed				
5m 1/50 A3 FH Date Drawing No. 11/01/0001 11/01/0001		27 Onslow Drive, Dennistoun, G31 2LY				
Date Drawing No.		Scale		Drawn By		
	5m	1/50) A3	3 FH		
11/01/2024 (5) 00		Date 11/01/2024		Drawing No.		
(P)-03				(P)-03		