

From: [REDACTED]
Sent: 08 February 2024 11:44
To: Planning
Subject: Re: Planning reference: 24/0139/TTCA - Reminder
Attachments: Nook - 3.pdf; Walnut tree - The Nook.pdf; 20240130_151042.jpg; Walnut crop.jpg

Good morning,

Thank you for the reminder, I did send the information required to Jan Ashley Fenn on 31 Jan in response to her email.

Attaching the documents.

Copy of my email dated 31 Jan 2024

Good afternoon,

Thank you for your assistance, attaching the required form and extra pictures of the walnut tree.

The Walnut tree is approximately 6 - 7 meters in height, 3 meters to the first fork in the trunk with 3 - 4 meters hanging over the oil tank. In order to reduce the weight we would suggest that 2 - 2.5 meters (most of the overhanging branches) be removed.
It looks like similar work was done in the past.

Best regards,

[REDACTED]
On Thursday, 8 February 2024 at 07:00:53 GMT, Planning <planning@greatercambridgeplanning.org> wrote:

Dear Mr Farrell,

Our Reference: 24/0139/TTCA

Your Reference: Trees @ The Nook

Site address: The Nook South Street Litlington Cambridgeshire SG8 0QR

Proposal: No 1 - Walnut tree dangerously leaning towards the oil tank, bearing in mind the increasing strong winds we are seeking permission to reduce the weight by removing the overhanging branches. The trunk of the Walnut tree is 325cm from the oil tank and is 30cm from the log store / tree house. No 2 - Old apple tree 100cm from the cottage, bearing in mind the the higher temperatures and the risk of subsidence we are seeking permission to remove the apple tree. The trunk of the Apple tree is 340cm from the boundary fence and 470cm from the house next door, "Calagone"

This is to remind you that we are awaiting a response to our letter sent to you on 29/01/2024. At present we are still unable to register the above application for the following reasons:

- The tree location plan is illegible, a separate email has been sent with a plan attached for you to annotate and return. In addition your proposal does not appear to clearly identify or specify all the tree works, the following link will assist you in providing clear information, however in respect of the Walnut tree, we will require the extent of the reduction to be stated in metres. <https://www.scambs.gov.uk/planning/natural-historic-and-built-environment/natural-environment/trees-hedgerows/invalid-tree-work-notifications-and-applications/#A7> <https://www.scambs.gov.uk/planning/natural-historic-and-built->

[environment/natural-environment/trees-hedgerows/invalid-tree-work-notifications-and-applications/#A5](#)

Your application will not be registered or formally acknowledged until receipt of the above. We regret that this will inevitably delay determination of this application. If the above has not been received by the **22/02/2024** the application and supporting documents will be cancelled/returned to you and any fee paid refunded.

Yours sincerely
Application Support

Email: Planning@greatercambridgeplanning.org

Telephone:



Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived