
# **EUROGUARD® COMBI**

## Jacksons Fencing



Euroguard® Combi brings our experience and reputation in steel and timber fencing and gates together in a design that combines the beauty of natural wood with the strength of steel. The robust fence panels and matching gates provide the additional advantages of a flat facing surface with no hand or foot holds as well as closely spaced slats for added privacy.

- Welded mesh panels with timber slats
- Mesh 200 x 50mm centres with 45mm gap, 5mm wire (wire measured prior to coating)
- Unique vandal-proof panel to post fixing
- Can be stepped to accommodate sloping ground
- Posts can be customised for Barbed wire / Razor wire / Rota Spike<sup>®</sup> / Alarm-aFence<sup>®</sup>
- Panels can be topped with Viper Spike<sup>®</sup> / Cobra Spike<sup>®</sup>
- 25 year service life and Jakcure guarantee



#### **APPLICATIONS**

- ✓ Schools
- ✓ Medium High risk
- ✓ Storage

#### **PANELS**

Mesh panels with 'V' profile with 3 - 4 reinforcing folds (subject to height) are made using 5mm horizontal and vertical wires with 195 x 45mm aperture, welded at intersections which Galfan® Zinc alloy treated as standard.


40 x 17mm timber slats are treated using our Jakcure® treatment process guaranteeing the timber for 25 years against rot or insect attack.

#### **GATES**

Matching gates available







неіднт (мм)	POST CENTRES (MM)	TIMBER SLATS (MM)	POST DIMENSIONS (MM)	OVERALL POST LENGTH (MM)
1585	3054	40 x 17	80 x 60 (plus spur post*)	2100
1870	3054	40 x 17	80 x 60 (plus spur post*)	2500
2070	3054	40 x 17	80 x 60 (plus spur post*)	2800
2470	3054	40 x 17	80 x 60 (plus spur post*)	3300
3170	3054	40 x 17	120 X 60 (plus spur post**)	3900

<sup>\*</sup>Spur post size - 80 x 60mm

## **POST OPTIONS**

- Overlength set in concrete as standard
- Baseplated to bolt down onto concrete
- Cranked to suit wall mounting

### **FINISHES**

- Panels are Galfan® zinc alloy coated to BS EN 10244-2:2009 class A as standard
- Powder coated to BS EN 13438
- Marine coat for installations within 500m of salt water or an estuary

## **STANDARD COLOURS**

- Black RAL 9005
- Green RAL 6005
- Other colours are available on request



<sup>\*\*</sup> Spur post size - 120 x 60mm