

Finance available on orders over £1000 Free delivery on all orders Price Matching



Home | Commercial & Domestic Air Conditioning Units | Mitsubishi Electric MSZ-HR25VF Wall Mounted Air Conditioning System



IMAGES ARE FOR ILLUSTRATION PURPOSES ONLY.

Mitsubishi Electric MSZ-HR25VF Wall Mounted Air Conditioning System



Warranty: 3 Years Parts Only

We use cookies on our website to give you the most relevant experience by remembering your preferences and repeat visits. By clicking "Accept All", you consent to the use of ALL the cookies. However, you may visit "Cookie Settings" to provide a controlled consent.

Cookie Settings Accept All Read More



Contact



Profile



Search



Basket



Menu

£557.00 ex VAT

1



Add to basket

SKU: MSZ-HR25VF / MUZ-HR25VF

Product Description

Additional Information

Delivery & Returns

Product Reviews

Related Products

Description

The Mitsubishi Electric classic MSZ-HR25VF R32 air conditioning system is a high specification "Classic" flat panel wall mounted model and makes use of the latest Mitsubishi Electric inverter technology. This unit is high energy efficient, using the latest GWP R32 Refrigerant. This unit has an optional Wi-Fi interface, enabling you to control the air conditioning system from your smartphone, tablet or PC using the MELCloud App. There is also a daily timer which would provide greater control of scheduling.

Indoor Model No

Heating (nominal)

Cooling (nominal)

Heating (UK)

Cooling (UK)

SHF (nominal)

COP/EER (nominal)

SCOP/SEER (BS 14825)

MSZ-HR25VF

3.15 (0.7 – 3.5)

2.50 (0.5 – 2.9)

2.61 (0.6 – 2.9)

2.48 (0.5 – 2.8)

0.78

3.71 / 3.13

4.30 / 6.20

We use cookies on our website to give you the most relevant experience by remembering your preferences and repeat visits. By clicking "Accept All", you consent to the use of ALL the cookies. However, you may visit "Cookie Settings" to provide a controlled consent.

[Cookie Settings](#)[Accept All](#)[Read More](#)



Contact



Profile



Search



Basket



Menu

Dimensions (mm) WxDxH	838 × 228 × 280
Weight (kg)	8.5
Electrical Supply	Fed by Outdoor Unit
Fuse Rating (BS88) – HRC (A)	6
Interconnecting Cable No. Cores	4
Outdoor Unit Model No	MUZ-HR25VF
Sound Pressure Level (dBA) Heating / Cooling	50 / 50
Sound Power Level (dBA) Cooling	63
Weight (kg)	23
Dimensions (mm) WxDxH	699 × 249 × 538
Electrical Supply	220-240v, 50Hz
Phase	Single
System Power Input (kW) Heating / Cooling -Nominal	0.85 / 0.80
System Power Input (kW) Heating / Cooling -UK	0.77 / 0.63
Starting Current (A)	4.1
System Running Current (A) Heating/Cooling (Max)	4.1 / 3.8 (4.8)
Fuse Rating (BS88) – HRC (A)	10
Mains Cable No. Cores	3
Max Pipe Length (m)	20
Max Height Difference (m)	12
Charge Refrigerant (kg) / CO2 Equivalent (t) – R32 (GWP 675) – 7m	0.40 / 0.27
Max Additional Refrigerant (kg) / CO2 Equivalent (t) – R32 (GWP 675)	0.26 / 0.18

Shop by Brand



Shop ALL Brands

We use cookies on our website to give you the most relevant experience by remembering your preferences and repeat visits. By clicking "Accept All", you consent to the use of ALL the cookies. However, you may visit "Cookie Settings" to provide a controlled consent.

[Cookie Settings](#)

[Accept All](#)

[Read More](#)



Contact



Profile



Search



Basket



Menu



Useful Links

- [FAQ's](#)
- [Free Delivery](#)
- [Leasing](#)
- [Payment Method](#)
- [Price Matching](#)
- [Privacy Policy](#)
- [Terms & Conditions](#)
- [Warranty](#)
- [Contact Us](#)

Social links

- [Twitter](#)
- [Linkedin](#)
- [Facebook](#)

Contact us

Carlton Services UK LTD

Unit 25, Central Trading Estate, Signal Way, Swindon, SN3 1PD

Call: **01793 512550**

Email: enquiries@carltonservices.co.uk

© Copyright 1978 - 2024 | Carlton Services UK Ltd - Company Number: 03989197

We use cookies on our website to give you the most relevant experience by remembering your preferences and repeat visits. By clicking "Accept All", you consent to the use of ALL the cookies. However, you may visit "Cookie Settings" to provide a controlled consent.

[Cookie Settings](#)

[Accept All](#)

[Read More](#)