

Tree Condition Assessment – Owley Wood, Weaverham

01/12/2023

Surveyor – ██████████

Brief – Tree Condition Assessment of high risk zones as part of regular inspection.

ANNEX A – Tree Data Sheet

Title	Latitude	Longitude	Species	Age Class	Description	Recomendations	DBH (m)	Priority	Timber volume (m2)
A1	53.26545537	-2.565533593	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.4	Low	1.76904
A10	53.26569822	-2.56548062	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.6	Low	3.53184
A11	53.26572629	-2.565247267	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.29	Low	0.92664
A12	53.26575677	-2.565197311	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss. Boundary tree	Fell to ground level.	0.7	Low	3.744
A13	53.2655402	-2.565214075	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.17/0.24/0.20	Low	4.212
A14	53.26549749	-2.565014586	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.42	Low	1.95156
A15	53.26558412	-2.565030009	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.76	Low	3.744

A16	53.26564287	-2.565023638	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.4	Low	1.76904
A17	53.26569701	-2.565035708	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.45	Low	2.23236
A18	53.2655785	-2.564914338	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.7	Low	3.744
A19	53.26558632	-2.564624995	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.41	Low	1.85328
A2	53.26550691	-2.565482967	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.92	Low	3.744
A20	53.26553198	-2.564626001	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.15/0.32	Low	2.42892
A21	53.26543532	-2.565282136	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.24	Low	0.6318
A21	53.26552315	-2.564608902	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.39	Low	1.67076
A22	53.26544174	-2.565253638	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.37	Low	1.51632
A24	53.26529595	-2.56515272	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.16	Low	0.2808

A25	53.26521734	-2.565095052	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.2	Low	0.43524
A26	53.26526748	-2.564856	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	1.44	Low	3.744
A27	53.26530417	-2.564760447	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.22	Low	0.53352
A28	53.2653521	-2.564718537	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.21/0.31	Low	4.68
A29	53.26477898	-2.564018816	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.22	Low	0.53352
A3	53.26555464	-2.565609366	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.31	Low	1.053
A30	53.26458907	-2.563423365	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.34/0.34/0.33	Low	3.744
A31	53.26416012	-2.563897111	Ash (Fraxinus excelsior)	M	Honey fungus. Heavy ivy cover. Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.86	Low	3.744
A32	53.26295949	-2.564871423	Ash (Fraxinus excelsior)	M	Height 38m. Ash dieback,	Fell to ground level.	1.3	Low	3.744

					40-60% canopy loss.				
A33	53.26262779	-2.564450316	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.6	Low	3.53184
A34	53.26169264	-2.564379238	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	1	Low	3.744
A35	53.26165754	-2.564477473	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	1.2	Low	3.744
A36	53.26116318	-2.564235739	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.29	Low	0.92664
A37	53.2612043	-2.564629018	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.36	Low	1.43208
A38	53.26120249	-2.564833537	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.29	Low	0.92664
A39	53.26115637	-2.565034702	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.37	Low	1.51632
A4	53.26563305	-2.565582879	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.4/0.31	Low	3.744
A40	53.2610974	-2.56489221	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.29	Low	0.92664

A41	53.26150211	-2.563961484	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.29/0.2	Medium	2.65356
A42	53.26148025	-2.563968189	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.35/0.18	Medium	3.10284
A43	53.26138961	-2.563982271	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.95	Medium	3.744
A44	53.26115677	-2.563967854	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.4	Medium	1.76904
A45	53.26063934	-2.56392695	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.16	Medium	0.2808
A46	53.26088482	-2.565460838	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.3	Medium	0.99684
A47	53.26100675	-2.565515488	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.3	Medium	0.99684
A49	53.26168742	-2.565472573	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.42	High	1.95156
A5	53.26571266	-2.5656325	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss. Boundary tree. Six stems. ADB 50% canopy loss.	Fell to ground level.	0.23/0.12/0.37 /0.36/0.32	Low	3.744

A50	53.2617522	-2.565423287	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.42	High	1.95156
A51	53.26177526	-2.565391436	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.49	High	2.65356
A52	53.26178649	-2.565371655	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.28	High	0.87048
A52	53.26178188	-2.565377355	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.32	High	1.1232
A53	53.2617901	-2.565369643	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.38	High	1.58652
A53	53.2617885	-2.565363608	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.4	High	1.76904
A54	53.26179833	-2.565356232	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.5	High	2.75184
A58	53.26183122	-2.565305606	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.18	High	0.351
A59	53.26194433	-2.565324046	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.34/0.16	High	2.75184
A6	53.26575798	-2.565559745	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.32	Low	1.1232

A60	53.26256923	-2.565444745	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.36	Medium	1.43208
A61	53.26293662	-2.565213069	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.54	Medium	3.21516
A62	53.26308643	-2.565289512	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.14	Medium	0.216216
A63	53.26367462	-2.565229498	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.32	Medium	1.1232
A7	53.26577021	-2.565512806	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.32	Low	1.1232
A8	53.26573151	-2.565481625	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.22	Low	0.53352
A9	53.26573812	-2.565451451	Ash (Fraxinus excelsior)	M	Ash dieback, 40-60% canopy loss.	Fell to ground level.	0.23	Low	0.58968
O1	53.26487062	-2.56551113	Oak (Q.robur)	M	Poorly formed, recent tear out on main stem which is still hung up. Very unbalanced next to path	Fell to ground level.	0.54	Low	4.64412
O2	53.26227202	-2.564320564	Oak (Q.robur)	M	Oak. Windblown,	Fell to ground level.	1.05	Low	3.744

					hung up in neighbouring tree.				
O3	53.26212361	-2.564091571	Oak (Q.robur)	M	Oak. Windblown and hung up in neighbouring tree.	Fell to ground level.	0.78	Low	3.744
Restoration fell.	53.26121573	-2.565961406	Ash (Fraxinus excelsior)	M	Group of 26 trees. Ash dieback, 40-60% canopy loss.	Fell to ground level.	29, 29, 20, 39, 29, 30, 39, 14, 47, 28, 33, 17, 26, 26, 28, 56, 41, 23, 54, 25, 35, 29, 12, 33, 13, 1.2	Medium	11.7
								Total =	150.690696

ANNEX B – Tree Location Plan



Owley Wood Ash Dieback and felling license individual tree survey



