



<u>Materials</u> Roof Proposed extension roof to be black single ply or bituminous felt. Guttering to match existing gutters with new drainage channel created to feed into existing drainage

Windows and External Doors All proposed windows and external doors, will be white PVC windows and will achieve a min

u-value of 1.4 Wm2k.

All lighting, electrics and plumbing will come from the main house

External Wall
The external wall will match that of the existing house to the render

specification and colour used originally. **Foundations**

New foundations will be erected to the specification of the S.eng. <u>Landscaping</u> All external hard landscaping to be made good on completion


U-Value Maximum Requirements

0.17 W/m2k 0.12 W/m2k Roof -Floor -0.15 W/m2k Doors and Windows - 1.4 W/m2k

All proposals will comply with the above maximum U-value requirements as set out in Scottish technical handbook



West Elevation as Existing



6 West Elevation as Proposed 1:50

Do not scale from this drawing, all dimensions must be confirmed by site sizing. This drawing is solely for the purpose of planning and building warrant

	PROJECT	84 Carfin Street	Project number 0001	Mr and Mrs Gemmell	Scale (@ A1) As indicated		12:38:41
	SHEET	Existing & Proposed Elevations	Date 04.02.2024	DRAWING NUMBER 0003		REV	04/02/2024