


5 FEB 2024

RECEIVED

adj. property



**GENERAL NOTES**

- doors to hall
- to be FD20 fire resistant ( NB. A system for for heat and smoke detection is to be provided to BS 5839 part 6 : 2004 ( Grade D category LD3 standard as part of the works )
- Front entrance door to be fitted with self closer or if renewed to FD30S standard and provided with lock that can be operated internally without a key
- All dimensions to be checked on site prior to commencement and partitions and brick condition to be established by stripping off plaster finishes and any limitations to be reported to the supervising officer and Local Authority. Before removal all walls indicated as non loadbearing to be confirmed on site and agreed with Local Authority
- New partitions comprising 70mm timber stud framework at 600 c/cs both ways infilled compressed 100mm Rockwool insulation and 12.5pb and set partition to 1750 height only same spec. but with diagonal cross bracing for stability
- Partitions finished with pb and set and second fix with sw skirtings and architrave to close/match existing. Where infilling, skirtings to match existing adjacent
- Kitchen, bath/ shower floors to be lined with 'Delta membrane' as manufacturers spec. with 50mm upstand dressings at perimeter and taken 100mm through door openings
- heat detector
- smoke alarm
- Free standing wardrobe

Bar scale  
0.50 1 2 3m

All dimensions to be checked on site

REVISIONS:

Flat No.5 PURBROOK HOUSE  
LONDON ROAD  
WATERLOOVILLE PO7 5JY

First Floor G1A 69.0 m2 ( 742 ft2 )

SETTING OUT

Scale: 1:50 @A3 Date: June 22

N.B. THIS PLAN IS ONE OF A SET OF THREE NUMBERED 2261.1-3 PRINTED IN COLOUR AND CANNOT BE READ IN ISOLATION

David Sugden Associates  
Building Surveying & Architectural Design  
Lutetia ECUA 486  
Tel: 0203 755 8873

2261.2