

From: [Planning Consultations](#)
To: [PLNProcessing](#)
Subject: Scottish Water – Application Response - 24/00100/FULL- 3 Golf Street Carnoustie DD7 7HN
Date: 21 February 2024 16:03:15

24/00100/FULL Single storey extension to rear of dwelling house 3 Golf Street
Carnoustie DD7 7HN

[Audit of Proposal](#)

Good Afternoon

Scottish Water has no objection to this planning application; however, the applicant should be aware that this does not confirm that the proposed development can currently be serviced and would advise the following:

For all extensions that increase the hard-standing area within the property boundary, you must look to limit an increase to your existing discharge rate and volume. Where possible we recommend that you consider alternative rainwater options. All reasonable attempts should be made to limit the flow.

No new connections will be permitted to the public infrastructure. The additional surface water will discharge to the existing private pipework within the site boundary.

I trust the above is acceptable however if you require any further information regarding this matter please contact us on 0800 389 0379 or via the e-mail address below or at planningconsultations@scottishwater.co.uk.

Kind regards,

Ruth Kerr

Technical Analyst
North Regional Team

Strategic Development
Development Services
Dedicated Freephone Helpline: 0800 389 0379

DevelopmentOperations@scottishwater.co.uk

Scottish Water.

Trusted to serve Scotland.

----- Original Message -----

From: Local Planner <plnprocessing@angus.gov.uk>;
Received: Wed Feb 21 2024 15:01:21 GMT+0000 (Greenwich Mean Time)
To: <planningconsultations@scottishwater.co.uk>;
Subject: Planning Application Consultation 24/00100/FULL

EXTERNAL MAIL - Think Before You Click

Please see attached document.

This message is strictly confidential. If you have received this in error, please inform the sender and remove it from your system. If received in error you may not copy, print, forward or use it or any attachment in any way. This message is not capable of creating a legal contract or a binding representation and does not represent the views of Angus Council. Emails may be monitored for security and network management reasons. Messages containing inappropriate content may be intercepted. Angus Council does not accept any liability for any harm that may be caused to the recipient system or data on it by this message or any attachment.

Privileged/Confidential information may be contained in this Email and any files transmitted with it. If you are not the intended recipient you should not retain, copy or use this Email for any purpose or disclose all or part of its contents to any person. If you have received this Email in error please notify the sender immediately and delete this Email from your system.

Opinions, conclusions and other information in this message that do not relate to the official business of Scottish Water ("SW"), Scottish Water Horizons Ltd ("SWH"), Scottish Water International Ltd ("SWI") or Scottish Water Solutions 2 Ltd ("SWS2") shall be understood as neither given nor endorsed by them. The contents of Emails sent and received by SW, SWH, SWI and SWS2 are monitored.

WARNING: Although SW, SWH, SWI and SWS2 have taken reasonable precautions to ensure no viruses or other malicious software are present, SW, SWH, SWI and SWS2 cannot accept responsibility for any loss or damage arising from the use of this Email or attachments however caused. The recipient should therefore check this Email and any attachments for the presence of viruses or other malicious software.

Scottish Water

www.scottishwater.co.uk