



The 300mm long resin anchors are commonly used to fix the handrail to a few tips to help with fixing -

at least 250mm deep.

LIGHTWELL

TYPICAL SUPPORT DETAIL

NOTE: This arrangement is designed to act as a handrail only, <u>not</u> as a building regs compliant balustrade for edge protection purposes.

brickwall or tarmac surface. Below are a

The studs should be drilled through a motar joint on the top soldier course to reduce risk of breaking bricks. The holes for the handrail should be

SUPPLIER'S FIXING DETAIL

ΝΟΤΕS

- This drawing is copyright and may not be reproduced without the permission of Mann Williams.
- All drawings are to be read in conjunction with the project specification with all works carried out in accordance with the latest British Standards and codes of practice
- Any ambiguities or discrepancies between this drawing and any other information given elsewhere must be reported to Mann Williams for clarification before work proceeds.
- All dimensions to be checked on site and any discrepancies reported to the engineer before work commences
- . Only figured or calculated dimensions should be used and no drawing , in any format should be scaled.

DESCRIPTIC DATE PRELIMINARY ISSUE HP 17.01.24 T-TENDER RELIMINAR OJEC BRIDEWELL MAGISTRATES COURT SOUTH RAMP HANDRAIL **BASE FIXING DETAIL** MANN WILLIAMS CONSULTING CIVIL AND STRUCTURAL ENGINEER 7 OLD KING STREET QUEEN SQUARE BATH BA1 2JW T 01225 464419 01225 448651 E bath@mannwilliams.co.ul SCALE HP A3 JAN' 24 -PRELIMINARY DRAWIN P1 7768 SK81