



EXISTING CORNICE TO BE REINSTATED,
PROFILE TO MATCH EXISTING.

HOPPER BALLOON.

150mm HIGH CODE 4 LEAD FLASHING
ABUTMENT TO PARTY WALL
DRESSED INTO HOPPER.

GUTTER CHUTE TO BE FORMED IN
CODE 5 LEAD MIN. DIMENSTIONS 300X150mm
TO SUIT HOPPER WIDTH.

EXISTING HOPPER TO BE RELOCATED
BELOW STONEMWORK LINE.

**HOPPER
DETAIL**

EXISTING SVP TO BE ADJUSTED TO SUIT
NEW HOPPER POSITION.

SCALE - 1:20
FRONT ELEVATION

GENERAL NOTES:

NOTES

- REFER TO MATERIAL & WORKMANSHIP APPENDIX FOR LEAD SPECIFICATION DETAILS.
- DETAILS OF HOPPER SUBJECT TO CONSERVATION OFFICER APPROVAL.
- DO NOT SCALE FROM DRAWING.

| REV | DESCRIPTION | DATE |
|---|--|-------------|
| PROJECT INFORMATION | | |
| © Copyright Anstey Horne & Co. Ltd This drawing is the property of Anstey Horne & Co. Ltd. All rights reserved. This drawing should not be reproduced without permission. Do not scale from drawing - all dimensions to be verified on site. | | |
| CLIENT: | 22 HYDE PARK GARDENS FREEHOLD LTD | |
| PROJECT TITLE: | 22 HYDE PARK GARDENS LONDON W2 2LY | |
| DRAWING TITLE: | NORTH ELEVATION (FRONT) HOPPER DETAIL | |
| LEAD: / UPDATED: ML | DATE: 30/11/2023 | SCALE: 1:20 |
| DRAWING No: | | REVISION: |
| BSC1073_100_05 | | 02 |
| Elevation | | |