

MIXED HEDGEROW - PLANTING SPECIFICATION.

New Hedge to be a mix of Hawthorn 50% - Blackthorn 25% - Ilex aquifolium 10% - Field Maple 5% - Hazel 5% - Dog Rose 5%

Plants to be whips 900-1200mm, positioned at 500mm cts in a staggered line (4 per meter). Each whip to be planted in a 300mm wide x 300mm deep pit with the bottom of the pit broken loose & mixed with a spadeful of well rotted farmyard manure. A stout bamboo cane to be pushed securely into the sub soil at the bottom of the pit, each whip placed beside the cane. Hedgerow to be allowed to grow to sufficient height to ensure screening from adjoining properties (approx. 1.2m).

The top soil to be mixed with 2 litres good quality tree planting compost & replaced into the planting pit & well firmed. Each whip should be secured to the bamboo cane with a 300mm long twist rabbit guard.

GENERAL

- All Specimens to be standard nursery stock.
- All hedging to be well watered at time of planting & during the first growing season.
- Planting to be carried out while soil & weather conditions are suitable.
- Any plants that become diseased or die within 5 years of being planted are to be replaced with an equivalent tree at the next suitable planting season.
- Exact locations of shrubs and trees are subject to below ground services.
- Contractors/Engineers to ensure species and locations are acceptable in relation to underground services and compliance with NIBIC 4.2 against foundation depths.
- To all areas where soft landscaping abuts external brickwork, provide 150mm gravel infill, using gravel board to prevent breaching of the DPC.
- Existing Hedges and trees are to be adequately protected during construction. See drawing PWA1195 PL04 for further information.



54260N  
54260N  
54240N  
54220N  
54200N  
54180N  
54160N  
54140N  
54120N

254280E  
254260E  
254240E  
254220E  
254200E  
254180E  
254160E  
254140E  
254120E



Proposed Site Plan  
1:250

Date	Revision	Description	Drawn	Checked
15.01.24	A	Overhead power lines added. Building relocated, canopy overhang to West of pavilion reduced and building size reduced.	kdw	PW

**peterwellsarchitects**  
ferry quay house, ferry quay, woodbridge, suffolk, IP12 1BW - 01394 799299 - info@peterwellsarchitects.co.uk

Project :	Land Adjoining Crownings, Brettenham, Suffolk IP7 7PA			
Dwg. Title :	Proposed Site Plan			
Client :	Nick & Johana Bourne	Dwg. Status :	Planning	
Date :	March 2022	Scale :	1:250 @ A1	Dwg. No. : PW1195 PL03
				Revision : A

DISCLAIMER: This drawing was prepared for the Client, Project & Site stated below and for the purposes set out in the Project Particulars. Peter Wells Architects accepts no responsibility whatsoever should the drawing be used by any other person, on any other site or for any other purpose than those stated. This drawing is to be read in conjunction with all relevant drawings and specifications. ALL MEASUREMENTS ARE TO BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO PETER WELLS ARCHITECTS

© Copyright Peter Wells Architects 2022