

## Dennis, Sarah

---

**From:** Taylor, Will  
**Sent:** 27 February 2024 13:40  
**To:** Dennis, Sarah  
**Subject:** FW: TPO Status Update Ref 23/0071/TCA

Hello,

As discussed, see below from Jason – can you kindly withdraw the previous and register this as a new S211 notice, there's no map but I'm happy with the locations from the description. Any issues please let me know

Thank you

Kind regards

Will Taylor

Arboricultural Manager  
City Services  
Place Directorate  
Southampton City Council  
Hours of work: Mon, Tues, Wednesday, Thursday and Friday  
+44(0)23 8083 3005  
email: [REDACTED] or [trees@southampton.gov.uk](mailto:trees@southampton.gov.uk)

---

**From:** evergreensouth42 <[REDACTED]>  
**Sent:** Tuesday, February 27, 2024 1:17 PM  
**To:** Taylor, Will <[REDACTED]>  
**Subject:** RE: TPO Status Update Ref 23/0071/TCA

You don't often get email from [REDACTED]. [Learn why this is important](#)

### This Message Is From an External Sender

This message came from outside your organisation.

Report Suspicious

Hi will  
Thanks for this .  
Please withdraw 23/00071/71 and re notification.  
Thanks Jason Evergreen tree surgeons

Sent from my Galaxy

----- Original message -----

**From:** "Taylor, Will" <[REDACTED]>  
**Date:** 27/02/2024 13:04 (GMT+00:00)  
**To:** evergreensouth42 <[REDACTED]>

Cc: "Dennis, Sarah" [REDACTED]  
Subject: RE: TPO Status Update Ref 23/0071/TCA

Hi Jason,

Thanks, I have asked Sarah to double check our end for an amended spec but it appears we've not had anything, I agree 1m reduction is unnecessary and what you are suggesting seems reasonable. The quickest way to get it sorted would be to confirm your happy to withdraw 23/00071/tca and we can start a new notification with the work agreed as follows:

T1: Scotts pine on left hand side of back garden, 1 long lateral branch that overhangs number 86, reduce this 1 branch in by up to 2.5-3m to a suitable growth point – To improve the overall shape and reduce any excess weight. Deadwood Tree.

T2: Dead scotts pine in top right hand corner of back garden, fell to ground level.

T3: Holly tree next to t2, fell to ground level.

If you happy with that please respond confirming the withdrawal and re-notification; we can then prioritise as best we can. I wont need to revisit as already been out so should be fairly quick turnaround.

Thanks

Kind regards

Will Taylor

Arboricultural Manager

City Services

Place Directorate

Southampton City Council

Hours of work: Mon, Tues, Wednesday, Thursday and Friday

+44(0)23 8083 3005

email: [REDACTED] or [trees@southampton.gov.uk](mailto:trees@southampton.gov.uk)

---

**From:** evergreensouth42 <[REDACTED]>  
**Sent:** Tuesday, February 27, 2024 12:27 PM  
**To:** Taylor, Will <[REDACTED]>  
**Subject:** RE: TPO Status Update Ref 23/0071/TCA

You don't often get email from [REDACTED]. [Learn why this is important](#)

Hi will

Thanks for getting back intouch concerning 88 ethelburt Ave.

Ref 2300071/71

I did send in a amended request on the 02,01,24, which I can only assume was either mislaid or not properly done from my pa,

The 1mtre reduction is fine, although not needed which I explained to the customer, there is 1 long lateral branch that overhangs number 86 which really looks out of place from the crown, and by reducing this 1 branch in to a suitable growth point would improve the overall shape and reduce any excess weight.

I look forward to back from you and your thoughts on this.

Regards jason Evergreen tree surgeons

Sent from my Galaxy

----- Original message -----

**From:** "Taylor, Will" <[REDACTED]>

**Date:** 27/02/2024 08:13 (GMT+00:00)

**To:** [REDACTED]

**Cc:** "Dennis, Sarah" <[REDACTED]>, Trees <[trees@southampton.gov.uk](mailto:trees@southampton.gov.uk)>

**Subject:** RE: TPO Status Update Ref 23/0071/TCA