## **Planning**

South Downs National Park Authority South Downs Centre North Street Midhurst GU29 9DH South Downs
National Park Authority

Tel: 01730 814 810 Email: planning@southdowns.gov.uk

Application for Tree Works: Works to Trees Subject to a Tree Preservation Order (TPO) and/or Notification of Proposed Works to Trees in a Conservation Area

Town and Country Planning Act 1990 (as amended)

## Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Tree Location		
Please provide the address of the site where the	tree(s) stands (full address if possible)	
Number		
Suffix		
Property Name		
Petworth House		
Address Line 1		
Church Street		
Address Line 2		
Address Line 3		
West Sussex		
Town/city		
Petworth		
Postcode		
GU28 0AE		
Description of site location must	be completed if postcode is not known:	
Easting (x)	Northing (y)	
497592	121888	
If the location is unclear or there is not a full p	postal address, describe as clearly as possible where it is	
(for example, 'Land to rear of 12 to 18 High Street' or 'Woodland adjoining Elm Road')		

Applicant Details
Name/Company
Title
Mr
First name
Martyn
Surname
Burkinshaw
Company Name
National Trust
Address
Address line 1
NATIONAL TRUST
Address line 2
Petworth House, Church Street
Address line 3
Town/City
Petworth
County
West Sussex
Country
United Kingdom
Postcode
GU28 0AE
Are you an agent acting on behalf of the applicant?  O Yes
⊙ No
Contact Details
Primary number
***** REDACTED *****

T1: Lime, Tag 150 in inspection record: Hollowing of the trunk from base to first union at 15ft and potentially above. Further hollowing below previous pollard points, large amounts of healthy growth above creating a large sail area. To retain the tree and prevent failure we are seeking to re-pollard above these points working in sound timber reducing the overall height of the tree by 5m and radial spread by 2m in order to reduce wind loading on the tree.

T2: Lime, Tag 149 in inspection record: Hollowing of the trunk from base to below bolling. The tree has put on lots of healthy growth above this point and above a secondary crown with large sail area. To reduce wind loading on the tree from the growth above bolling, seeking to reduce the tree upper crown 9m in height and retain the lower secondary crown in order to preserve the tree and prevent failure.

T3: Horse Chestnut, Tag 0084 in inspection record: Young tree 9m height exhibiting bleeding canker and honeyfungus. Tree has excessive damage to the bark from base up to first union, branches from first union up have flaking bark and dead wood. Felling of this tree is sought as it will not produce a good specimen due to the diseases exhibited and current health of the tree.

T4: Horse Chestnut, Tag 0089 in inspection record: Young tree 8m height exhibiting bleeding canker and honeyfungus. Tree has excessive damage to the bark from base up to first union, branches from first union up have flaking bark and dead wood. Felling of this tree is sought as it will not produce a good specimen due to the diseases exhibited and current health of the tree.

You might find it useful to contact an arborist (tree surgeon) for help with defining appropriate work.

Where trees are protected by a Tree Preservation Order, please number them as shown in the First Schedule to the Tree Preservation Order where this is available. You should use the same numbering on your sketch plan (see below for sketch plan requirements).

Please provide the following information:

- · Tree species
- · The number used on the sketch plan; and
- · A description of the proposed works.

Where trees are protected by a Tree Preservation Order you must also provide:

- · Reasons for the work; and where trees are being felled
- · Proposals for planting replacement trees (including quantity, species, position and size) or reasons for not wanting to replant.

e.g. Oak (T3) - Whole crown reduction to 12m above ground level, to provide sufficient clearance to property.

## Sketch plan requirements

Your plan needs to show the precise location of the tree(s) in relation to nearby property/roads/boundaries. It should, therefore:

- indicate the main features of the site where the tree(s) stand and its surroundings; in particular, you should:
  - o mark and name surrounding roads
  - o sketch in buildings, including adjoining properties
  - o add house numbers or names
- mark the position of the tree(s) to which you want to carry out work and identify them by the number shown in the Tree Preservation Order where possible; if you use a different number, please make sure that this can be matched with your description of the tree(s)
- if there are many trees on the site, make clear which tree(s) are included in this application by:
  - o marking all trees on the plan, but only numbering those to which you want to carry out work
  - showing the approximate distance between the application tree(s) and buildings
  - $\circ\;$  adding other relevant features on the site (e.g. greenhouse, paths)

If it is impossible to identify the tree(s) accurately on the plan (e.g. because they are part of a woodland or group of trees), please identify their approximate location on the plan and provide details of how the tree(s) are marked on site (e.g. high visibility tape, tree tags, paint, etc); trees must not be marked by scarring or cutting into the bark.

Tree Ownership
----------------

is the applicant the owner of the tree(s)	?	
io the apphoant the owner of the tree(o)	•	

✓ Yes

○ No

With respect to the Authority, is the applicant and/or agent one of the following:  (a) a member of staff  (b) an elected member  (c) related to a member of staff  (d) related to an elected member
It is an important principle of decision-making that the process is open and transparent.
For the purposes of this question, "related to" means related, by birth or otherwise, closely enough that a fair-minded and informed observer, having considered the facts, would conclude that there was bias on the part of the decision-maker in the Local Planning Authority.
Do any of the above statements apply?
<ul><li>✓ Yes</li><li>✓ No</li></ul>
Declaration
I/We hereby apply for Tree works: Trees in conservation areas/subject to TPOs as described in the questions answered, details provided, and the accompanying plans/drawings and additional information.  I/We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them.  I/We also accept that, in accordance with the Planning Portal's terms and conditions:  - Once submitted, this information will be made available to the Local Planning Authority and, once validated by them, be published as part of a public register and on the authority's website;  - Our system will automatically generate and send you emails in regard to the submission of this application.
☑ I / We agree to the outlined declaration
Signed
Martyn Burkinshaw
Date
13/02/2024
Added in height of T2 to be reduced by as per invalid letter 31.01.2024

**Authority Employee/Member**