

Apex Heritage is a comprehensive range of traditional gutter profiles, round, square and rectangular pipes and all associated fittings and accessories. Designed to provide all the essential architectural features appropriate to traditionally designed buildings, the Apex Heritage range is also fully in tune with modern fast track building contracts.

**Apex Heritage - Half Round Gutter**




100mm (4")	150mm (6")
113mm (4.5")	
125mm (5")	

**Apex Heritage - Beaded Half Round Gutter**






113mm (4.5)	
125mm (5")	

**Apex Heritage - Victorian Ogee Gutter**





113mm (4.5")	
125mm (5")	

**Apex Heritage - Moulded Gutter**



100 x 75mm (4 x 3")	150 x 100mm (6 x 4")
125 x 100mm (5 x 4")	

**Apex Heritage - Circular Pipe**






63mm (2.5")	Length
75mm (3")	1.83m (6')
100mm (4")	0.9m (3')

**Apex Heritage - Square Pipe**

75 x 75mm (3 x 3")	Length
100 x 100mm (4 x 4")	1.83m (6')
	0.9m (3')

**Apex Heritage - Rectangular Pipe**

100 x 75mm (4 x 3")	(6 x 4")
125 x 100mm (5 x 4")	Length
150 x 100mm	1.83m (6')
	0.9m (3')

## Applications

- Suited to traditional craft-based contracts
- Closely replicates historic styles
- For both flush and projecting eaves applications

## Features & Performance

- 4 gutter profiles and 3 downpipe profiles available in a choice of sizes
- Downpipes available in 0.9m (3ft) and 1.83m (6ft) lengths
- Extremely strong, durable and vandal resistant
- Dimensionally accurate and stable
- Life expectancy in excess of 40 years
- Cast iron is 100% recyclable

## Manufacture

- Authentic sand castings combining traditional manufacture with modern quality control standards
- A comprehensive standard range complemented with master patterns for a wide range of gutter profiles, downpipes and accessories, which can be manufactured to order.
- Complies with BS 460:2002 Cast Iron Rainwater Goods

## Installation & Fixing

- Gutters are wet sealed with bolted joints, with a range of fixing options
- For Half Round gutters the Hydrostrip EDPM rubber seal is recommended for a faster and cleaner solution to gutter jointing
- Gutters should be supported at 900mm centres by brackets; or for ogee, moulded and box types, by direct screw fixing through the back of the gutter.
- Downpipes should be fixed back to the wall at 1.83 (6ft) centres through eared sockets or via separate earbelt and holderbats
- Minimal maintenance requirements



Apex Heritage Half Round socketed cast iron gutters are available in 4 sizes. A traditional profile with the unmistakable character and appearance of sand cast iron. There is a range of fittings and fixings as illustrated.

**Notes:**

All dimensions shown are in mm unless shown otherwise.


Gutter sizes shown are nominal.

T = Thickness (nominal +/- 1mm).

Product codes in the tables refer to primed products.


For painted products add the suffix /PA to the product code reference.

## Gutters




Gutter Size	Gutter Length	A	B	C	T	Weight (KG)	Product Code
100 (4")	1830	102	51	44	4	8.0	HG40/6FT
113 (4.5")	1830	114	57	44	4	10.5	HG45/6FT
125 (5")	1830	127	63	44	4	11.5	HG50/6FT
150 (6")	1830	150	75	44	4	13.5	HG60/6FT

## Union Clips




Gutter Size	A	B	Product Code
100 (4")	98	44	HG40/UC
113 (4.5")	98	44	HG45/UC
125 (5")	98	44	HG50/UC
150 (6")	95	44	HG60/UC

## Stop-Ends




Gutter Size	Type	A	Product Code
100 (4")	External	51	HG40/SE/E
113 (4.5")	External	51	HG45/SE/E
125 (5")	External	51	HG50/SE/E
150 (6")	External	51	HG60/SE/E
100 (4")	Internal	45	HG40/SE/I
113 (4.5")	Internal	45	HG45/SE/I
125 (5")	Internal	45	HG50/SE/I
150 (6")	Internal	45	HG60/SE/I

## Fascia Brackets




Gutter Size	A	B	C	D	Product Code
100 (4")	127	65	38	35	HG40/FB/CI
113 (4.5")	140	70	38	40	HG45/FB/CI
125 (5")	155	85	38	45	HG50/FB/CI
150 (6")	190	120	38	90	HG60/FB/CI

## Drop End Outlet - with Socket




Gutter Size	Pipe Size	A	B	C	Product Code
100 (4")	63	125	64	44	HG40/DE/25/E
113 (4.5")	63	125	64	44	HG45/DE/25/E
125 (5")	63	125	64	44	HG50/DE/25/E
100 (4")	76	125	64	44	HG40/DE/30/E
113 (4.5")	76	125	64	44	HG45/DE/30/E
125 (5")	76	125	64	44	HG50/DE/30/E

## Drop End Outlet - with Spigot




Gutter Size	Pipe Size	A	B	Product Code
100 (4")	63	125	64	HG40/DE/25/I
113 (4.5")	63	125	64	HG45/DE/25/I
125 (5")	63	125	64	HG50/DE/25/I
100 (4")	76	125	64	HG40/DE/30/I
113 (4.5")	76	125	64	HG45/DE/30/I
125 (5")	76	125	64	HG50/DE/30/I

## Running Outlet - with Double Spigot Socket




Gutter Size	Pipe Size	A	B	C	Product Code
100 (4")	63	156	121	44	HG40/RO/25
113 (4.5")	63	156	121	44	HG45/RO/25
125 (5")	63	156	121	44	HG50/RO/25
100 (4")	75	156	121	44	HG40/RO/30
113 (4.5")	75	156	121	44	HG45/RO/30
125 (5")	75	156	121	44	HG50/RO/30
150 (6")	75	156	121	44	HG60/RO/30
125 (5")	100	156	121	44	HG50/RO/40
150 (6")	100	156	121	44	HG60/RO/40

## 90° Angles Combined




Gutter Size	Type	A	B	C	Product Code
100 (4")	Internal / External	190	79	44	HG40/A/90
113 (4.5")	Internal / External	200	79	44	HG45/A/90
125 (5")	Internal / External	209	79	44	HG50/A/90
150 (6")	Internal / External	235	79	44	HG60/A/90

## 120° Angles Combined



Gutter Size	Type	A	B	C	Product Code
100 (4")	Internal / External	124	79	44	HG40/A/120
113 (4.5")	Internal / External	124	76	44	HG45/A/120
125 (5")	Internal / External	136	79	44	HG50/A/120
150 (6")	Internal / External	140	75	44	HG60/A/120

## 135° Angles Combined



Gutter Size	Type	A	B	C	Product Code
100 (4")	Internal / External	124	79	44	HG40/A/135
113 (4.5")	Internal / External	124	76	44	HG45/A/135
125 (5")	Internal / External	137	79	44	HG50/A/135
150 (6")	Internal / External	140	73	44	HG60/A/135



Apex Heritage Beaded Half Round socketed cast iron gutters, in 2 sizes, incorporate a pronounced feature bead on both lips. This adds character and definition to the gutter edge in a true sand cast product. Fittings and fixings are also available as illustrated.

**Notes:**

All dimensions shown are in mm unless shown otherwise.


Gutter sizes shown are nominal.

T = Thickness (nominal +/- 1mm).

Product codes in the tables refer to primed products.


For painted products add the suffix /PA to the product code reference.

## Gutters




Gutter Size	Gutter Length	A	B	C	T	Weight (KG)	Product Code
113 (4.5")	1830	114	57	44	4	11	BG45/6FT
125 (5")	1830	127	63	44	4	12.5	BG50/6FT

## Union Clips




Gutter Size	A	B	Product Code
113 (4.5")	78	44	BG45/UC
125 (5")	78	44	BG50/UC

## Stop-Ends




Gutter Size	Type	A	Product Code
113 (4.5")	External	51	BG45/SE/E
125 (5")	External	51	BG50/SE/E
113 (4.5")	Internal	45	BG45/SE/I
125 (5")	Internal	45	BG50/SE/I

## Fascia Brackets




Gutter Size	A	B	C	D	Product Code
113 (4.5")	155	97	25	75	BG45/FB/CI
125 (5")	160	115	32	87	BG50/FB/CI

## Running Outlet - with Double Spigot Socket




Gutter Size	A	B	C	D	Product Code
113 (4.5")	63	156	121	44	BG45/RO/25
125 (5")	63	156	121	44	BG50/RO/25
113 (4.5")	75	156	121	44	BG45/RO/30
125 (5")	75	156	121	44	BG50/RO/30
125 (5")	100	156	121	44	BG50/RO/40

## 90° Angles Combined




Gutter Size	Type	A	B	C	Product Code
113 (4.5")	Internal / External	206	70	44	BG45/A/90
125 (5")	Internal / External	116	70	44	BG50/A/90

## 120° Angles Combined



Gutter Size	Type	A	B	C	Product Code
113 (4.5")	Internal / External	130	76	44	BG45/A/120
125 (5")	Internal / External	140	79	44	BG50/A/120

## 135° Angles Combined



Gutter Size	Type	A	B	C	Product Code
113 (4.5")	Internal / External	130	76	44	BG45/A/135
125 (5")	Internal / External	140	79	44	BG50/A/135