

Please select your location to see content specific to your country and online shop.

United Kingdom ▼

Confirm



EV CHARGERS

zappi ev charger

Home - EV Chargers - zappi ev charger



CUSTOMISE

zappi ev charger

Fast charge your electric vehicle at home or workplace using cheaper and greener energy, with the original eco smart zappi EV charger, featuring low cost energy tariff integration and solar charging, all proudly made in Britain.

For zappi with full installation, click



‘Buy zappi & installation’ below to tell us your installation requirements and receive your quote. For zappi product only, continue with the form below.

[Buy zappi & installation](#)

[Learn more](#)

Power

Which is right for me?

7kW 1ph

22kW 3ph

Connection Type

Which is right for me?

Type 2
Tethered

Untethered

Colour

Black ●

White ○

From
£779.00

inc.Vat if applicable

Payment options available
at checkout. Terms &
Conditions apply.

- 1 +

Add to basket

Buy with  Pay

Product
Information

Tech
Specs

Delivery
Options

Installation
Options

Tech Specs

Electrical

SPECIFICATION	DETAILS
Rated Power	7kW (1-ph) or 22kW (3-ph)
Rated Supply Voltage	230V AC Single Phase or 400V AC 3-phase (+/- 10%)
Supply Frequency	50 Hz
Rated Current	32A max
Standby Power Consumption	3W
Integral Protection	6mA DC Protection (RDC-DD) in accordance with IEC 62955
Economy Tariff Sense	Input 230V AC sensing (4.0kV isolated)
Tethered Cable Length	6.5 Metres

Mechanical

SPECIFICATION	DETAILS
---------------	---------

Enclosure Dimensions	439 x 282 x 122mm
----------------------	-------------------

Protection Degree	IP65 (weatherproof)
-------------------	---------------------

Enclosure Material	ASA
--------------------	-----

Installation

SPECIFICATION	DETAILS
---------------	---------

Circuit Breaker	40A Type B
-----------------	------------

Earthing Arrangement	TN: can be connected to the PME supply. Complies with BS 7671:2018-amd1:2020
----------------------	--

Compliance	CE & UKCA Compliant; LVD, EMC, RED, ROHS) (EN IEC 61851-1*, EN IEC 61851-21-2, EN 300220-1/2, EN300328, EN 301489-1/3/17)
------------	---

*Complies fully with the requirements of BS EN IEC 61851-1:2019 with the exception of Clause 8.4 in order to meet the requirements of BS7671:2018 Amendment

1:2020. BS7671:2018
permits the protective earth
conductor be switched in
order to provide protection
against a damaged PEN
conductor in a TN-C-S
earthed system.

You may also like...



MYENERGI
PRODUCTS

eddi

£435.00 ▶



MYENERGI
PRODUCTS

harvi

£55.00 ▶



EXTRAS

**zappi
pedestal**

£395.00 ▶



0333300 1303

sales@myenergi.com

myenergi, Pioneer Business
Park, Faraday way,
Stallingborough, Grimsby,
DN41 8FF



About us

[Our Story](#)

[Careers](#)

[myenergi academi](#)

[News](#)

[Articles](#)

[Flexibility Beta](#)

[Green Town](#)

[Contact](#)

Legal

[Cookie Notice](#)

[Careers](#)

[Privacy Policy](#)

[Terms and Conditions](#)

[Returns Policy](#)

[Klarna FAQs](#)

[Modern Slavery](#)

[Statement](#)

[Gender pay gap report](#)

Products

[zappi](#)

[eddi](#)

[libbi](#)

[harvi](#)

[app](#)

[extras](#)

Account

[Search](#)

[Login](#)

**Enter your email to charge
your inbox with our
newsletter**



By subscribing to our newsletter you agree to the terms outlined in our privacy policy

 United Kingdom ▼

© MYENERGI LTD 2024 - Registration No. 10261262 - VAT No. GB248171011

This website uses cookies to enhance your browsing experience, serve personalized ads or content, and analyze our traffic. By clicking "Accept" you consent to our use of cookies. For more information and to control your cookie settings please visit our [Cookie Notice](#).

Accept

Reject