0 1 2 Metres

## GROUND PLAN

ISSUED FOR BUILDING & DESIGN, SPECIFICATION HAS BEEN CONFIRMED


Gullies to be provided by builder as shown. These should go to surface drainage of to a soakaway.


Suggested planter wall height of 225mm or to customers specific requirements.

For further Cold Frame details see seperate drawing GPA 0402.

Down pipe & overflow pipe holes through gable end wall for reservoir. See GP\_ASSIST-024 for hole dimensions and reservoir position.

\$
\$





O/L = GUTTER OUT-LET DIMENSIONS IN MILLIMETRES

PLEASE SEE ATTACHED BUILDING NOTES.

TOLERANCE: + OR - 5mm, EXCEPT AT DOORWAY. \* 215mm - Nominal dimension, wall should be

Solid with header course.

\* 102mm - Nominal dimension, single course wall Coldframes & Internal Planters Only.

The dimensions shown on this drawing are those of the required brick base. As our structures are manufactured to accommodate these dimensions the completed base MUST correspond exactly (by steel tape measure) to the measurements on this drawing. If the brick base is incorrect in any way, the expense of alterations and delays in installation etc., are the responsibility of the builder and/or the customer.

DRAIN/GULLEY

O GIFFORD LIGHT

C GRAVEL/SOIL

DRAIN/GULLEY

BENCHING

A L I T E X NATIONAL TRUST GREENHOUSES THE CLIVEDEN WITH BENCHING AND STRAWBERRY BOARDS

DRAWN DATE SCALE DWG NO.

VF 20.12.2023 1:50 @A3 PIGO4270\_GP Sheet 1 of 2 —

CHECKED CHECKED CUSTOMER / ORDER No.


Mr Pigot, Ridges Cottage. 34270





0 1 2 Metres


GROUND PLAN

ISSUED FOR BUILDING & DESIGN, SPECIFICATION HAS BEEN CONFIRMED









O/L = GUTTER OUT-LET DIMENSIONS IN MILLIMETRES PLEASE SEE ATTACHED BUIL

PLEASE SEE ATTACHED BUILDING NOTES.
TOLERANCE: + OR - 5mm, EXCEPT AT DOORWAY.

\* 215mm — Nominal dimension, wall should be

Solid with header course.

\* 102mm - Nominal dimension, single course wall Coldframes & Internal Planters Only.

The dimensions shown on this drawing are those of the required brick base. As our structures are manufactured to accommodate these dimensions the completed base MUST correspond exactly (by steel tape measure) to the measurements on this drawing. If the brick base is incorrect in any way, the expense of alterations and delays in installation etc., are the responsibility of the builder and/or the customer.



A L I	T E X"		L TRUST GREENHOUSE BENCHING AND STRAWE		7
GREENHOUSES AND CONSERVATORIES					
DRAWN	DATE	SCALE	DWG NO.		REV
VF	20.12.2023	1:50 @A3	PIG04270_GP	Sheet 2 of 2	-   <sub>NI</sub>
CHECKED	CHECKED	CUSTOMER / ORDE	R No.		
		Mr Pigot,	Ridges Cottage.	342	270    <b>Tr</b>