# Preliminary Roost Assessment 25 Allendale Road

James Reedman
Project number 312
Version 1
05 March 2024



## Report Summary

i

We were instructed by James Reedman to undertake a Preliminary Roost Assessment of 25 Allendale Road, Rainworth, Nottingham, NG21 0FL, (Ordnance Survey (OS) grid SK59855780).

The Site is a brick built bungalow with a gable ended concrete tile roof. The roof is lined with bitumen felt. There is a conservatory on the south gable.

The proposals are to

The survey found that there was limited potential for bats to roost at the Site. Birds have nested in the soffit in the past, and the access to this cavity was temporarily blocked by the surveyor. The client will fill this gap with expandable foam in the next few days so that nesting birds won't be an issue during construction.

To provide compensation and enhancement with the scheme bird and bee boxes have been recommended.

## Contents

1	Introduction, Method, and Limitations	1			
	Limitations	1			
2	Results	3			
	Habitats in the region	3			
	Habitats in the area around the Site	3			
	Habitats at the Site	. 4			
	Bats	. 4			
	Birds	5			
3	Discussion	6			
	Project Proposals	6			
	Project Impacts and Constraints	. 6			
	Ecological Enhancement and Opportunities	6			
Α	ppendix 1 Legislation and Policy	8			
Α	opendix 2 Methodology	14			
Α	ppendix 3 Results	17			
Α	Appendix 4 Enhancement Examples				
Fi	gures				
Fi	gure 1 – Site Location	. 4			
Ta	ables				
Τá	able 1- Designated Areas	3			
Ta	able 2 - Summary of Primary Legislation in the UK	8			

# 1 Introduction, Method, and Limitations

This report outlines the results of a Preliminary Roost Assessment undertaken by Jo Pedder on 05 March 2024 at 25 Allendale Road, Rainworth, Nottingham, NG21 0FL (called the Site from here on).

A Preliminary Roost Assessment (PRA) is an assessment of a structure for its potential value to bats, specifically when they are roosting (resting in a shelter). The aims of the survey and report are to:

## 1) Identify and assess Potential Roosting Features (PRF) at the Site

Different species of bat have different preferences for roosts. Some tend to roost in open spaces such as lofts, but many roost in crevices on the outside or inside of structures such as frost cracks in trees, timber joints in barns, or between roof tiles and roof membranes in houses.

## 2) Identify if there is direct evidence of bats roosting in the structure

This could be observed bats, faeces, or feeding remains. However, not all bat roosts have obvious signs of use, especially those in crevices on the outside of structures.

## 3) Assess the potential value of the structure to bats

A combination of direct signs of bats, PRF, and surrounding habitat is used to assess the potential conservation value of the structure for bats.

## 4) If necessary, advise on further work to be undertaken

If the Site is assessed as having potential value to roosting bats, additional surveys may be needed to inform the best approach to mitigation, compensation, and licencing. Enhancement measures are also usually included in line with planning policy.

## 5) Identify nesting birds

As it is a requirement of local planning authorities, the survey and report also aim to identify nesting birds, and to discuss mitigation, compensation, and enhancement for these.

A full method statement is included in Appendix 2.

### Limitations

The survey was undertaken in very early spring when bats are just coming out of hibernating. They may therefore not be occupying their summer roosts. Evidence of

2

bats that may have accumulated on the outside of buildings or trees in summer may have been washed away by rain.

Any ecology assessment must be considered as a 'snapshot' of conditions at the time of the survey. Ecological constraints will change over time and therefore the findings of this report are valid for a period of one year, after which the report should be reviewed to assess whether the survey should be updated.

No constraints were such that they affect the overall conclusions and recommendations made in this report.

## 2 Results

To provide context to the Site, it is useful to consider the surrounding landscape and habitats. It is also important to identify and acknowledge protected wildlife habitats, such as Nature Reserves that are nearby.

## Habitats in the region

The Site is within the Sherwood National Character Area (NCA). The NCA extends north from Nottingham, principally coinciding with an outcrop of sandstone which forms a belt of gently rolling hills. Historically it was managed as woodland and remains a well wooded area. The oak and birch wood pasture in the heartland of Sherwood Forest and more recent pine plantations, contribute strongly to the sense of place. Large estate parklands, heathland, open arable land and a strong mining heritage also characterise the area. The area contains the settlements of Mansfield, Worksop, Retford and Ollerton around its peripheries and sits on an aquifer that provides water to the area.

There is one designated wildlife area within 1 km of the Site.

Table 1- Designated Areas

Designation / Location	Ecological Feature			
Local Nature Reserves				
Tippings Wood	The dominant habitat is deciduous woodland. There is a wetland area supporting damselflies and dragonflies.			
Sites of Special Scientific Interest				
None	n/a			
Special Areas of Conservation				
None	n/a			
Special Protection Areas				
None	n/a			
Ramsar Sites				
None	n/a			

### Habitats in the area around the Site

Habitats within 500 m of the Site include (in approximate order of area):

Houses and gardens Plantation woodland (including Tippings Wood LNR) Arable fields

### Rough grassland.

Figure 1, an aerial photograph of the Site, shows the Site in context with the surrounding landscape. The yellow circle has a 500 m radius.




Figure 1 - Site Location

The habitats in the area are suitable for foraging and commuting bats.

### Habitats at the Site

The Site is a brick built bungalow with a gable ended concrete tile roof. The roof is lined with bitumen felt. There is a conservatory on the south gable.

Photos taken during the survey and detailed survey results are in Appendix 3.

### **Bats**

The Site has very limited potential to support roosting bats, and all observed features were scoped out as bat roosts. Features which were initially observed, and then scoped out include:

Shallow gaps under tiles behind a vent pipe and flue. These were inspected by endoscope and found to be blocked with spider webs. No signs of bats were found.

A gap between the brick wall and roof tiles on the northeast corner of the building where the plastic fascia stops short of the corner. Bats entering here could gain access to the soffit, and part of the gable wall cavity. The surveyor spent approximately one hour investigating this feature with an endoscope and is confident that it is not, and has not been, used by bats. The presence of nesting material indicates that birds, possibly sparrows, nest here regularly, but there was no current nesting activity. The entrance to the feature was temporarily blocked with a rag, and the client instructed to fill it with expandable foam as a semi-permanent measure to prevent birds from nesting prior to construction.

The loft space is cluttered with timber trusses and therefore sub-optimal for void roosting species of bat, and no sign of bats was observed in the loft.

The building has been assessed as of negligible<sup>1</sup> potential suitability to roosting bats as it meets the following criteria:

No obvious habitat features on site likely to be used by roosting bats; however, a small element of uncertainty remains as bats can use small and apparently unsuitable features on occasion.

#### Birds

As above, nesting material and bird droppings were recorded on the wall in the northeast corner of the building.

The entrance to the feature was temporarily blocked with a rag, and the client instructed to fill it with expandable foam as a semi-permanent measure to prevent birds from nesting prior to construction.

<sup>&</sup>lt;sup>1</sup> Negligible is defined as 'so small or unimportant as to be not worth considering, insignificant'. This category may be used where there are places that a bat could roost or forage (due to one attribute) but it is unlikely that they actually would (due to another attribute).

## 3 Discussion

## **Project Proposals**

The proposals are to construct a side extension on the west side if the building. The extension will have a gabled roof perpendicular to the existing roof, and tying into it.

## **Project Impacts and Constraints**

Bats and their roosts (even when not occupied) are legally protected from disturbance and harm. Active bird nests are protected from damage and some species are protected from disturbance<sup>2</sup>.

### **Bats**

As the Site has been assessed as having negligible potential value for bats, no constraints relating to bats are expected. In the very unlikely event that bats are found during works, advice must be sought from an ecologist.

### **Birds**

The one feature that birds could nest in has been blocked so that birds cannot nest in it prior to construction.

## **Ecological Enhancement and Opportunities**

For compensation and enhancement of the proposed development, it is recommended that roosting and nesting habitat for birds, and bees is provided by incorporating wildlife boxes into the scheme.

At least two 'universal' bird boxes, and one bee brick should be integrated into the façade of the proposed extension.

Bird boxes should be installed out of direct sunlight or else shaded day long beneath broad eaves. They should be 5 m or more above ground (or as high as possible). They should not be obstructed by nearby trees, cables, creepers, or aerials.

Bee bricks should be positioned in a warm sunny spot, south facing, with no vegetation in front of the fascia. Ideally placed at least 1 m from the ground with no upward limit.

-

<sup>&</sup>lt;sup>2</sup> This is a very broad generalisation – see Appendix 1 for more information. This report is not legal advice and should not be relied upon as such – for detailed interpretation of the law a specialist lawyer should be consulted.

Examples of wildlife boxes are presented in Appendix 4.

## **Conclusion and Summary**

The survey found that there was limited potential for bats to roost at the Site. Birds have nested in the soffit in the past, and the access to this cavity was temporarily blocked by the surveyor. The client will fill this gap with expandable foam in the next few days so that nesting birds won't be an issue during construction.

To provide compensation and enhancement with the scheme bird and bee boxes have been recommended.

# Appendix 1 Legislation and Policy

## Legislation

There are many active pieces of legislation which are aimed at protecting wildlife and habitats within the UK. These are summarised in Table 2.

Table 2 - Summary of Primary Legislation in the UK

	Table 2 Sammary of Filmary Legislation in the ork
Legislation	Description
The Wildlife and Countryside Act (WCA) 1981	The WCA is the primary piece of legislation relating to nature conservation in Great Britain. The Act is supplemented by provisions in the CRoW Act 2000 and the NERC Act 2006. It provides for the notification and confirmation of Sites of Special Scientific Interest by Natural England. It also sets out, in schedules, important and invasive species which are legally protected or require active management.
	The WCA consolidates and amends existing national legislation to implement the Convention on the Conservation of European Wildlife and Natural Habitats (Bern Convention) and Council Directive 79/409/EEC on the conservation of wild birds (Birds Directive) in Great Britain (NB Council Directive 79/409/EEC has now been replaced by Directive 2009/147/EC of the European Parliament and of the Council of 30 November 2009 on the conservation of wild birds (codified version)).
The Conservation of Habitats and Species Regulations 2017	The Conservation of Habitats and Species Regulations 2017 consolidate the Conservation of Habitats and Species Regulations 2010 with subsequent amendments. The Regulations transpose Council Directive 92/43/EEC, on the conservation of natural habitats and of wild fauna and flora (EC Habitats Directive), into national law. They also transpose elements of the EU Wild Birds Directive in England and Wales. The Regulations came into force on 30th November 2017 and extend to England and Wales (including the adjacent territorial sea) and to a limited extent in Scotland (reserved matters) and Northern Ireland (excepted matters).
The Countryside and Rights of Way (CRoW) Act 2000	The CRoW applies to England and Wales only, received Royal Assent on 30 November 2000, with the provisions it contains being brought into force in incremental steps over subsequent years. Containing five Parts and 16 Schedules, the Act provides for public access on foot to certain types of land, amends the law relating to public rights of way, increases measures for the management and protection for Sites of Special Scientific Interest (SSSI) and strengthens wildlife enforcement legislation, and provides for better management of Areas of Outstanding Natural Beauty (AONB). The Act is compliant with the provisions of the European Convention on Human Rights, requiring consultation where the rights of the individual may be affected by these measures.
Natural Environment & Rural Communities (NERC) Act 2006	The NERC places a duty on authorities to have due regard for biodiversity and nature conservation during their operations.  The NERC Act requires the Secretary of State to publish a list of habitats and species which are of principal importance for the conservation of biodiversity in England. The list replaces the UK Biodiversity Action Pans (UKBAP) and has been drawn up in consultation with Natural England, as required by the Act.
	The S41 list is used to guide decision-makers such as public bodies, including local and regional authorities, in implementing their duty under section 40 of NERC Act, to

have regard to the conservation of biodiversity in England, when carrying out their normal functions.

Fifty-six habitats of principal importance (HPI) are included on the S41 list. These are all the habitats in England that were identified as requiring action in the UK Biodiversity Action Plan (UK BAP) and continue to be regarded as conservation priorities in the subsequent UK Post-2010 Biodiversity Framework. Of most relevance to the Site, they include ponds, open mosaic habitats on previously developed land and lowland heathland.

There are 943 species of principal importance (SPI) included on the S41 list. These are the species found in England which were identified as requiring action under the UK BAP and which continue to be regarded as conservation priorities under the UK Post-2010 Biodiversity Framework.

### **Protected Species**

#### **Bats**

All species of bat in Britain are 'European Protected Species' (EPS) and are protected under the Conservation of Habitats and Species Regulations 2010, and the Wildlife and Countryside Act 1981, as amended by the Countryside & Rights of Way Act 2000. These pieces of legislation combine to give substantial protection to EPS and their habitats, making it an offence to:

Deliberately capture, injure, or kill a bat.

Intentionally or recklessly disturb a bat in its roost or deliberately disturb a group of bats.

Damage or destroy a bat roosting place (even if bats are not occupying the roost at the time).

Possess or advertise/sell/exchange a bat (dead or alive) or any part of a bat. Intentionally or recklessly obstruct access to a bat roost.

The Natural Environment & Rural Communities (NERC) Act 2006 places a duty on authorities to have due regard for biodiversity and nature conservation during their operations.

## **Nesting Birds**

All wild bird nests are protected under The Wildlife and Countryside Act 1981 (as amended), making it an offence to:

Intentionally kill, injure, or take any wild bird or their eggs or nests (with certain exceptions).

Disturb any bird species listed under Schedule 1 to the Act, or its dependent young while it is nesting.

Nests of golden eagle, white-tailed eagle and osprey are protected year-round

#### **Bird Directive**

Bird Directive Annex I lists species that shall be the subject of special conservation measures concerning their habitat to ensure their survival and reproduction in their area of distribution.

### **Protected Species Licencing**

The animal and plant species listed on Schedule 2 and 4 of The Conservation of Habitats and Species Regulations 2010 (as amended) are referred to as European Protected Species (EPS).

If a project is likely to impact a EPS and breach the Conservation of Habitats and Species Regulations 2010, and where best practice guidance avoidance measures either cannot be followed or are not applicable, licences can be obtained to allow persons to carry out activities that would otherwise be prohibited, without committing an offence. Natural England has powers to grant such licences in England if it meets three "derogation tests."

#### The three tests are that:

The activity to be licensed must be for imperative reasons of overriding public interest<sup>3</sup> or for public health and safety ('public' can in some circumstances be interpreted as an individual or family).

There must be no satisfactory alternative.

Favourable conservation status of the species must be maintained.

There are two licencing routes available (depending on the location of the project). A Project Licence, where the developer would apply for a licence for their project and be the licensee, or a Class Licence, where a consultant is registered to use the licence and can use it for low impact activities and notify Natural England, rather than make an individual application for the project.

#### Low Impact Class Licence

\_

The bat 'low impact' licence is a mitigation class licence. A consultant who is registered to use this licence can register a site and carry out certain activities that would otherwise be unlawful:

<sup>3</sup> This is usually arguable where the project meets an identified planning need, i.e. social housing. 'Public' can be interpreted as an individual or family.

to disturb and capture up to three 'common or widespread' bat species (which are those listed in each annex)

to damage or destroy up to three 'low conservation status roosts' (these are: feeding, day, night, and transitional roosts)

if the action has a low or temporary impact on bats or their roosts if sites are registered before you start work

Registration of a site under the licence is straightforward and Natural England accept registration from 3 days. Projects entered into a class licence have the same survey requirements as a project licence.

The Annexes define what are common or widespread species based on geographical area and experience of the consultant. In the counties that I work, Class Licences are available to damage and destroy no more than three low conservation status roosts. Of these roosts, you can disturb and capture, in appropriate small numbers, no more than three common species of:

common pipistrelle soprano pipistrelle brown long-eared whiskered Brandt's Daubenton's Natterer's

## **Project Licence**

The licence application consists of three documents, Section one - Application details (a basic application form), Section two - Method Statement (MS) (specifying the proposals, mitigation, compensation, and schedule and demonstrating how the project meets Test 3) and Section three - Reasoned Statement (RS) (demonstrating how the project meets Tests 1 and 2). The Application form and Method Statement i usually completed by your ecologist (who is included in the application as a Named Ecologist) and the Reasoned Statement by the client or their planning consultant or environmental lawyer.

The developer is usually the applicant and licensee and is legally responsible to carrying out the method statement. To protect other people working on the project (and to legally tie them to the MS) contractors and consultants that may affect the EPS, such as demolition or construction contractors and the ecologist should be appointed as 'accredited agents' to the licensee.

Natural England aim to determine an application within thirty working days, at which point they make a Further Information Request (FIR) if there are uncertainties, or they do not agree with the MS or RS. At the end of the licensable activities the licensee is

required to submit a licence return (although this is usually completed on their behalf by the Named Ecologist), where they declare the success (or failure) of the mitigation and are obliged to report on breaches to the MS.

## Policy

### National Planning Policy Framework (NPPF) (2021)

Chapter 15 of the National Planning Policy Framework (NPPF) aims at conserving and enhancing the natural environment and states that planning policies and decision should contribute to and enhance the natural and local environment. In terms of biodiversity this should be achieved by:

protecting and enhancing valued landscapes, sites of biodiversity or geological value and soils

recognising the intrinsic character and beauty of the countryside, and wider benefits from natural capital and ecosystem services.

minimising impacts on and providing net gains for biodiversity, including by establishing coherent ecological networks that are more resilient to current and future pressures.

The NPPF states that to protect and enhanced biodiversity, [local] plans should:

identify and safeguard components of wildlife-rich habitats and wider ecological networks.

promote the conservation and enhancement of priority habitats and ecological networks and the protection and recovery of priority species.

The NPPF states that when determining planning applications, local planning authorities should refuse applications which:

cause significant harm to biodiversity which cannot be avoided, adequately mitigated or as a last resort, compensated for.

plan to develop on land within or outside of a Site of Special Scientific Interest (SSSI) and which is likely to have an adverse effect on it (either individually or in combination with other developments).

result in the loss or deterioration of irreplaceable habitats (such as ancient woodland and ancient or veteran trees) unless there are wholly exceptional reasons and where a suitable compensation strategy exists.

The local planning authority should support developments whose primary objective is to conserve or enhance biodiversity, especially where this can secure measurable net gains in biodiversity.

### HM Government – 25 Year Environment Plan

The 25-year plan to improve the environment sets out what the government intends to do to increase biodiversity, reduce climate change and secure ecosystem services. It aims to deliver cleaner air and water, protect threatened species, and provide richer wildlife habitats.

## Appendix 2 Methodology

#### Personnel

The survey was undertaken and reported by Jo Pedder. Jo Pedder BSc. hons MCIEEM is an ecologist with over 20 years' experience in surveying for bats. Jo holds survey licences for bats (level 2 2015-15081-CLS-CLS) and great crested newts (level 1 2018-34475-CLS-CLS) and development licences for bats and newts. Jo has experience in a range of projects from barn conversions to sites over 300 ha and has worked in the minerals, housing, and energy sectors.

### **Preliminary Roost Assessment**

A Preliminary Roost Assessment (PRA) was undertaken on 05 March 2024. The PRA followed the Bat Conservation Trust (BCT) guidelines criteria<sup>4</sup> (see Table Below).

A PRA is a detailed inspection of the exterior and interior of a structure to look for features that bats could use for entry/exit and roosting and to search for signs of bats.

The aim of this survey is to determine the actual or potential presence of bats and the need for further survey and/or mitigation. In many situations it is not possible to inspect all locations where bats may be present and therefore an absence of bat evidence does not equate to evidence of bat absence.

A PRA involves a detailed external and internal inspection of the structure to compile information on potential and actual bat entry/exit points; potential and actual bat roosting locations; any evidence of bats found and the number of ecologists that will be required for any subsequent surveys.

\_

<sup>&</sup>lt;sup>4</sup> The Bat Conservation Trust - Collins, J. (ed.) (2023) Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th edition)

## BCT Roost Potential Suitability Criteria

Suitabil	ity Roosting habitats in structures	Potential flight-paths and foraging habitats					
None	No habitat features on site likely to be used by any roosting bats at any time of the year (i.e. a complete absence of crevices/suitable shelter at all ground/underground levels).	No habitat features on site likely to be used by any commuting or foraging bats at any time of the year (i.e. no habitats that provide continuous lines of shade/protection for flight-lines, or generate/shelter insect populations available to foraging bats).					
Negligible (a)	No obvious habitat features on site likely to be used by roosting bats; however, a small element of uncertainty remains as bats can use small and apparently unsuitable features on occasion.	No obvious habitat features on site likely to be used as flight-paths or by foraging bats; however, a small element of uncertainty remains in order to account for non-standard bat behaviour.					
Low	A structure with one or more potential roost sites that could be used by individual bats opportunistically at any time of the year. However, these potential roost sites do not provide enough space, shelter, protection, appropriate conditions (b) and/or suitable surrounding habitat to be used on a regular basis or by larger numbers of bats (i.e. unlikely to be suitable for maternity and not a classic cool/stable hibernation site, but could be used by individual hibernating bats (c)).	Habitat that could be used by small numbers of bats as flight-paths such as a gappy hedgerow or unvegetated stream, but isolated, i.e. not very well connected to the surrounding landscape by other habitat. Suitable, but isolated habitat that could be used by small numbers of foraging bats such as a lone tree (not in a parkland situation) or a patch of scrub.					
Moderate	A structure with one or more potential roost sites that could be used by bats due to their size, shelter, protection, conditions (b) and surrounding habitat but unlikely to support a roost of high conservation status (with respect to roost type only, such as maternity and hibernation – the categorisation described in this table is made irrespective of species conservation status, which is established after presence is confirmed).	that could be used by bats for flight-paths such as lines of trees and scrub or linked back gardens. Habitat that is connected to the wider landscape that could be used					
High	A structure with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions (b) and surrounding habitat. These structures have the potential to support high conservation status roosts, e.g. maternity or classic cool/stable hibernation site.	Continuous, high-quality habitat that is well connected to the wider landscape that is likely to be used regularly by bats for flight-paths such as river valleys, streams, hedgerows, lines of trees and woodland edge. High-quality habitat that is well connected to the wider landscape that is likely to be used regularly by foraging bats such as broadleaved woodland, tree-lined watercourses and grazed parkland. Site is close to and connected to known roosts.					

a Negligible is defined as 'so small or unimportant as to be not worth considering, insignificant'. This category may be used where there are places that a bat could roost or forage (due to one attribute) but it is unlikely that they actually would (due to another attribute).

b For example, in terms of temperature, humidity, height above ground level, light levels or levels of disturbance. c Evidence from the Netherlands shows mass swarming events of common pipistrelle bats in the autumn followed by mass hibernation in a diverse range of building types in urban environments (Korsten et al., 2016 and Jansen et al., 2022). Common pipistrelle swarming has been observed in the UK (Bell, 2022 and Tomlinson, 2020) and winter hibernation of numbers of this species has been detected at Seaton Delaval Hall in Northumberland (National Trust, 2018). This phenomenon requires some research in the UK, but ecologists should be aware of the potential for larger numbers of this species to be present during the autumn and winter in prominent buildings in the landscape, urban or otherwise.

## **Desk Study**

Given the limited scale of the proposals and limited potential for impacts to arise outside the Site, a full data search was not commissioned for this stage of the project. Ordnance Survey maps and online aerial photos were used to provide site context and the online Multi-Agency Geographical Information Centre<sup>5</sup> (MAGIC) was used to find any internationally and nationally statutory protected areas within 1 km of the Site.

<sup>5</sup>www.magic.go.uk (Accessed 05 March 2024)

## Appendix 3 Results

Date: 05 March 2024

Surveyor: Jo Pedder

Location: 25 Allendale Road, Rainworth, Nottingham, NG21 0FL

Grid Reference: SK59855780

Site Description: The Site is a brick built bungalow with a gable ended concrete tile roof. The roof is lined with bitumen felt. There is a conservatory on the south gable.

#### Bats

The Site has very limited potential to support roosting bats, and all observed features were scoped out as bat roosts. Features which were initially observed, and then scoped out include:

Shallow gaps under tiles behind a vent pipe and flue. These were inspected by endoscope and found to be blocked with spider webs. No signs of bats were found.

A gap between the brick wall and roof tiles on the northeast corner of the building where the plastic fascia stops short of the corner. Bats entering here could gain access to the soffit, and part of the gable wall cavity. The surveyor spent approximately one hour investigating this feature with an endoscope and is confident that it is not, and has not been, used by bats. The presence of nesting material indicates that birds, possibly sparrows, nest here regularly, but there was no current nesting activity. The entrance to the feature was temporarily blocked with a rag, and the client instructed to fill it with expandable foam as a semi-permanent measure to prevent birds from nesting prior to construction.

The loft space is cluttered with timber trusses and therefore sub-optimal for void roosting species of bat, and no sign of bats was observed in the loft.

#### **Birds**

As above, nesting material and bird droppings were recorded on the wall in the northeast corner of the building.

The entrance to the feature was temporarily blocked with a rag, and the client instructed to fill it with expandable foam as a semi-permanent measure to prevent birds from nesting prior to construction.

18

## **Survey Photos**



1 Front – north aspect



2 Rear – south aspect



3 Side – east aspect



4 Side – west aspect



5 Hole in metal comms box



6 Flue



7 Gap above brick work (now temporarily blocked with a rag)



8 Internal view of the loft

## Appendix 4 Enhancement Examples

#### CJ Wildlife Swift Nest Box B

Installed on or within a wall.

Dimensions: 16 x 18.5 x 33.5cm

Weight: 7kg

Woodstone



Photo courtesy of CJ Wildlife

Swift boxes are a 'universal' bird box as they are known to support all four of the red listed urban bird species (swift, house sparrow, starling & house martin) will readily take to swift bricks,

### Green and Blue Bee Brick

Bee Brick™ is solid at the back and has moulded cavities where the bees will lay their eggs, sealing the entrance with mud or chewed up vegetation. Offspring emerge in the Spring and begin the process of nesting again, repeating the cycle.

Dimensions: 215 mm x 105 mm x 65 mm

Weight: 2.9 kg



Photo courtesy of Green and Blue

### **Document Control**

Report Issue	Notes	Author	Date
01	Original document to client.	Jo Pedder	05 March 2024
02			
03			
04			
05			

The Ecology Surveyor and The Bat Surveyor are trading names of Jo Pedder, a freelance ecologist based in Belper, Derbyshire.

Copyright Jo Pedder. All rights reserved. No part of this report may be copied or reproduced by any means without prior written permission from Jo Pedder.

This report has been prepared for the exclusive use of the commissioning party and, unless otherwise agreed in writing by Jo Pedder, no other party may use, make use of, or rely on the contents of the report. No liability is accepted by Jo Pedder for any use of this report, other than for the purposes for which it was originally prepared and provided.

Opinions and information provided in the report are based on Jo Pedder using due skill, care, and diligence in the preparation of the same and no explicit warranty is provided as to their accuracy. It should be noted, and it is expressly stated that no independent verification of any of the documents or information supplied to Jo Pedder has been made.

Any legal information provided by Jo Pedder is an outline only, intended for general information and does not constitute legal advice. Consult the original legal documents and/or seek legal advice for definitive interpretation.



www.ecology-surveyor.co.uk

www.bat-surveyor.co.uk