

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Built)

| | | | | | |
|------------------------------------|---|---------------|------------------|-------------|-----------|
| Property Reference | 2- Plot 7 ASHP | | Issued on Date | 06/02/2024 | |
| Assessment Reference | 001 | Prop Type Ref | New Build Plot 7 | | |
| Property | Flat 7, Quilter House, 2A Tankerville Road, London, SW16 5FX | | | | |
| SAP Rating | 84 B | DER | 20.45 | TER | 31.29 |
| Environmental | 86 B | % DER<TER | 34.65 | | |
| CO ₂ Emissions (t/year) | 1.02 | DFEE | 52.81 | TFEE | 62.96 |
| General Requirements Compliance | Fail | % DFEE<TFEE | 16.12 | | |
| Assessor Details | Mr. Matthew Edis, Sustainable Construction Services Ltd, Tel: 0845 6807 175, medis@scspartnership.co.uk | | | Assessor ID | V539-0001 |
| Client | | | | | |

SUMMARY FOR INPUT DATA FOR: New Build (As Built)

| | |
|-----------------------|---------------------|
| Orientation | North West |
| Property Tenure | Unknown |
| Transaction Type | New dwelling |
| Terrain Type | Urban |
| 1.0 Property Type | Flat, Semi-Detached |
| 2.0 Number of Storeys | 1 |
| 3.0 Date Built | 2021 |
| 4.0 Sheltered Sides | 1 |
| 5.0 Sunlight/Shade | Average or unknown |

6.0 Measurements

| | Heat Loss Perimeter | Internal Floor Area | Average Storey Height |
|---------------|---------------------|----------------------|-----------------------|
| Ground Floor: | 1.00 m | 67.10 m ² | 2.65 m |

| | | |
|-----------------|-------|----------------|
| 7.0 Living Area | 25.50 | m ² |
|-----------------|-------|----------------|

| | | |
|----------------------------|---------------------|---------------------|
| 8.0 Thermal Mass Parameter | Precise calculation | |
| Thermal Mass | 284.81 | kJ/m ² K |

9.0 External Walls

| Description | Type | Construction | U-Value (W/m ² K) | Kappa (kJ/m ² K) | Gross Area (m ²) | Nett Area (m ²) |
|-------------------------|-------------|---|------------------------------|-----------------------------|------------------------------|-----------------------------|
| External Wall MAT 1 New | Cavity Wall | Cavity wall : plasterboard on dabs, dense block, filled cavity, any outside structure | 0.15 | 150.00 | 76.02 | 59.74 |

9.1 Party Walls

| Description | Type | Construction | U-Value (W/m ² K) | Kappa (kJ/m ² K) | Area (m ²) |
|--------------------|---------------------------------|--|------------------------------|-----------------------------|------------------------|
| Wall to Apartments | Filled Cavity with Edge Sealing | Single plasterboard on both sides, dense cellular blocks, cavity | 0.00 | 70.00 | 27.28 |

9.2 Internal Walls

| Description | Construction | Kappa (kJ/m ² K) | Area (m ²) |
|---------------|------------------------------|-----------------------------|------------------------|
| Internal Wall | Plasterboard on timber frame | 9.00 | 132.71 |

10.1 Party Ceilings

| Description | Construction | Kappa (kJ/m ² K) | Area (m ²) |
|---------------|--------------|-----------------------------|------------------------|
| Party Ceiling | Other | 30.00 | 67.10 |

11.0 Heat Loss Floors

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Built)

| Description | Type | Construction | U-Value (W/m ² K) | Kappa (kJ/m ² K) | Area (m ²) |
|--------------------|-----------------------|------------------------------------|------------------------------|-----------------------------|------------------------|
| Floor over Class E | Exposed Floor - Solid | Suspended concrete floor, carpeted | 0.12 | 75.00 | 67.10 |

12.0 Opening Types

| Description | Data Source | Type | Glazing | Glazing Gap | Argon Filled | G-value | Frame Type | Frame Factor | U Value (W/m ² K) |
|------------------------|--------------|------------------|---------------|-------------|--------------|---------|------------|--------------|------------------------------|
| D6 Balcony Door ET15.1 | Manufacturer | Half Glazed Door | Triple glazed | | | 0.53 | | 0.69 | 0.88 |
| D8 Balcony Door ET16.1 | Manufacturer | Half Glazed Door | Triple glazed | | | 0.53 | | 0.57 | 0.92 |
| W8 Window ET10.1 | Manufacturer | Window | Triple glazed | | | 0.53 | | 0.78 | 0.92 |
| W16 Window ET17 | Manufacturer | Window | Triple glazed | | | 0.53 | | 0.78 | 0.92 |
| W17 Window ET17.1 | Manufacturer | Window | Triple glazed | | | 0.53 | | 0.43 | 0.69 |

13.0 Openings

| Name | Opening Type | Location | Orientation | Curtain Type | Overhang Ratio | Wide Overhang | Width (m) | Height (m) | Count | Area (m ²) | Curtain Closed |
|---------------------|------------------|-----------------------------|-------------|--------------|----------------|---------------|-----------|------------|-------|------------------------|----------------|
| D6 Balc Door ET15.1 | Half Glazed Door | [1] External Wall MAT 1 New | South West | | | | | | | 1.89 | |
| D8 Balc Door 16.1 | Half Glazed Door | [1] External Wall MAT 1 New | South West | | | | | | | 6.93 | |
| W8 Window 10.1 | Window | [1] External Wall MAT 1 New | South West | None | 0.00 | | | | | 3.36 | |
| W16 Window ET17 | Window | [1] External Wall MAT 1 New | South East | None | 0.00 | | | | | 2.05 | |
| W17 Window ET17.1 | Window | [1] External Wall MAT 1 New | South East | None | 0.00 | | | | | 2.05 | |

14.0 Conservatory

15.0 Draught Proofing

 %

16.0 Draught Lobby

17.0 Thermal Bridging

17.1 List of Bridges

| Source Type | Bridge Type | Length | Psi | Imported |
|---------------------|---|--------|-------|----------|
| Table K1 - Approved | E2 Other lintels (including other steel lintels) | 7.62 | 0.300 | No |
| Table K1 - Default | E4 Jamb | 21.60 | 0.100 | No |
| Table K1 - Default | E20 Exposed floor (normal) | 26.35 | 0.320 | No |
| Table K1 - Approved | E7 Party floor between dwellings (in blocks of flats) | 26.35 | 0.070 | No |
| Table K1 - Default | E16 Corner (normal) | 8.66 | 0.180 | No |
| Table K1 - Default | E17 Corner (inverted – internal area greater than external area) | 8.66 | 0.000 | No |
| Table K1 - Default | E18 Party wall between dwellings | 5.77 | 0.120 | No |
| Table K1 - Default | P3 Party wall - Intermediate floor between dwellings (in blocks of flats) | 9.46 | 0.000 | No |
| Table K1 - Default | P7 Party Wall - Exposed floor (normal) | 9.46 | 0.160 | No |

| | | |
|---------|------------------------------------|--------------------|
| Y-value | <input type="text" value="0.129"/> | W/m ² K |
|---------|------------------------------------|--------------------|

18.0 Pressure Testing

| | | |
|---------------------------|-----------------------------------|---|
| Designed AP ₅₀ | <input type="text" value="4.50"/> | m ³ /(h.m ²) @ 50 Pa |
| Property Tested ? | <input type="text" value="Yes"/> | |
| As Built AP ₅₀ | <input type="text" value="4.34"/> | m ³ /(h.m ²) @ 50 Pa |

19.0 Mechanical Ventilation

Summer Overheating

| | |
|-----------------------------|--|
| Windows open in hot weather | <input type="text" value="Windows slightly open"/> |
|-----------------------------|--|

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Built)

| | |
|----------------------------|------|
| Cross ventilation possible | Yes |
| Night Ventilation | No |
| Air change rate | 0.00 |

Mechanical Ventilation

| | |
|---------------------------------------|--|
| Mechanical Ventilation System Present | Yes |
| Approved Installation | No |
| Mechanical Ventilation data Type | Database |
| Type | Balanced mechanical ventilation with heat recovery |
| MV Reference Number | 500140 |
| Configuration | 1 |
| MVHR Duct Insulated | Yes |
| Manufacturer SFP | 0.76 |
| Duct Type | Rigid |
| MVHR Efficiency | 91.00 |
| Wet Rooms | 1 |

20.0 Fans, Open Fireplaces, Flues

| | MHS | SHS | Other | Total |
|------------------------------|-----|-----|-------|-------|
| Number of Chimneys | 0 | | 0 | 0 |
| Number of open flues | 0 | | 0 | 0 |
| Number of intermittent fans | | | | 0 |
| Number of passive vents | | | | 0 |
| Number of flueless gas fires | | | | 0 |

21.0 Fixed Cooling System

No

22.0 Lighting

Internal

| | | |
|---------------------------------|--------|---|
| Total number of light fittings | 10 | |
| Total number of L.E.L. fittings | 10 | |
| Percentage of L.E.L. fittings | 100.00 | % |

External

External lights fitted: No

23.0 Electricity Tariff

Standard

24.0 Main Heating 1

| | | |
|--------------------|--|---|
| Percentage of Heat | 100 | % |
| Database Ref. No. | 104367 | |
| Fuel Type | Electricity | |
| Main Heating | PET | |
| SAP Code | 224 | |
| In Winter | 0.0 | |
| In Summer | 0.0 | |
| Controls | CHF Programmer and at least two room thermostats | |
| PCDF Controls | 0 | |
| Sap Code | 2205 | |
| Is MHS Pumped | in unheated space | |
| Heat Emitter | Radiators | |
| Flow Temperature | Normal (> 45°C) | |

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Built)

25.0 Main Heating 2

Community Heating

28.0 Water Heating

Water Heating

Flue Gas Heat Recovery System

Waste Water Heat Recovery

Instantaneous System 1

Waste Water Heat Recovery

Instantaneous System 2

Waste Water Heat Recovery

Storage System

Solar Panel

Water use <= 125 litres/person/day

SAP Code

Immersion Only Heating Hot Water

29.0 Hot Water Cylinder

Cylinder Stat

Cylinder In Heated Space

Independent Time Control

Insulation Type

Insulation Thickness

Cylinder Volume

Pipes insulation

31.0 Thermal Store

Recommendations

Lower cost measures

None

Further measures to achieve even higher standards

None

L