



TITLE
**Figure 4
Bat Roost Potential Assessment**

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

PROJECT
Scotland England Green Link 2


- KEY**
- Planning Application Boundary
 - Tree with Bat Roost Potential
 - Low
 - Moderate
 - High



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525

SHEET NUMBER 4 of 21 **DATE** 25/05/2022





Scale @ A3 1:10,000

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW


- KEY**
- Planning Application Boundary
 - Tree with Bat Roost Potential
 - Low
 - Moderate



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525



SHEET NUMBER 5 of 21 **DATE** 25/05/2022



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW


- KEY**
- Planning Application Boundary
 - Tree with Bat Roost Potential
 - High



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525



SHEET NUMBER 6 of 21 **DATE** 25/05/2022



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW


GIS: LC Checked: JW Approved: MW



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525


SHEET NUMBER 7 of 21 **DATE** 25/05/2022



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

PROJECT
Scotland England Green Link 2

KEY
 Planning Application Boundary




TITLE
**Figure 4
Bat Roost Potential Assessment**

REFERENCE
SEGL2_T_BR_4_v3_20220525



SHEET NUMBER
8 of 21

DATE
25/05/2022



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.


GIS: LC Checked: JW Approved: MW



TITLE
Figure 4
Bat Roost Potential Assessment


REFERENCE
SEGL2_T_BR_4_v3_20220525

SHEET NUMBER 9 of 21
DATE 25/05/2022



Scale @ A3 1:10,000


This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.



TITLE
**Figure 4
Bat Roost Potential Assessment**



REFERENCE
SEGL2_T_BR_4_v3_20220525

SHEET NUMBER 10 of 21 DATE 25/05/2022




This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW





TITLE
Figure 4
Bat Roost Potential Assessment



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW


- KEY**
- Planning Application Boundary
 - Tree with Bat Roost Potential
 - Moderate



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525

SHEET NUMBER 12 of 21 **DATE** 25/05/2022




This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW

PROJECT
Scotland England Green Link 2


- KEY**
- Planning Application Boundary
 - Tree with Bat Roost Potential
 - Moderate



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525



SHEET NUMBER 13 of 21 **DATE** 25/05/2022



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

PROJECT
Scotland England Green Link 2


- KEY**
- Planning Application Boundary
 - Tree with Bat Roost Potential
 - Low



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525



SHEET NUMBER 14 of 21 **DATE** 25/05/2022



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW


- KEY**
- Planning Application Boundary
 - Tree with Bat Roost Potential
 - Low
 - Moderate



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525

SHEET NUMBER 15 of 21 **DATE** 25/05/2022





This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW

PROJECT
Scotland England Green Link 2


- KEY**
- Planning Application Boundary
 - Tree with Bat Roost Potential**
 - Low
 - Moderate
 - High



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525



SHEET NUMBER 16 of 21
DATE 25/05/2022



GIS: LC Checked: JW Approved: MW

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.


- KEY**
- Planning Application Boundary
 - Tree with Bat Roost Potential
 - Low
 - High



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525



SHEET NUMBER 17 of 21
DATE 25/05/2022



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW


- KEY
- Planning Application Boundary
 - Tree with Bat Roost Potential
 - Low
 - Moderate
 - High



TITLE
**Figure 4
Bat Roost Potential Assessment**

REFERENCE
SEGL2_T_BR_4_v3_20220525

SHEET NUMBER 18 of 21 DATE 25/05/2022





Scale @ A3 1:10,000

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

PROJECT
Scotland England Green Link 2


- KEY**
- Planning Application Boundary
 - District Borough Unitary Boundary
- Tree with Bat Roost Potential**
- Low
 - Moderate
- Structure with Bat Roost Potential**
- Low



TITLE
Figure 4
Bat Roost Potential Assessment

REFERENCE
SEGL2_T_BR_4_v3_20220525



SHEET NUMBER 19 of 21
DATE 25/05/2022



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW

- KEY
- Planning Application Boundary
 - District Borough Unitary Boundary
- Tree with Bat Roost Potential
- Low
 - Moderate




TITLE
**Figure 4
Bat Roost Potential Assessment**

REFERENCE
SEGL2_T_BR_4_v3_20220525

SHEET NUMBER
20 of 21

DATE
25/05/2022





GIS: LC Checked: JW Approved: MW

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

PROJECT
Scotland England Green Link 2

- KEY
- Planning Application Boundary
 - District Borough Unitary Boundary
- Tree with Bat Roost Potential
- Low
 - Moderate



TITLE
**Figure 4
Bat Roost Potential Assessment**



REFERENCE
SEGL2_T_BR_4_v3_20220525

SHEET NUMBER 21 of 21 DATE 25/05/2022

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

GIS: LC Checked: JW Approved: MW

- KEY
- Indicative Planning Application Boundary
 - Mean Low Water Springs
 - Tree with Bat Roost Potential
 - Low




TITLE
**Figure 6-5
Bat Roost Potential Assessment**

REFERENCE
SEGL2_T_GCN_6-5_v1_20220209

SHEET NUMBER
1 of 26

DATE
09/02/2022



GIS: LC Checked: JW Approved: MW

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.