

























Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)		Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
											W	S	Structural Condition	Retention Category
G1	Semi-Mature Ash <i>Fraxinus excelsior.</i>	av 9.5	av 3	av 15	2	2		Position: Situated within boundary hedge. Form: Group of close growing specimens. History: No evidence of significant pruning. Defects: No significant defects. Other: Limited inspection, dimensions estimated.	No action required.	Moderate Good Good	Low 40+ C	n/a	3	
G2	Semi-Mature Ash <i>Fraxinus excelsior.</i>	av 9.5	av 3	av 10	2	2		Position: Situated within boundary hedge. Form: Group of close growing specimens. History: No evidence of significant pruning. Defects: No significant defects. Other: Limited inspection, dimensions estimated.	No action required.	Moderate Good Good	Low 40+ C	n/a	3	
T3	Early-Mature Scots Pine <i>Pinus sylvestris.</i>	13	1	55	4	5		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate Good Good	Moderate 40+ B	n/a	3	
T4	Semi-Mature Norway Spruce <i>Picea abies.</i>	11	0.5	25	3	3		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate Good Good	Moderate 40+ B	n/a	3	
G5	Early-Mature Ash <i>Fraxinus excelsior.</i>	av 16	av 2.5	av 50	9.5	9		Position: Hedgerow trees adjacent road. Form: Two close growing specimens, both twin-stemmed at ground level with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: Both specimens have major decay at base and symptoms of ash dieback. Other: Limited inspection, dimensions estimated.	Remove or decay detection required.	Low Poor Poor	Moderate <10 U	High	1	
G6	Semi-Mature Ash <i>Fraxinus excelsior.</i>	av 17	av 3	av 40	7	9.5		Position: Adjacent road and drainage ditch. Form: Three close growing specimens. History: No evidence of significant pruning. Defects: Occasional minor decay pockets and broken branch stubs. Symptoms of ash dieback.	Reduce height and radial spread by 2.5m.	Moderate Fair Fair	Moderate 10-20 C	Moderate	1	
G7	Semi-Mature Ash <i>Fraxinus excelsior.</i>	av 17	av 3	av 60	10	10		Position: Hedgerow trees adjacent drainage ditch. Form: Similar specimens in a row (lapsed hedge). Defects: Signs of decay at base of some specimens - acceptable condition at present.	Monitor.	Moderate Fair Fair	Moderate 10-20 B	Moderate	1.5	

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)		Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value	
					N	E			Priority	Inspect Freq (yrs)		Physiological Condition	Life Expectancy (yrs)
					W	S					Structural Condition		
G8	Semi-Mature Arborvitae Thuja sp.	av 15	av 0	av 40	3	4		Form: Two close growing specimens, both single stemmed and vertical with a narrow, upright habit. History: No evidence of significant pruning. Defects: No significant defects. Other: Vegetation prevented detailed inspection.	No action required.	3	Moderate Good Good	Moderate 40+ B	
													n/a
T9	Semi-Mature Arborvitae Thuja sp.	12	0	30	1	5		Form: Single stemmed and leaning with a narrow, upright habit. History: No evidence of significant pruning. Defects: South side of canopy has brown foliage.	No action required.	3	Moderate Fair Good	Low 20-40 C	
													n/a
T10	Semi-Mature Goat Willow Salix caprea.	6.5	1.5	28	4.5	4.5		Form: Twin-stemmed at ground level with a balanced crown. History: No evidence of significant pruning. Defects: Significant included bark at base - acceptable condition at present. Other: Recorded stem diameter is equivalent for two stems (Both 20cm).	No action required.	3	Moderate Good Fair	Low 40+ C	
													n/a
T11	Early-Mature Golden Weeping Willow Salix x sepulcralis 'chrysocoma'.	15	0.5	71	8	5.5		Form: Twin-stemmed at 3m with a weeping habit. History: Previously topped at 7m. Defects: Occasional significant dead wood.	Remove dead branches >10cm diameter.	3	Moderate Good Fair	Low 40+ B +	
													Low
T12	Semi-Mature Apple Malus sp.	5.5	1.5	28	2.5	4.5		Form: Multi-stemmed at 0.5m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Recorded stem diameter is equivalent for three stems (16cm, 16cm, 13cm).	No action required.	3	Moderate Good Fair	Low 40+ C	
													n/a
G13	Semi-Mature Lawson Cypress Chamaecyparis lawsoniana.	av 10	av 0	av 26	2.5	1.5		Form: Two close growing specimens. History: No evidence of significant pruning. Defects: No significant defects. Other: Vegetation prevented detailed inspection.	No action required.	3	Moderate Good Good	Low 40+ C +	
													n/a
G14	Semi-Mature Silver Birch Betula pendula.	av 12	av 2	av 25	4	4.5		Form: Three close growing specimens, all single stemmed and vertical with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	3	Moderate Good Good	Low 40+ C +	
													n/a

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)		Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
											Structural Condition	Retention Category		
T15	Semi-Mature Blue Spruce Picea pungens.	12	1.5	23	3.5	3.5		Form: Single stemmed and vertical with a narrow, upright habit. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate	Low		
					3.5	3.5					Good	40+		
									n/a	3	Good	C +		
T16	Semi-Mature European Larch Larix decidua.	12	3	20	1	2.5		Form: Single stemmed with a slight lean and an unbalanced crown. History: No evidence of significant pruning. Defects: Significant mower damage to surface roots.	No action required.		Moderate	Low		
					2.5	2.5					Fair	40+		
									n/a	1.5	Fair	C		
T17	Semi-Mature Norway Spruce Picea abies.	16	1	34	4	4		Form: Single stemmed and vertical with a weeping habit. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate	Moderate		
					4	4					Good	40+		
									n/a	3	Good	B		
T18	Semi-Mature Dawn Redwood Metasequoia glyptostroboides.	17	2	48	4	5		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate	Moderate		
					5	5					Good	40+		
									n/a	3	Good	B		
T19	Semi-Mature Swamp Cypress Taxodium distichum.	11	2	34	4	4		Form: Single stemmed and vertical with a narrow, upright habit. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate	Low		
					4.5	4.5					Good	40+		
									n/a	3	Good	C		
T20	Mature Alder Alnus sp.	13	1.5	54	5.5	4.5		Form: Single stemmed and vertical with a well-formed crown. History: No evidence of significant pruning. Defects: Evidence of internal decay at base - acceptable condition at present.	No action required.		Moderate	Moderate		
					5.5	4.5					Good	40+		
									n/a	1.5	Good	B		
T21	Semi-Mature Norway Spruce Picea abies.	11	0.5	23	3	3		Form: Single stemmed and vertical with a narrow, upright habit. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate	Moderate		
					3	3					Good	40+		
									n/a	3	Good	B -		

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)		Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value	
					N	E			Priority	Inspect Freq (yrs)		Physiological Condition	Life Expectancy (yrs)
											W		
T22	Semi-Mature Apple Malus sp.	6.5	1.5	18	4	2		Form: Single stemmed and vertical with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Moderate Good Good	Low 40+ C	
													n/a
T23	Early-Mature Indian Bean Tree Catalpa bignonioides.	9	2	32	5.5	4		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: Snapped hanging branch circa 5m above ground level - acceptable condition at present.	No action required.	3	Moderate Good Good	Moderate 40+ B	
													n/a
T24	Semi-Mature Monterey Cypress Cupressus macrocarpa.	14	0	47	2.5	2.5		Form: Twin-stemmed at 2m with an unbalanced crown. History: No evidence of significant pruning. Defects: Significant included bark at primary fork - acceptable condition at present.	No action required.	3	Moderate Good Poor	Low 40+ C	
													n/a
T25	Semi-Mature Monterey Cypress Cupressus macrocarpa.	14	2	42	3	3.5		Position: Ownership unclear, adjacent boundary. Form: Twin-stemmed at 2m with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Moderate Good Good	Low 40+ C-	
													n/a
T26	Semi-Mature Field Maple Acer campestre.	12	2	26	3	3		Position: Ownership unclear, adjacent boundary. Form: Multi-stemmed at 2m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Moderate Good Good	Low 40+ C	
													n/a
T27	Semi-Mature Apple Malus sp.	11	2	17	4	2		Form: Single stemmed and vertical with a narrow, upright habit. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Moderate Good Good	Low 40+ C	
													n/a
G28	Young Cherry Prunus sp.	av 7	av 1.5	av 8	2	2		Form: Three close growing specimens. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Moderate Fair Fair	Low 40+ C	
													n/a

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)		Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
											Structural Condition	Retention Category		
T29	Semi-Mature Pear Pyrus sp.	6	2	21	2.5	2.5		Form: Multi-stemmed at 1m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate	Fair	Low	20-40	C
					2.5	0								
T30	Early-Mature Cherry Prunus sp.	7	2	44 @ Base	5.5	5.5		Form: Multi-stemmed at 1m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate	Good	Low	40+	C
					5.5	0								
G31	Semi-Mature Sycamore Acer pseudoplatanus.	av 16	av 2.5	av 45	av 5	8		Form: Two close growing specimens, both twin-stemmed at 2m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: Northern most specimen has significant areas of necrotic bark & patches of black exudates.	Monitor.	Moderate	Fair	Low	10-20	C
					5 each	0								
G32	Semi-Mature Ash Fraxinus excelsior.	av 16	av 7	av 32	av 3	6		Form: Two close growing specimens. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate	Good	Low	40+	C
					3 each	0								
T33	Semi-Mature Maidenhair Tree Ginkgo biloba.	11	1	14	3	3		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate	Good	Low	40+	C
					3	0								
T34	Mature Cherry Prunus sp.	14	1.5	46	8	6		Form: Multi-stemmed at 3m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Good	Low	20-40	B
					3	0								
T35	Semi-Mature Maple Acer sp.	15	4	33	5.5	3.5		Form: Twin-stemmed at 3m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate	Good	Moderate	40+	B
					1.5	0								

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition		Retention Category	
T36	Semi-Mature Cherry Prunus sp.	7	1.5	26	5	4	5	5		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate	Low	40+	C
T37	Mature Silver Maple Acer saccharinum.	22	2	87	7	9.5	13	12		Form: Multi-stemmed at 3m with a balanced crown. History: No evidence of significant pruning. Defects: Several large (>20cm diameter) dead stumps to lower canopy - acceptable condition at present.	No action required.	Moderate	Low	40+	A-
G38	Semi-Mature Mixed Species Mixed species.	av 7	av 2	av 25	3	3	3	3		Form: Large group of mixed trees. Other: Limited inspection, dimensions estimated.	No action required.	Moderate	Moderate	40+	B