


HEDGE PLANTING: DOUBLE ROW

DETO09.DWG

with root-balled trees



See Tree Protection and Report for details of Tree Protection

Planting Hedge and Trees Soil depth- minimum required per area. 450mm topsoil for beds. 600mm topsoil for tree planting areas. 150mm depth for lawn areas. Allow for 15m<sup>3</sup> of soil volume for each small

Tree Planting Please see detail on Plan


Planting In Existing Hedge (site periphery). Existing hedgerow to be protected and

Where planting in existing hedge use Slit Planting Method. Press spade all the way into ground, then push it forwards, to create a slit. Keep the Slit open with the spade in, place the plant into the slit, making sure that the plant is planted at the same depth as it was before being lifted. Make sure the roots are in the slit and that the slit is deep enough.

Remove the spade, and use your foot to close the soil around the tree. Tree guards should also be installed as All standard trees will have strimmer guards

installed, with spiral rabbit guards. All hedging plants will be protected by a rabbit quard/tube.

Tree and hedgerow planting implementation Plant between the end of November to the beginning of March, using bare root 1+1, or 1+ 2 transplants, during the first planting season after completion. The hedgerows and tree areas should have a weed free area of 1 m2 around the base of each standard tree, and a weed free strip along the hedgerows, to enable good establishment of the plants. Mulch using a 60 mm deep layer of well rotted soil improver recycled green waste, to be approved by Landscape architect. The existing hedgerow maintenance-trim hedges between the end of January and the beginning of March checking first that there are no nesting birds.



Oct 2023

Arboriculture Ecology

Charmaine Noel

Cockmount Lane

Landscape

Tel:01892 782200