

Landscape and ecology specification

As seen on the plan, the front hedgerow will be maintained with the exception of the removal of a small part to allow the new access point as per the plans

New planting to take place to the storage outside of the parking and turning areas. This will be planted with pollinating plants taken from the RHS list of pollinators which is attached at **Appendix 1**.

Hedgerow along other boundaries and to the boundary with the land to the rear (south)

This will consist of a mixed native hedgerow. This will consist of the following species

- Hawthorn, Hazel, Holly, Dog Rose,

The plants will consist of 60-80cm bareroot varieties which will be planted 30cm apart in first planting season following occupation.

A new birch tree will be planted within the front garden area and a two new trees to the rear garden including a Native Crab Apple and Hawthorn tree which will be planted as standards.

All plant materials, landscape materials and operations are to be carried out in accordance with appropriate

British Standards and codes of practice. Tree supply, planting and aftercare is to accord with BS 8545: trees

Ecological Specification

The application will seek to achieve a net gain in biodiversity including the following

-the native planting described above will provide food sources and habitat for a range of wildlife

A sparrow terrace will be placed on the side elevation of the house

Log piles will be place behind the front hedgerow and to the rear garden

Two hedgehog domes will be placed on the site



Woodstone Estella Sparrow box



Hedgehog dome.

The log piles will be created using the methodology found on the website RSPB https://www.rspb.org.uk/get-involved/activities/nature-on-your-doorstep/garden-activities/create-a-log-pile-for-wildlife/?channel=paidsearch&gclid=EAlaIQobChMI36GYxMeGgAMVQotoCR2TJQH8EAAYASAAEqJCavD_BwE&gclsrc=aw.ds

This will achieve a net gain in biodiversity

Appendix 1



Get your garden buzzing

- ◆ Fill gardens with **RHS Plants for Pollinators** plants
- ◆ Grow **a range of plants** for year-round flowering
- ◆ **Avoid** plants with double or multi-petalled flowers
- ◆ **Never use pesticides** on plants in flower
- ◆ Provide nest sites for **wild bees**

Subspecies and cultivars of plants listed here are also **Plants for Pollinators**, except for those that provide significantly reduced floral resources (i.e. pollen and nectar). This includes most doubles. See p.2 for **key to codes**.

Winter

Nov – Feb

<i>Clematis cirrhosa</i> Spanish traveller's joy	C
<i>Crocus species</i> crocus (winter-flowering)	B
<i>Eranthis hyemalis</i> winter aconite	B
× <i>Fatsyhedera lizei</i> tree ivy	S
<i>Galanthus nivalis</i> common snowdrop	B
<i>Helleborus species and hybrids</i> hellebore (winter-flowering)	H
<i>Lonicera × purpusii</i> Purpus honeysuckle	S
<i>Mahonia species</i> Oregon grape	S
<i>Salix aegyptiaca</i> musk willow	S
<i>Sarcococca confusa</i> sweet box	S

Photo: RHS / Carol Sheppard (bumblebee on *Salvia farinacea* 'Victoria').



<i>Sarcococca hookeriana</i> sweet box	S
<i>Viburnum tinus</i> laurustinus	S

Spring

Mar – May

<i>Acer campestre</i> Native plant; field maple	S or T
<i>Acer platanoides</i> Norway maple	T
<i>Acer pseudoplatanus</i> sycamore	T
<i>Acer saccharum</i> sugar maple	T
<i>Aesculus hippocastanum</i> horse chestnut	T
<i>Ajuga reptans</i> Native plant; bugle	H
<i>Arabis alpina</i> subsp. <i>caucasica</i> alpine rock cress	H
<i>Armeria juniperifolia</i> juniper-leaved thrift	H
<i>Aubrieta species</i> aubretia	H
<i>Aurinia saxatilis</i> gold dust	H
<i>Berberis darwinii</i> Darwin's barberry	S
<i>Berberis thunbergii</i> Japanese barberry	S
<i>Bergenia species</i> elephant ear	H
<i>Buxus sempervirens</i> Native plant; common box	S
<i>Caltha palustris</i> Native plant; marsh marigold	H
<i>Ceanothus species</i> California lilac	S
<i>Cercis siliquastrum</i> Judas tree	T
<i>Chaenomeles species</i> Japanese quince	S
<i>Cornus mas</i> Cornelian cherry	S
<i>Cotoneaster conspicuus</i> Tibetan cotoneaster	S
<i>Crataegus monogyna</i> Native plant; common hawthorn	S or T
<i>Crocus species</i> crocus (spring-flowering)	B
<i>Doronicum × excelsum</i> leopard's bane	H
<i>Enkianthus campanulatus</i> redvein enkianthus	S
<i>Erica carnea</i> alpine heath	S
<i>Erica × darleyensis</i> Darley Dale heath	S
<i>Erysimum species</i> wallflower	Bi or H
<i>Euphorbia amygdaloides</i> Native plant; wood spurge	H
<i>Euphorbia characias</i> Mediterranean spurge	H
<i>Euphorbia cyparissias</i> cypress spurge	H
<i>Euphorbia epithymoides</i> cushion spurge	H
<i>Euphorbia × martini</i> Martin's spurge	S
<i>Euphorbia nicaeensis</i> Nice spurge	H
<i>Geranium species</i> cranesbill	H
<i>Geum rivale</i> Native plant; water avens	H
<i>Hebe species</i> hebe	S
<i>Helleborus species & hybrids</i> hellebore (spring-flowering)	H

<i>Iberis saxatilis</i> alpine candytuft	H
<i>Iberis sempervirens</i> perennial candytuft	H
<i>Ilex aquifolium</i> Native plant; common holly	T
<i>Lamium maculatum</i> spotted dead nettle	H
<i>Lunaria annua</i> honesty	Bi
<i>Mahonia species</i> Oregon grape (spring-flowering)	S
<i>Malus baccata</i> Siberian crab	T
<i>Malus domestica</i> edible apple	T
<i>Malus floribunda</i> Japanese crab	T
<i>Malus hupehensis</i> Hupeh crab	T
<i>Malus sargentii</i> Sargent's crab apple	T
<i>Mespilus germanica</i> common medlar	T
<i>Muscari armeniacum</i> Armenian grape hyacinth	B
<i>Nectaroscordum species</i> honey garlic	B
<i>Ornithogalum umbellatum</i> common star of Bethlehem	B
<i>Pieris formosa</i> lily-of-the-valley bush	S
<i>Pieris japonica</i> lily-of-the-valley bush	S
<i>Primula veris</i> common cowslip	H
<i>Primula vulgaris</i> Native plant; primrose	H
<i>Prunus avium</i> Native plant; wild & edible cherries	T
<i>Prunus domestica</i> wild & edible plums	T
<i>Prunus dulcis</i> almond	T
<i>Prunus incisa</i> 'Kojo-no-mai' cherry 'Kojo-no-mai'	S
<i>Prunus insititia</i> damson	T
<i>Prunus laurocerasus</i> cherry laurel	S
<i>Prunus mume</i> Japanese apricot	T
<i>Prunus padus</i> Native plant; bird cherry	T
<i>Prunus pendula</i> f. <i>ascendens</i> 'Rosea' flowering cherry	T
<i>Prunus persica</i> peach	T
<i>Prunus spinosa</i> Native plant; blackthorn	S
<i>Prunus tenella</i> dwarf Russian almond	S
<i>Prunus × yedoensis</i> flowering cherry	T
<i>Pulmonaria species</i> lungwort	H
<i>Pyrus communis</i> pear	T
<i>Ribes nigrum</i> blackcurrant	S
<i>Ribes rubrum</i> Native plant; common redcurrant	S
<i>Ribes sanguineum</i> flowering currant	S
<i>Salix caprea</i> Native plant; goat willow (male form only)	S or T
<i>Salix hastata</i> 'Wehrhahnii' halberd willow 'Wehrhahnii'	S
<i>Salix lanata</i> Native plant; woolly willow (male form only)	S
<i>Skimmia japonica</i> skimmia	S
<i>Smyrniolum olusatrum</i> Native plant; alexanders †	Bi
<i>Stachyurus chinensis</i> stachyurus	S
<i>Stachyurus praecox</i> stachyurus	S
<i>Vaccinium corymbosum</i> blueberry	S

Natural England states: You can legally collect small quantities of wildflower seed for your own use, but you must get permission from the land's owner, tenant or other authority, as necessary. Although seed-collecting is allowed, you should not dig up native plants – many rare species are protected by law. You can collect seed of even rare plants, but cannot sell / trade seed or progeny.

Key to codes: T tree S shrub C climber B bulb / corm A annual Bi biennial H herbaceous perennial † denotes an archaeophyte (a naturalised plant introduced into Britain before 1500)

Summer

June – Aug

<i>Achillea</i> species	yarrow	H
<i>Actaea japonica</i>	baneberry	H
<i>Aesculus indica</i>	Indian horse chestnut (resistant to leaf-mining moth)	T
<i>Aesculus parviflora</i>	bottlebrush buckeye	S
<i>Agastache</i> species	giant hyssop	H
<i>Ageratum houstonianum</i>	flossflower	A
<i>Alcea rosea</i>	hollyhock	Bi
<i>Allium</i> species	ornamental and edibles (when allowed to flower)	B
<i>Alstroemeria</i> species	Peruvian lily	B
<i>Amberboa moschata</i>	sweet sultan	A
<i>Amsonia tabernaemontana</i>	eastern bluestar	H
<i>Anchusa azurea</i>	large blue alkanet	A
<i>Anchusa capensis</i>	Cape alkanet	A
<i>Angelica archangelica</i>	angelica	Bi
<i>Angelica gigas</i>	purple angelica	Bi
<i>Angelica sylvestris</i>	Native plant; wild angelica	Bi
<i>Anthemis tinctoria</i>	dyer's chamomile	H
<i>Antirrhinum majus</i>	snapdragon	A or H
<i>Aquilegia</i> species	columbine	H
<i>Arabis allionii</i>	Siberian wallflower	H
<i>Argemone platyceras</i>	crested poppy	A or H
<i>Armeria maritima</i>	Native plant; thrift	H
<i>Aruncus dioicus</i>	goat's beard (male form only)	H
<i>Asparagus officinalis</i>	common asparagus	H
<i>Astrantia major</i>	greater masterwort	H
<i>Borago officinalis</i>	borage	A
<i>Brachyglottis</i> (Dunedin Group) 'Sunshine'	brachyglottis 'Sunshine'	S
<i>Brachyglottis monroi</i>	Monro's ragwort	S
<i>Buddleja davidii</i>	butterfly bush	S
<i>Buddleja globosa</i>	orange ball tree	S
<i>Buphthalmum salicifolium</i>	yellow ox-eye	H
<i>Bupleurum fruticosum</i>	shrubby hare's ear	S
<i>Calamintha nepeta</i>	Native plant; lesser calamint	H
<i>Calendula officinalis</i>	common marigold	A
<i>Callicarpa bodinieri</i> var. <i>giraldii</i>	beautyberry	S
<i>Callistephus chinensis</i>	China aster	A
<i>Calluna vulgaris</i>	Native plant; heather	S
<i>Campanula carpatica</i>	tussock bellflower	H
<i>Campanula glomerata</i>	Native plant; clustered bellflower	H



Photo: RHS / Helen Bostock (six-spot burnet moth on *Verbena bonariensis*).

<i>Campanula lactiflora</i>	milky bellflower	H
<i>Campanula latifolia</i>	Native plant; giant bellflower	H
<i>Campanula medium</i>	Canterbury bells	Bi
<i>Campanula persicifolia</i>	peach-leaved bellflower	H
<i>Campsis radicans</i>	trumpet honeysuckle	C
<i>Caryopteris</i> × <i>clandonensis</i>	caryopteris	S
<i>Catalpa bignonioides</i>	Indian bean tree	T
<i>Catananche caerulea</i>	blue cupidone	H
<i>Centaurea atropurpurea</i>	purple knapweed	H
<i>Centaurea cyanus</i>	cornflower †	A
<i>Centaurea dealbata</i>	mealy centauray	H
<i>Centaurea macrocephala</i>	giant knapweed	H
<i>Centaurea montana</i>	perennial cornflower	H
<i>Centaurea nigra</i>	Native plant; common knapweed	H
<i>Centaurea scabiosa</i>	Native plant; greater knapweed	H
<i>Centranthus ruber</i>	red valerian	H
<i>Centratherum punctatum</i>	Manaos beauty	A
<i>Cerintho major</i> 'Purpurascens'	honeywort 'Purpurascens'	A
<i>Cirsium rivulare</i> 'Atropurpureum'	purple plume thistle	H
<i>Clarkia unguiculata</i>	butterfly flower	A
<i>Clematis vitalba</i>	Native plant; old man's beard, travellers' joy	C
<i>Cleome hassleriana</i>	spider flower	A
<i>Consolida ajacis</i>	giant larkspur	A
<i>Convolvulus tricolor</i>	dwarf morning glory	C/A
<i>Coreopsis</i> species	tickseed	H or A

Natural England states: You can legally collect small quantities of wildflower seed for your own use, but you must get permission from the land's owner, tenant or other authority, as necessary. Although seed-collecting is allowed, you should not dig up native plants – many rare species are protected by law. You can collect seed of even rare plants, but cannot sell / trade seed or progeny.

Key to codes: T tree S shrub C climber B bulb / corm A annual Bi biennial H herbaceous perennial † denotes an archaeophyte (a naturalised plant introduced into Britain before 1500)

<i>Cornus alba</i> red-barked dogwood	S	<i>Geranium species</i> cranesbill (summer-flowering)	H
<i>Cosmos bipinnatus</i> cosmea	A	<i>Geum species</i> avens (summer-flowering)	H
<i>Cosmos sulphureus</i> yellow cosmos	A	<i>Gilia capitata</i> blue thimble flower	A
<i>Crambe cordifolia</i> greater sea kale	H	<i>Glandularia × hybrida</i> garden verbena	A
<i>Crataegus monogyna</i> Native plant; common hawthorn	S or T	<i>Glebionis segetum</i> Native plant; corn marigold †	A
<i>Cucurbita pepo</i> marrow, courgette	A	<i>Gypsophila elegans</i> annual baby's breath	A
<i>Cuphea ignea</i> cigar flower	A	<i>Hebe species</i> hebe	S
<i>Cynara cardunculus</i> including Scolymus Group globe artichoke and cardoon	H	<i>Helenium species</i> Helen's flower	H
<i>Cynoglossum amabile</i> Chinese forget-me-not	H	<i>Helianthus annuus</i> common sunflower (avoid pollen-free cultivars)	A
<i>Dahlia species</i> dahlia	H	<i>Helianthus debilis</i> cucumberleaf sunflower	A
<i>Delosperma floribundum</i> ice plant	H	<i>Heliopsis helianthoides</i> smooth ox-eye	H
<i>Delphinium elatum</i> candle larkspur	H	<i>Heliotropium arborescens</i> common heliotrope	A
<i>Dianthus barbatus</i> sweet william	Bi	<i>Heracleum sphondylium</i> Native plant; hogweed	Bi
<i>Dictamnus albus</i> dittany	H	<i>Hesperis matronalis</i> dame's violet	H
<i>Digitalis species</i> foxglove	Bi	<i>Hydrangea anomala subsp. petiolaris</i> climbing hydrangea	C
<i>Dipsacus fullonum</i> Native plant; common teasel	Bi	<i>Hydrangea paniculata</i> paniculate hydrangea (only cultivars with many fertile flowers, e.g. 'Kyushu', 'Big Ben', 'Floribunda', 'Brussels Lace')	S
<i>Echinacea purpurea</i> purple coneflower	H	<i>Hydrotelephium spectabile & hybrids</i> ice plant	H
<i>Echinops species</i> globe thistle	H	<i>Hydrotelephium telephium</i> Native plant; orpine	H
<i>Echium vulgare</i> Native plant; viper's bugloss	A	<i>Hyssopus officinalis</i> hyssop	S
<i>Elaeagnus angustifolia</i> oleaster	S	<i>Iberis amara</i> Native plant; wild candytuft	A
<i>Erica cinerea</i> Native plant; bell heather	S	<i>Ilex aquifolium</i> Native plant; common holly	T
<i>Erica erigena</i> Irish heath	S	<i>Inula species</i> harvest daisy	H
<i>Erica vagans</i> Native plant; Cornish heath	S	<i>Jasminum officinale</i> common jasmine	C
<i>Erigeron species</i> fleabane	H	<i>Kalmia latifolia</i> mountain laurel	S
<i>Eriophyllum lanatum</i> golden yarrow	H	<i>Knautia arvensis</i> Native plant; field scabious	H
<i>Eryngium alpinum</i> alpine eryngo	H	<i>Knautia macedonica</i> Macedonian scabious	H
<i>Eryngium giganteum</i> Miss Willmott's ghost	Bi	<i>Koelreuteria paniculata</i> pride of India	T
<i>Eryngium planum</i> blue eryngo	H	<i>Lathyrus latifolius</i> broad-leaved everlasting pea	H
<i>Eryngium × tripartitum</i> eryngo	H	<i>Laurus nobilis</i> bay tree	S
<i>Erysimum species</i> wallflower	H or S	<i>Lavandula angustifolia</i> English lavender	S
<i>Escallonia species</i> escallonia	S	<i>Lavandula × intermedia</i> lavandin	S
<i>Eschscholzia californica</i> California poppy	A	<i>Lavandula stoechas</i> French lavender	S
<i>Eupatorium cannabinum</i> Native plant; hemp agrimony	H	<i>Lavatera olbia</i> tree lavatera	S
<i>Eupatorium maculatum</i> Joe Pye weed	H	<i>Lavatera trimestris</i> annual lavatera	A
<i>Euphorbia cornigera</i> horned spurge	H	<i>Leucanthemum × superbum</i> Shasta daisy	H
<i>Euphorbia donii</i> spurge	H	<i>Leucanthemum vulgare</i> Native plant; ox-eye daisy	H
<i>Euphorbia sarawschanica</i> Zeravshan spurge	H	<i>Liatris spicata</i> button snakeroot	H
<i>Ferula communis</i> giant fennel	H	<i>Ligustrum ovalifolium</i> garden privet	S
<i>Foeniculum vulgare</i> Native plant; common fennel †	H	<i>Ligustrum sinense</i> Chinese privet	S
<i>Fragaria × ananassa</i> garden strawberry	H	<i>Limnanthes douglasii</i> poached egg flower	A
<i>Fuchsia species</i> fuchsia – hardy types	S	<i>Limonium platyphyllum</i> broad-leaved statice	H
<i>Gaillardia × grandiflora</i> blanket flower	H	<i>Linaria maroccana</i> annual toadflax	A
<i>Gaura lindheimeri</i> white gaura	H		
<i>Geranium pratense</i> Native plant; meadow cranesbill	H		

Natural England states: You can legally collect small quantities of wildflower seed for your own use, but you must get permission from the land's owner, tenant or other authority, as necessary. Although seed-collecting is allowed, you should not dig up native plants – many rare species are protected by law. You can collect seed of even rare plants, but cannot sell / trade seed or progeny.

Key to codes: T tree S shrub C climber B bulb / corm A annual Bi biennial H herbaceous perennial

† denotes an archaeophyte (a naturalised plant introduced into Britain before 1500)

<i>Linaria purpurea</i>	purple toadflax	H
<i>Lobularia maritima</i>	sweet alyssum	A
<i>Lonicera periclymenum</i>	Native plant; common honeysuckle	C
<i>Lychnis coronaria</i>	rose campion	Bi or H
<i>Lychnis flos-cuculi</i>	Native plant; ragged robin	H
<i>Lysimachia vulgaris</i>	Native plant; yellow loosestrife	H
<i>Lythrum salicaria</i>	Native plant; purple loosestrife	H
<i>Lythrum virgatum</i>	wand loosestrife	H
<i>Malope trifida</i>	large-flowered mallow wort	A
<i>Malva alcea</i>	greater musk mallow	H
<i>Malva moschata</i>	Native plant; musk mallow	H
<i>Matthiola incana</i>	hoary stock	Bi
<i>Mentha aquatica</i>	Native plant; water mint	H
<i>Mentha spicata</i>	spearmint	H
<i>Monarda didyma</i>	bergamot	H
<i>Myosotis species</i>	forget-me-not	Bi
<i>Nemophila menziesii</i>	baby blue eyes	A
<i>Nepeta species</i>	catmint	H
<i>Nicotiana alata</i>	flowering tobacco	A
<i>Nicotiana langsdorffii</i>	Langsdorff's tobacco	A
<i>Nicotiana sylvestris</i>	flowering tobacco	Bi
<i>Nigella damascena</i>	love-in-a-mist	A
<i>Nigella hispanica</i>	Spanish fennel flower	A
<i>Oenothera species</i>	evening primrose	Bi
<i>Olearia species</i>	daisy bush	S
<i>Onopordum acanthium</i>	cotton thistle	Bi
<i>Origanum onites</i>	pot marjoram	S
<i>Origanum 'Rosenkuppel'</i>	marjoram 'Rosenkuppel'	H
<i>Origanum vulgare</i>	Native plant; oregano, wild marjoram	H
<i>Paeonia species</i>	peony	H
<i>Papaver orientale</i>	oriental poppy	H
<i>Papaver rhoeas</i>	Native plant; common poppy †	A
<i>Parthenocissus tricuspidata</i>	Boston ivy	C
<i>Penstemon species</i>	beard-tongue	H
<i>Perovskia atriplicifolia</i>	Russian sage	S
<i>Persicaria amplexicaulis</i>	red bistort	H
<i>Persicaria bistorta</i>	Native plant; common bistort	H
<i>Phacelia campanularia</i>	Californian bluebell	A
<i>Phacelia tanacetifolia</i>	fiddleneck	A
<i>Phaseolus coccineus</i>	scarlet runner bean	A
<i>Phlomis species</i>	sage	S
<i>Phlox paniculata</i>	perennial phlox	H
<i>Photinia davidiana</i>	stranvaesia	S
<i>Phuopsis stylosa</i>	Caucasian crosswort	H
<i>Pileostegia viburnoides</i>	climbing hydrangea	C



Photo: RHS / Carol Sheppard (hoverfly on field scabious, *Knautia arvensis*).

<i>Polemonium caeruleum</i>	Native plant; Jacob's ladder	H
<i>Potentilla species</i>	cinquefoil	H or S
<i>Prostanthera cuneata</i>	alpine mint bush	S
<i>Ptelea trifoliata</i>	hop tree	S
<i>Pyracantha species</i>	firethorn	S
<i>Reseda odorata</i>	garden mignonette	A
<i>Ridolfia segetum</i>	false fennel	A
<i>Robinia pseudoacacia</i>	false acacia	T
<i>Rosa species</i>	rose	S
<i>Rosmarinus officinalis</i>	rosemary	S
<i>Rubus fruticosus</i> agg.	Native plant; blackberry	S
<i>Rubus idaeus</i>	Native plant; common raspberry	S
<i>Rudbeckia species</i>	coneflower	H or A
<i>Salvia species</i>	sage	A or H
<i>Sanvitalia procumbens</i>	creeping zinnia	A
<i>Scabiosa</i> spp.	scabious	A/H

Natural England states: You can legally collect small quantities of wildflower seed for your own use, but you must get permission from the land's owner, tenant or other authority, as necessary. Although seed-collecting is allowed, you should not dig up native plants – many rare species are protected by law. You can collect seed of even rare plants, but cannot sell / trade seed or progeny.

Key to codes: T tree S shrub C climber B bulb / corm A annual Bi biennial H herbaceous perennial
† denotes an archaeophyte (a naturalised plant introduced into Britain before 1500)

<i>Sidalcea malviflora</i> checkerbloom	H	<i>Vicia faba</i> broad bean	A
<i>Solidago species</i> goldenrod	H	<i>Weigela florida</i> weigelia	S
<i>Sorbus aria</i> Native plant; common whitebeam	T	<i>Zauschneria californica</i> Californian fuchsia	S
<i>Sorbus aucuparia</i> Native plant; mountain ash, rowan	T	<i>Zinnia elegans</i> youth and old age	A
<i>Spiraea japonica</i> Japanese spiraea	S		
<i>Stachys byzantina</i> lamb's ear	H		
<i>Stachys macrantha</i> big sage	H		
<i>Stokesia laevis</i> Stokes' aster	H		
<i>Symphoricarpos albus</i> snowberry	S		
<i>Tagetes patula</i> French marigold	A		
<i>Tamarix ramosissima</i> tamarisk	S	<i>Aconitum carmichaelii</i> Carmichael's monk's hood	H
<i>Tanacetum coccineum</i> pyrethrum	H	<i>Actaea simplex</i> simple-stemmed bugbane	H
<i>Tanacetum vulgare</i> Native plant; tansy †	H	<i>Anemone hupehensis</i> Chinese anemone	H
<i>Telekia speciosa</i> yellow ox-eye	H	<i>Anemone × hybrida</i> Japanese anemone	H
<i>Tetradium daniellii</i> bee-bee tree	T	<i>Arbutus unedo</i> strawberry tree	S or T
<i>Teucrium chamaedrys</i> Native plant; wall germander	H	<i>Campanula poscharskyana</i> trailing bellflower	H
<i>Thymus species</i> thyme	S	<i>Cerastigma plumbaginoides</i> hardy blue-flowered leadwort	H
<i>Tilia × europaea</i> common lime	T	<i>Chrysanthemum species & hybrids</i> chrysanthemum	H
<i>Tilia maximowicziana</i> lime	T	<i>Clematis heracleifolia</i> tube clematis	C
<i>Tilia oliveri</i> lime	T	<i>Colchicum species</i> autumn crocus	B
<i>Tilia platyphyllos</i> Native plant; broad-leaved lime	T	<i>Crocus species</i> crocus (autumn-flowering types)	B
<i>Tithonia rotundifolia</i> Mexican sunflower	A	<i>Dahlia species & hybrids</i> dahlia	H
<i>Trachymene coerulea</i> blue lace flower	A	<i>Elaeagnus pungens</i> silverthorn	S
<i>Trollius species</i> globeflower	H	<i>Elaeagnus × submacrophylla</i> Ebbinge's silverberry	S
<i>Tropaeolum majus</i> garden nasturtium	A	<i>Fatsia japonica</i> Japanese aralia	S
<i>Verbascum species</i> mullein	Bi	<i>Hedera colchica</i> Persian ivy	C
<i>Verbena bonariensis</i> purple top	H	<i>Hedera helix</i> Native plant; common ivy	C
<i>Verbena rigida</i> slender vervain	A	<i>Helianthus × laetiflorus</i> perennial sunflower	H
<i>Veronica longifolia</i> garden speedwell	H	<i>Leucanthemella serotina</i> autumn ox-eye	H
<i>Veronica spicata</i> speedwell	H	<i>Machaeranthera tanacetifolia</i> tansy-leaf aster	A
<i>Veronicastrum virginicum</i> Culver's root	H	<i>Salvia species</i> sage (autumn-flowering types)	H
<i>Viburnum lantana</i> Native plant; common wayfaring tree	S	<i>Symphotrichum species and hybrids</i> Michaelmas daisy	H
<i>Viburnum opulus</i> Native plant; guelder rose	S	<i>Tilia henryana</i> Henry's lime (one of the last to flower)	T

Autumn

Sept – Oct

Natural England states: You can legally collect small quantities of wildflower seed for your own use, but you must get permission from the land's owner, tenant or other authority, as necessary. Although seed-collecting is allowed, you should not dig up native plants – many rare species are protected by law. You can collect seed of even rare plants, but cannot sell / trade seed or progeny.

Key to codes: T tree S shrub C climber B bulb / corm A annual Bi biennial H herbaceous perennial † denotes an archaeophyte (a naturalised plant introduced into Britain before 1500)