From: Planning Mailbox <planning@blaby.gov.uk>

Sent: 08 Mar 2024 04:51:02

To: DMS.Development.Control@blaby.gov.uk

Cc:

Subject: FW: Planning Application Consultation - 24/0176/FUL

Attachments:

From: Planning, Lower Trent <planning.trentside@environment-agency.gov.uk>

Sent: Friday, March 8, 2024 4:05 PM

To: Planning Mailbox <planning@blaby.gov.uk>

Subject: RE: Planning Application Consultation - 24/0176/FUL

Dear Sir / Madam,

We have reviewed the submitted documents and on this occasion the Environment Agency will not be making any formal comment on the submission for the following reason:

- The development falls within flood zone 1 and therefore we have no fluvial flood risk concerns associated with the site.

There are no other environmental constraints associated with the application site which fall within the remit of the Environment Agency. If, however, the proposal subsequently changes such that you feel that it may pose a significant environmental risk then please do not hesitate to contact us and we will be pleased to review our response.

Regards,

Huda Al Tahhan

Planning Advisor, Sustainable Places - Planning Team

Environment Agency I Trentside Offices I Scarrington Road I West Bridgford I NOTTINGHAM I NG2 5FA

Floods happen. Be prepared. Check if you are at risk from flooding and sign up for FREE flood warnings.

----Original Message-----

From: planning@blaby.gov.uk <planning@blaby.gov.uk>

Sent: Thursday, March 7, 2024 2:11 PM

To: Planning, Lower Trent <planning.trentside@environment-agency.gov.uk>

Subject: Planning Application Consultation - 24/0176/FUL

Please see attached document.

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.

If you have received this email in error please notify the originator of the message. This footer also confirms that this email message has been scanned for the presence of computer viruses.

Any views expressed in this message are those of the individual sender, except where the sender specifies and with authority, states them to be the views of Blaby District Council.

Scanning of this message and addition of this footer is performed by Sophos Email Security software in conjunction with virus detection software.

Blaby District Council, 0116 275 0555,

 $\underline{https://eur03.safelinks.protection.outlook.com/?url=http%3A\%2F\%2Fwww.blaby.gov.uk\%2F\&data=05\%7C02\%7Cplanning.trentside%40environment-$

agency.gov.uk%7C8c2ef110f70f48949db108dc3eb05c28%7C770a245002274c6290c74e38537f1102%7C0%7C0%7C638454174690 333277%7CUnknown%7CTWFpbGZsb3d8eyJWIjoiMC4wLjAwMDAiLCJQIjoiV2luMzIiLCJBTil6Ik1haWwiLCJXVCI6Mn0%3D%7C0%7C %7C%7C&sdata=dPWxXo1GKPYG9VVd6CwShs2mA33cyVjTW4HCeCgsFHM%3D&reserved=0

This was a last to a sent with TI C 1 2 Information in this was a sent to be

This message has been sent using TLS 1.2 Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment

