

**DATE:** 9 February 2024  
**DESIGNER:** DFL-UK ( AJB)  
**PROJECT No:** 3258-DFL-ELG-XX-LD-EO-13002-S3-P01  
**PROJECT NAME:** Browns Farm



Indicative light spill diagram.  
> Not for construction.  
> Initial light levels shown.  
> Light spill diagram does not consider blocking or shading effects of light limiting objects and represents worst-case vertical light spill.  
> Light spill diagram to be read in conjunction with Lighting Strategy: 3258-DFL-ELG-XX-RP-EO-13001-S3

## Outdoor Lighting Report

**PREPARED BY:** DFL-UK  
+44 (0)1962 855080  
17/18 City Business Centre,  
Winchester Hants,  
SO23 7TA.  
e-mail: [info@dfl-uk.com](mailto:info@dfl-uk.com)  
website: [www.dfl-uk.com](http://www.dfl-uk.com)

## Illuminance (lux)

PHAR 001




### Results

|                                    |      |
|------------------------------------|------|
| Eav                                | 0.05 |
| Emin                               | 0.00 |
| E <sub>max</sub>                   | 0.11 |
| E <sub>min</sub> /E <sub>max</sub> | 0.01 |
| E <sub>min</sub> /E <sub>av</sub>  | 0.02 |
|                                    |      |

## Illuminance (lux)

PHAR 002



### Results

|           |      |
|-----------|------|
| Eav       | 0.03 |
| Emin      | 0.02 |
| Emax      | 0.04 |
| Emin/Emax | 0.54 |
| Emin/Eav  | 0.68 |
|           |      |

## Illuminance (lux)

PHAR 003



### Results

|           |      |
|-----------|------|
| Eav       | 0.00 |
| Emin      | 0.00 |
| Emax      | 0.01 |
| Emin/Emax | 0.09 |
| Emin/Eav  | 0.27 |
|           |      |

## Illuminance (lux)

PHAR 004



### Results

|           |      |
|-----------|------|
| Eav       | 0.08 |
| Emin      | 0.01 |
| Emax      | 0.26 |
| Emin/Emax | 0.02 |
| Emin/Eav  | 0.07 |
|           |      |