








Legend

-  450mm bitumous bound road construction
 - 290mm Granular Sub-base
 - 70mm Dense Macadam Base
 - 60mm Dense Macadam Binder Course
 - 30mm CGM Surface Course
-  Verge to remain, can be graded as required to accommodate new parking bays.
-  Install white thermoplastic lining at a width of 50mm, dimensions detailed.
-  K3 Install 125mm x 255mm Bullnosed Kerbs to HMS/11/08
-  K18 Install 125mm x 255mm Bullnose dropped Kerbs with 25mm upstand.
-  Existing lighting column
-  Existing Street Lighting cable to be relocated as per street lighting design 'TP0505-DCC-LE-13-01'

Notes

- Internal and external kerb returns are to be radii
- Parking bays are to maintain sufficient fall to ensure surface water run off onto the existing carriageway

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION - RESIDUAL HAZARD INFORMATION

IN ADDITION TO THE HAZARDS / RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING:

- CONSTRUCTION**
1. 1.EXISTING STATUTORY UNDERTAKER'S APPARATUS IS SHOWN ON UTILITY DRAWING SHEETS. THERE MAY BE ADDITIONAL UTILITIES PRESENT THAT ARE NOT IDENTIFIED ON THIS AND ASSOCIATED DRAWINGS. THE CONTRACTOR SHALL CARRY OUT SCANS / INVESTIGATIONS, AS APPROPRIATE, PRIOR TO COMMENCEMENT OF ANY EXCAVATION. THE CONTRACTOR SHOULD BE AWARE OF THE POSITION AND HEIGHT OF THE EXISTING OVERHEAD LINES.
 2. THE CONTRACTOR MUST ENSURE THAT THE WORKFORCE OPERATES IN A SAFE AND HYGIENIC MANNER AND APPROPRIATE PPE IS PROVIDED FOR OPERATIONS CARRIED OUT.
 3. THE CONTRACTOR SHOULD BE AWARE THAT DUE TO THE LOCATION OF THE WORKS THERE IS THE POSSIBILITY OF HIGHER VOLUMES OF VEHICLES WITHIN THE GENERAL AREA OF THE WORKS THEREFORE APPROPRIATE TM MUST BE IN PLACE AT ALL TIMES.
 4. THE CONTRACTOR SHOULD BE AWARE THAT DUE TO THE LOCATION OF THE WORKS THERE WILL BE A HIGH VOLUME OF PEDESTRIANS IN AND AROUND THE SURROUNDING AREA.

MAINTENANCE / CLEANING / OPERATION

1. THERE ARE NO KNOWN EXCEPTIONAL RISKS.

DECOMMISSIONING / DEMOLITION

1. NONE.

IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROVED METHOD STATEMENT.

CORPORATE DIRECTOR NEIGHBOURHOODS & CLIMATE CHANGE COUNTY HALL DURHAM DH1 5 UQ Tel: 03000 261000 www.Durham.gov.uk		Revision C01	0/-	--/--	--	--	--
Project Unc Middle Grove, Brandon		Drawing Engineering Layout	Rev/ Amdt	Date	Initial	Chk'd	Details
Drawing No. CL22032 - DCC - HE - DR - 03 - 01		Drawn : HM		Date: 12/10/23		Designed: HM	
		Checked : C Beedham		Date: 12/10/2023		Approved: L Buck	
		Location Brandon		Date: 12/10/2023			
		Drawing Scale: 1:200		Sheet Size A3			

Reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown Copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Durham County Council LA100049055. 2022.

DO NOT SCALE FROM DRAWING