Application summary: FBJ515-SEPD

⌃ Hide all sections

Application documents

⌃ Hide

Project overview	
Plan information documents	Details of transformer upgrade. Upgraded spans shown in pink. Larger overview

Supporting information

Supporting documents

Sensitive area review

Environmental and archaeological documents	Magic map capture showing SSSI impact zone and LPA's responsibility to inform natural England.

Applicant details

⊙ Hide

Network operator details

Reference	FBJ515-SEPD
Network operator contact	Mr Farrell Copp

Network operator contact details

Name	Mr Farrell Copp
Address	FARADAY ROAD, DORCAN,

	SWINDON, SN3 5EY
Email address	
Phone number	+44 (0)7810 858 905

Project details

Project overview	
Project name	Manor Farm Third wire upgrade-Chobham
Project description	Upgrading of a HV third wire between two existing wires a total of 5 spans. Also adding a pole to an existing transformer position to make a 'H' pole structure and increase transformer to 100KVA.
Tallest pole height	11 metres
Plan reference	FBJ515
Do you know when you are intending to start work	No

on this development?	
Plan information documents	Details of transformer upgrade. Upgraded spans shown in pink. Larger overview
Have you submitted a CPO which is related to this project of work?	No

Asset information

Standard specification reference number	FBJ515-Manor House
Line voltage	11kV
Line length	450 metres
Are you adding or replacing poles?	Yes
How many poles are you adding?	1
How many poles are you replacing?	0
Comments on poles	Additional pole 6 foot away from the

|	
being added or replaced?	pole labelled 'Pig farm Sandpit Hall' on design document. This is to upgrade to a 'H' pole structure so a larger transformer can be sited in between the poles. Excavation will be carried out with a pole auger to minimise the affected area.
Are you adding or replacing overhead lines?	Yes
Comments on overhead lines being added or replaced	Works will involve upgrading of 5 overhead spans a total of 450 meters. The existing overhead line will be isolated to work on it safely. Drum trailers will carry the conductor into the fields for running the cable efficiently. These will be towed by off road vehicles and MEWPS. Once the conductor is ran out it will be brought to tension using the appropriate LOLER tested equipment. Once all work is carried out the overhead

	line will be made live again.
Are you removing any existing equipment as part of this project?	No
Are the works to be carried out on an existing asset?	Yes
General comments	No

Location

(^) Hide

Routes

© OpenStreetMap contributors.

Route A

Easting	Northing
498643	162243
498544	162081
498571	161826

Works Overview

Are excavation works or vegetation clearance required?	No
Are you using pre-existing access routes and/or storage sites?	Yes

Sensitive area check

Tolerance required	No

| **Sensitive areas the route passes through** | • SSSI Impact Risk Zones (England) |

Other areas the route passes through	
Environmental and archaeological documents	Magic map capture showing SSSI impact zone and LPA's responsibility to inform natural England.
Poles/lines within sensitive areas	There are poles within the sensitive areas

Parishes

| **Parishes** | Chobham (Surrey) |

Supporting information

⌃ Hide

Supporting questions

Have all wayleaves been obtained?	No
Comments about why wayleaves have not been obtained	In progress
Complies with Continuity Regulations 2002	Yes

Screening fees	
Is this project subject to an EIA development?	No
Fees applicable to your application	Assets with line voltage of 132kV or less: £402.50

Further information

⌃ Hide

No further information has been submitted to

this application