

Tile Hanging. Oak cut from the oak beam to form the rebate is Schlegel Aquamac 2.1 weather seal to be fixed internally, with shadow gap. to be slotted into routed slot around perimeter of the frame for 3mm compriband foam fitted inside rebate of oak the casement to close against. beam to allow for differential movement between the door frame and the oak. Oak Post Top Rail of the proposed Door in Hardwood decorated wateion A-A showing a typical section through the head of the proposed glazed windows that sit either side of the glazed doors to the south east Section B-B showing a typical section through Oak Post the glazing bar to the proposed glazed windows that sit either side of the glazed doors to the south east corner. Base Rail in Hardwood decorated white. Schlegel Aquamac 2.1 weather seal to be slotted into routed slot around perimeter of the frame for the casement to close against. Cill in Hardwood decorated white. - Internal Window Board Oak rail, with chamfered top and drip cut along the base is to be fitted between the cill and the brick plinth. Brick Plinth with cant brick along top course. SKIRTING PROFILE TO MATCH EXISTING Section C-C showing a typical section through the base rail and cill to the proposed glazed windows that sit either side of the glazed doors to the south east corner.

double door at centre of glazed screen to

the South east corner.

Scale at 1:5



Scale at 1:5

Check all dimensions on site prior to commencement Do not scale from this drawing except for planning purposes.

This drawing is the © copyright of

VALLIS & HALL

CONSERVATION ARCHITECTS

This drawing has been produced for Mr and Mrs. Greenwell for the project Saddlers, Bury and is submitted as part of the Discharge of conditions application and is not intended for use by any other person or for any other purpose.

Notes -

Drawing 823/PL506 includes information to support the application to discharge both condition 4 of the approved application SDNP/23/02479/LIS & SDNP/23/02478/HOUS

LEGEND
To be carefully removed
As Proposed
As Existing
Existing item relocated from elsewhere



Line of Ground Floor Walls

Incorporating Jane Jones-Warner Associates

Unit 78, Chichester Enterprise Centre Terminus Road Chichester PO198TX

T: 01243 767151 E: mail@vallisandhall.com W: www.vallisandhall.com

Revisions Description Rev Date Drawn Minor Adjustments 16/02/2024 TM

Saddlers, Church Street, Bury, RH20 IPB

Proposed Detail to Proposed Glazed Fenestration to South-East Corner

Scale: 1:20,1:5 at A1	Issue Date: 12/02/2024	
Drawing No.	Revision.	Drawn By:
823/PL506	A	TM