

© D3-ASSOCIATES
 THIS DRAWING IS THE SUBJECT OF COPYRIGHT WHICH VESTS IN D3-ASSOCIATES. IT IS AN INFRINGEMENT OF COPYRIGHT TO REPRODUCE THIS DRAWING, BY WHATEVER MEANS, INCLUDING ELECTRONIC, WITHOUT THE EXPRESS WRITTEN CONSENT OF D3-ASSOCIATES WHICH RESERVES ALL ITS RIGHTS.

D3-ASSOCIATES ASSERTS ITS RIGHTS TO BE IDENTIFIED AS THE AUTHOR OF THIS DESIGN. ALL DRAWINGS, IMAGES AND MODELS ARE SUBJECT TO THE COPYRIGHT, DESIGNS & PATENTS ACT 1988.

- DRAWING NOT TO BE SCALED
- REPORT ERRORS & OMISSIONS TO D3-ASSOCIATES
- CHECK ALL DIMENSIONS ON SITE
- TO BE READ IN CONJUNCTION WITH HEALTH AND SAFETY PLAN AND ALL RELEVANT RISK ASSESSMENTS



WINDOWS ON WESTERN ASPECT TO BE UPGRADED FROM SINGLE GLAZED TIMBER TO DOUBLE GLAZED UPVC AND MATCH EXISTING ON CAR PARK SIDE

BORDER TREATMENT IS HEDGEROW (BETWEEN 2-3m TALL)

PROPOSED 9.0kWp (18no. 500W PANELS) PHOTOVOLTAIC ARRAY TO CHAPEL ROOF

EXISTING 1700 HIGH TIMBER PICKET FENCE

PROPOSED AIR SOURCE HEAT PUMP LOCATION MAX. NOISE: 60dBA SOUND PRESSURE LEVEL

P03	UPDATED BORDER TREATMENT FOLLOWING COMMENTS AND REISSUE FOR PLANNING	JA	ST	04/03/24
P02	ISSUED FOR TENDER	JA	GR	26/02/24
P01	ISSUED FOR PLANNING	SB	GR	19/02/24
REV	DESCRIPTION	ISS	CHKD	DATE

PURPOSE OF ISSUE

PLANNING

PROJECT INFORMATION

NE&Y NET ZERO HUB - HUTTON CRANSWICK METHODIST CHURCH



DRAWING INFORMATION

PROPOSED SITE PLAN

DRAWING NO.

1838-HCR-D3A-XX-XX-DR-A- 2002

PROJECT NO.	DRAWN	SCALE @ A3	STATUS	REVISION
1838	SB	1 : 200	S2	P03



info@d3-associates.co.uk
 www.d3-associates.co.uk