

*** 5 DAY NOTICE ***



Works Order

Notes/Equipment Needed

Customer Details

Mr Roger Laishley
1 Stoney Court
Lobb Lane
Stamford Bridge
York
YO41 1BN

Ref: CY/09/23/02273
15th September 2023

Email: roger@goballistic.com

Arboricultural Works

Rear Garden

T1. Oak

Lateral prune over neighbouring property and garden by approximately 2.4 metres to improve both light and safety. Lateral prune all round by 2.4 metres due to safety concerns following large limb loss, to balance and improve the structure of the tree.

Reduce the canopy extension growth by approximately 1.8 metres to formalise and contain growth.

Remove dead and dysfunctional material over 50mm to improve safety and reduce incidence of falling debris.

Remove epicormic growth below the first main union.

Comments from Mr Laishley:

My neighbours are now very concerned about something dropping off our oak tree. I've attached a picture of one of the branches. The tree overhangs their house and an adjacent shared car park which belongs to four houses. They have jointly been to see me and say that they cannot park their cars underneath the tree, nor can they allow their children to play beneath it, for fear of something dropping on them. I myself witnessed a very large branch fall into one of their back gardens and only missed the owner because he'd gone inside a couple of minutes earlier. I can't stress too much how much this is worrying me, let alone them.

Now I know that the East Riding of York Council have admitted themselves (on their website) that planning applications are taking much longer than usual. I also realise that you are doing your best to chase them up for me. But could you please try again and this time make them aware that I think this tree has some dangerous branches that urgently need removing before they fall and hurt someone. The dead branch in the picture is probably over ten feet long for example, and there are many others just like it.

I'm also conscious that leaves are going to start appearing on this tree soon, which might make it impossible for you to prune it.



T2&3. Horse Chestnuts – Remove all dead and dysfunctional material over 50mm.

Remove lower/small limbs up to first main union.

Lateral prune limbs over hanging neighbouring garden by 2.4 metres to improve both light levels and safety.

Remove all chippable waste to be collected by yourself.