

SPECIFICATION NOTES - REFER ALSO TO THE MEASURED WORKS SCHEDULE.

- A) Setting out
1. Planting shall be set out exactly as shown on the drawings and measured from existing fixed points.
2. All planting shall be set out using pegs set out on the ground using two pointed stakes and a line between, or with a site marker.
3. All planting shall be set out using pegs set out on the ground using two pointed stakes and a line between, or with a site marker.
4. All planting shall be set out using pegs set out on the ground using two pointed stakes and a line between, or with a site marker.

- B) Ground preparation
1. Pre-planting herbicide application - Apply by suitable spraying apparatus, an approved translocated systemic herbicide to the manufacturer's instructions and to 1997 Control of Pesticides Regulations and 2002 COSHH regulations on all beds, except those those which are both weed free and are to receive agri-tillage sheet mulch.
2. All planting beds shall be a minimum of 1 metre wide, except where there is insufficient space, due to the constraints of walls and path edges and tree foundations.

- C) Planting
1. All planting must be carried out in accordance to the specification and schedule of quantities accompanying these drawings. Refer to the specification for the preparation of existing topsoil and required credits for planting, turfing and standard trees, and also for maintenance requirements.
2. No substitutions will be accepted without the prior agreement of the inspecting landscape architect.

- D) Paths
1. All paths and edgings shall be set out properly to the centre line, with all corners sorted on the ground using pointed pegs and string or site marker paint, achieving flowing natural ease.
2. All paths and edgings shall be set out properly to the centre line, with all corners sorted on the ground using pointed pegs and string or site marker paint, achieving flowing natural ease.

- E) Walls
1. All walls shall be constructed from suitable base courses have been laid, taking full account of local site conditions, soil types and substrate.
2. All walls shall be constructed from suitable base courses have been laid, taking full account of local site conditions, soil types and substrate.


- F) Fences
1. All fences shall be constructed from suitable base courses have been laid, taking full account of local site conditions, soil types and substrate.
2. All fences shall be constructed from suitable base courses have been laid, taking full account of local site conditions, soil types and substrate.

- G) Climbers
1. All climbing plants shall be trained to the wall/fence in a regular manner, using suitable ties and supports.
2. All climbing plants shall be trained to the wall/fence in a regular manner, using suitable ties and supports.

GENERAL NOTES
ALL DIMENSIONS IN MILLIMETRES
DO NOT SCALE OFF THIS DRAWING
ALL DIMENSIONS TO BE CHECKED ON SITE
©JAMES BLAKE ASSOCIATES LTD 2021

DRAWING LOCATION PLAN

NOT TO SCALE



SCHEDULE OF PLANTS

Table with columns for QTY, CODE, PLANT NAME, STOCK, SIZE, DFB, MAX HT, W/D. Lists various plant species and their quantities and specifications for different zones.

200mm BUFFER PLANTING MIX - SEM NATIVE-WOODLAND BELT VEG AREAS

Table listing plant species and quantities for the 200mm buffer planting mix, including species like Corylus avellana, Alnus glutinosa, and Prunus serotina.


1500mm BUFFER PLANTING MIX - NATIVE DAMP SITE

Table listing plant species and quantities for the 1500mm buffer planting mix, including species like Ranunculus acris, Ranunculus repens, and Ranunculus ficaria.

KEY

- PROPOSED FEATHERED TREE, INCLUDING STAKE AND TIE. SEE SPECIFICATION NOTES 1.1, 2.2, 2.3, 3.1-3.4, 4.1-4.2 AND 5.1.
PROPOSED STANDARD TREE, INCLUDING DOUBLE STAKE AND TIE. SEE SPECIFICATION NOTES 1.1, 2.2, 2.3, 3.1-3.4, 4.1-4.2 AND 5.1.
PROPOSED HEAVY STANDARD TREE, INCLUDING DOUBLE STAKE AND TIE. SEE SPECIFICATION NOTES 1.1, 2.2, 2.3, 3.1-3.4, 4.1-4.2 AND 5.1.

INSET 1 - RABBIT PROOF FENCE DETAIL SCALE 1:20



- NOTES:
1. GALVANISED RABBIT MESH TO BE FIXED TO STRAINING WIRES AND STAPLED TO GATES AND STRAINING POSTS USING 25mm STAPLES, 12 PER GATE, 4 PER POST. MESH ON FENCES TO EXTEND 300mm BELOW GROUND, TO EXCLUDE 300mm OUTWARDS AWAY FROM THE AREA BEING FENCED OFF. FIRM GROUND IN AFTERWARDS.
2. INTERMEDIATE POSTS TO BE 1600mm LONG AND 100mm DIAMETER, FIXED AT 2.5 METRE CENTRES AND SET 600mm IN TO GROUND.

LANDSCAPE PROGRAMMING

Summary of landscape programming including due to national plant shortage, planting schedule, and client information for James Blake Associates.

Vertical text on the right edge of the page, likely a project reference or contact information.