

FLOOD RISK ASSESSMENT

LOCATION:

Eastfield Lodges, Feoffee Common Lane, Barmby Moor

CLIENT:


Alan Farrow

DOCUMENT REF:

23624-FRA-001

DATE:

4th March 2024



DART
ENGINEERS LTD
CIVIL AND STRUCTURAL
ENGINEERING

CONTENTS & AMENDMENT HISTORY

1.0 INTRODUCTION	3
1.1 SOURCES OF DATA	3
1.2 EXISTING SITE	3
1.3 PROPOSED DEVELOPMENT	4
1.4 FLOOD RISK PLANNING POLICY	4
1.5 OTHER RELEVANT POLICY AND GUIDANCE	6
2.0 POTENTIAL SOURCES OF FLOOD RISK.....	7
2.1 FLUVIAL FLOOD RISK	7
2.2 GROUNDWATER FLOOD RISK	8
2.3 FLOOD RISK FROM RESERVOIRS & LARGE WATERBODIES	8
2.4 FLOOD RISK FROM SEWERS.....	8
2.5 PLUVIAL FLOOD RISK	9
2.6 EFFECT OF DEVELOPMENT ON WIDER CATCHMENT	9
2.6.1 Development Drainage	9
3.0 FLOOD RISK MITIGATION	10
3.1 SITE ARRANGEMENTS	10
3.1.1 Sequential Arrangement.....	10
3.1.2 Finished Levels.....	10
4.0 CONCLUSIONS AND RECOMMENDATIONS	11
5.0 APPENDICES	12
Appendix A – Site Location Plan	12

Revision	Description	Date	Author	Checked
A	First Issue	March 2024	E Craig	A Dyson

1.0 INTRODUCTION

This Flood Risk Assessment (FRA) is compliant with the requirements set out in the National Planning Policy Framework (NPPF) and the associated Planning Practice Guidance. The FRA has been produced on behalf of Alan Farrow in respect of a planning application for the proposed Holiday Lodges at Eastfield Lodges.

Site Name	Eastfield Lodges
Location	Feoffee Common Lane, Barmby Moor YO42 1PG
NGR (approx.)	476329 , 450358
Application Site Area (ha)	1.59 ha
Development Type	Commercial
NPPF Vulnerability	Low
EA Flood Zone	Flood Zone 1
EA Office	Yorkshire
Local Planning Authority	East Riding of Yorkshire Council

Table 1.1 - Site Summary

1.1 SOURCES OF DATA

The report is based on the following information:

- i. Site Location Plan (Appendix A)
- ii. Environment Agency information
- iii. East Riding of Yorkshire Council Strategic Flood Risk Assessment

1.2 EXISTING SITE

The site in question is located to the west of Harrogate, approximately 3km away. The site is approximately 0.86 ha in size. To the north and east of the site there is agricultural land. Immediately to the west lies RAF Menwith Hill, further west lies more agricultural land. To the south lies Skipton Road/A59 and more land with agricultural use. The site is accessed by Slack Lane or Cold Cotes Road.



Figure 1.1 - Site Location

1.3 PROPOSED DEVELOPMENT

The proposed development is set to consist of a new development, to provide multiple new Holiday Lodges and addition of new pond to the site. The development will include a new access road to the new lodges with spaces for parking outside the lodges. A site plan is continued in Appendix A.

1.4 FLOOD RISK PLANNING POLICY

National Planning Policy Framework

The NPPF sets out the Government's national policies on different aspects of land use planning in England in relation to flood risk. Planning Practice Guidance is also available online.

The Planning Practice Guidance sets out the vulnerability to flooding of different land uses. It encourages development to be located in areas of lower flood risk where possible and stresses the importance of preventing increases in flood risk off site to the wider catchment area.

The Planning Practice Guidance also states that alternative sources of flooding, other than fluvial (river flooding), should also be considered when preparing a Flood Risk Assessment.

This Flood Risk Assessment is written in accordance with the NPPF and the Planning Practice Guidance.

Flood Zones

The Flood Zone Map for Planning has been prepared by the Environment Agency. This identifies areas potentially at risk of flooding from fluvial or tidal sources. An extract from the mapping is included as Figure 1.2.




Figure 1.1 - Environment Agency Flood Zone Mapping

The site is shown to be located entirely within Flood Zone 1 (Low Probability) therefore the site is considered to be low risk of flooding. Flood Zone 1 is defined as land assessed as having less than a 0.1% annual probability of flooding from fluvial and tidal sources.

Table 2 of the Planning Practice Guidance classifies land use. Under these classifications the proposed Holiday Lodges is considered to be 'More Vulnerable' to the potential impacts of flooding.

Table 3 of the Planning Practice Guidance identifies that any development is considered appropriate within Flood Zone 1.

Flood Risk Vulnerability Classification	Essential Infrastructure	Water Compatible	Highly Vulnerable	More Vulnerable
Flood Zone 1	✓	✓	✓	✓
Flood Zone 2	✓	✓	Exception test required	✓
Flood Zone 3a	Exception test required	✓	x	Exception test required
Flood Zone 3b	Exception test required	✓	x	x

1.5 OTHER RELEVANT POLICY AND GUIDANCE

Strategic Flood Risk Assessment

The East Riding Flood Risk Assessment (SFRA) was prepared to review flood risks on a much wider scale to assess the potential for new development within the study area. The SFRA was used as an evidence base for Local Development Frameworks for each Local Planning Authority.

The SFRA therefore aims to bring together all available flood risk information for a variety of sources to provide a robust assessment. The SFRA therefore is useful for this site-specific FRA by highlighting available data and instances of known flooding in the area. Although written under the guidance of Planning Policy Statement 25, the SFRA is still considered to include relevant information.

2.0 POTENTIAL SOURCES OF FLOOD RISK

The table below identifies the potential sources of flood risk to the site, and the impacts which the development could have in the wider catchment prior to mitigation. These are discussed in greater detail in the forthcoming section. The mitigation measures proposed to address flood risk issues and ensure the development is appropriate for its location are discussed within Section 3.0.

Flood Source	Potential Risk				Description
	High	Medium	Low	None	
Fluvial			X		The site is located in flood zone 1.
Tidal				X	There are no tidal influences effecting the site.
Canals				X	None present.
Groundwater			X		Ground conditions are not conducive to fluctuating groundwater levels.
Reservoirs and waterbodies				X	The site is shown to fall outside of the catchment for reservoir and waterbodies flooding.
Sewers			X		The site in question is higher than the surrounding sewers therefore there is a very low risk.
Pluvial runoff			X		There are some areas of the site within a low-risk area of surface water flooding.
Effect of Development on Wider Catchment	X				With the addition of the new lodges the impermeable area of the site is being altered.

Table 2.1 - Pre-Mitigation Sources of Flood Risk

2.1 FLUVIAL FLOOD RISK

As previously mentioned, the site is shown to be within Flood Zone 1 and therefore poses a low risk to the proposed development.

Mitigation measures to address the residual risk posed by the watercourses surrounding the site are discussed within Section 3.0 of this report.

2.2 GROUNDWATER FLOOD RISK

Subject to completion of site investigation to confirm we would assume that natural ground water level is located well below the site surface and the nature of the strata means it is unlikely that there will be perched water above this level.

We therefore do not consider there is a risk of groundwater flooding affecting the development subject to final confirmation upon completion of suitable site investigation.

2.3 FLOOD RISK FROM RESERVOIRS & LARGE WATERBODIES

Reservoir failure flood risk mapping has been prepared by the Environment Agency, this shows the largest area that might be flooded if a reservoir were to fail and release the water it holds. The map displays a worst-case scenario and is only intended as a guide. An extract from the mapping is included as Figure 2.1.




Figure 2.1 - Environment Agency Reservoir Failure Flood Risk Map

Mapping demonstrates the site and possible access routes are far removed from the flood extent associated with flooding from large reservoirs. A review of Ordnance Survey mapping shows that no areas or reservoir flooding encroach the site.

As such, there is considered to be no risk from reservoir flooding.

2.4 FLOOD RISK FROM SEWERS

The site in question doesn't lie above any main roads which is potentially where any Yorkshire Water sewers may lie.

As such, it is considered that there is no risk of flooding from sewers.

2.5 PLUVIAL FLOOD RISK

Risk of flooding from surface water mapping has been prepared by the Environment Agency, this shows the potential flooding which could occur when rainwater does not drain away through the normal drainage systems or soak into the ground but lies on or flows over the ground instead. An extract from the mapping is included as Figure 2.2




Figure 2.2 - Risk of Flooding from Surface Water Mapping

The mapping produced by the Environment Agency shows that the site is at risk of surface water flooding. The site lies within an area with a high risk of surface water flooding. This is defined as an area with a more than 3.3% chance each year of flooding, as such this may affect the new development.

There is a risk posed to the development therefore, measures will be taken to ensure any flooding is mitigated. These are noted in Flood Risk Mitigation Section.

2.6 EFFECT OF DEVELOPMENT ON WIDER CATCHMENT

2.6.1 Development Drainage

The current site is a mixture of greenfield and brownfield. The amount of impermeable area will be increasing. Therefore when building on greenfield areas of the site, measures will need to be taken to ensure the development is not at an increased risk of downstream flooding.

The proposed flows from the site will need to be attenuated to greenfield run off rates and a suitable surface water drainage strategy would need to be developed.

3.0 FLOOD RISK MITIGATION

Section 2.0 has identified the sources of flooding which could potentially pose a risk to the site and the proposed development. This section of the FRA sets out the mitigation measures which are to be considered within the proposed development detail design to address and reduce the risk of flooding to within acceptable levels.

3.1 SITE ARRANGEMENTS

3.1.1 Sequential Arrangement

The Flood Zone mapping shows the site to be located within flood zone 1.

3.1.2 Finished Levels

Due to the risk of pluvial flooding measures will need to be taken to ensure the development doesn't negatively affect the surrounding area.

- The Holiday Lodges levels will be lifted 150mm to help mitigate the chance of flooding.
- There will be no flat spots around the lodges to allow the runoff to pass by.

4.0 CONCLUSIONS AND RECOMMENDATIONS

This Flood Risk Assessment (FRA) is compliant with the requirements set out in the National Planning Policy Framework (NPPF) and the associated Planning Practice Guidance. The FRA has been produced on behalf of Alan Farrow.

This report demonstrates that the proposed development is not at significant flood risk, and simple mitigation measures have been recommended to address any residual risks that may remain. The identified risks and mitigation measures are summarised within Table 4.1.

Flood Source	Proposed Mitigation Measure
Fluvial	Site is shown to be in Flood Zone 1.
Impact of the Development	Strategic surface water drainage strategy prepared for wider development will ensure a sustainable approach to surface water management.

Table 4.1 - Summary of Flood Risk Assessment

In compliance with the requirements of National Planning Policy Framework, and subject to the mitigation measures proposed, the development could proceed without being subject to significant flood risk. Moreover, the development will not increase flood risk to the wider catchment area as a result of suitable management of surface water runoff discharging from the site and as such it is not required to do a sequential test.


5.0 APPENDICES

Appendix A – Site Location Plan

Appendix A


Site Location Plan

Do not scale from this drawing, only written dimensions are to be used
 any other dimension are to be checked prior to work commencing
 Extent of work shown does not indicate that an asbestos survey has
 been carried out and reference should be made to the client for this
 information prior to work commencing



- existing hedge retained and additional planting as required
 existing site entrance removed and new hedge planted
 existing hedge retained and new planting to be added from the list below
 2.5% Dog Rose – Rosa canina
 5% Dogwood – Cornus sanguinea
 10% Hazel – Corylus avellana
 60% Hawthorn – Crataegus monogyna
 10% Field Maple – Acer campestre
 2.5% Holly – Ilex aquifolium
 10% Guelder Rose – Viburnum opulus
 All bare root stock planted in staggered 300mm apart

- existing hedge retained and new planting to be added from the list below
 2.5% Dog Rose – Rosa canina
 5% Dogwood – Cornus sanguinea
 10% Hazel – Corylus avellana
 60% Hawthorn – Crataegus monogyna
 10% Field Maple – Acer campestre
 2.5% Holly – Ilex aquifolium
 10% Guelder Rose – Viburnum opulus
 All bare root stock planted in staggered 300mm apart



Revisions

A	notes ref hedge planting added	RTL	Apr 20
B	entrance relocated as per highways comments	RTL	Apr 20

ASO SERIES ONE DESIGN ASSOCIATES
 Architectural Design
 Bishopthorpe York
 Tel: 07956326503 e-mail: rtheahy@pdxmail.co.uk

DRAWING TITLE
 Proposed Holiday Lodges
 Eastfield
 Feoffee Common Lane
 Barmby Moor
 YO42 1PG

Proposed Site Plan
 With Drainage

SCALE 1 : 500
 DRAWING NUMBER FCL/2019/02B
 DATE Nov 2019