

Rev	Date	Revision	By	Chk
\	20/08/05	Stage 03 Issue	IW	AB
A	21/03/08	Tender - WIP draft issue	IW	AB
B	21/06/02	RIBA Stage 4/Tender Issue	KS	AB
C	22/08/11	Co-ordination re-issue	RD	KS
D	22/11/11	Design Intent for Construction	RD	KS
E	23/01/20	Design Intent for Construction	RD	KS
F	24/03/19	Planning Condition Discharge	RD	RS
G	24/03/25	Planning Condition Discharge	RD	RS

Notes

For Health & Safety related information please refer to the Rolling Designers Risk Register. Where relevant, elements identified on this register are highlighted within the model and on the drawings with the following logo.


- Drawing to be printed in colour;
- All information contained in this drawing (including digital data) should be checked and verified prior to any fabrication or construction. Any inconsistencies or omissions should be reported to Bennetts Associates;
- Unless otherwise stated, all grids or co-ordinates are based on the Ordnance Survey National Grid via GPS Observations;
- Unless otherwise stated, all spot heights and levels are expressed as AOD (above Ordnance datum) based on the Ordnance Survey ODN (Ordnance Datum Newlyn).

Bennetts Associates Architects make no warranties, express or implied, with respect to the reuse of the data provided hereby, regardless of its format or the means of its transmission.

All existing survey data is based on, or reference from, 3rd Party information. Unless otherwise stated, all structural, mechanical, electrical information is based on, or reference from, 3rd Party data.

© Crown Copyright 2019. All Rights Reserved.
Ordnance Survey License 123456

Building Key



Key - External wall types

- Brickwork,**
spec ref: 25_13_50_51 Brickwork external wall EW-A
- Type EW-A1**
Stretcher bond
Glazed brick pattern on primary plane
20mm projecting standard brick
 - Type EW-A2**
Stretcher bond
Standard brick on primary plane
20mm projecting standard brick
 - Type EW-A3**
Stretcher bond
Standard brick on primary plane
 - Type EW-A4**
Flemish bond incorporating hit and miss brickwork
 - Type IW-A**
Stretcher bond
Internal wall brickwork, refer to 22 series information

Metal Cladding

- Type EW-B1** Ss_25_20_14_54
Insulated metal panel cladding
 - Type EW-B2** Ss_25_20_70_25
Metal panel rainscreen curtain wall system
- Refer to 21 series bay studies for brick setting out, brick pattern setting out cavity barriers, masonry support and movement joints.

Curtain wall systems

- Type EW-C1** Ss_25_10_20_85
SG glazed curtain wall system with integrated doors and variety of glazed and solid infill panels. See below for colour codes
- Type EW-C2** Ss_25_10_20_85
Closed cavity back to back glazing system to achieve high acoustic rating.
- Glazed
- Solid panel, insulated
- Bespoke extrusion projecting finishing trim to brickwork openings PY_35_90_30_07

BENNETTS ASSOCIATES

1 Rawstone Place, London EC1V 7NL
T +44 (0)207 5203300 • www.bennettsassociates.com
E mail@bennettsassociates.com

For Bennetts Associates' electronic information issue disclaimer - www.bennettsassociates.com/informationdisclaimer/

Project
Hertford Theatre
East Herts District Council

Drawing Title
**External Walls
Cladding Types
North Elevation**

Drawing Number
1910-BA-XX-NN-DR-A-21-0303

Scale @ A3
1:200

Scale @ A1
1:100

Project No. 1910

Revision/Suitability
S0 G

Revision Date
24/03/25

YY MM DD