

## **Economic Regeneration and Transport**

Economic Growth and Development Services Municipal Buildings, Church Road, Stockton on Tees, TS18 1LD Tel: [01642] 526022 Fax: [01642] 526048 DX 60611

www.stockton.gov.uk

Big plans for an outstanding Borough

Householder Application for Planning Permission for works or extension to a dwelling

## Town and Country Planning Act 1990 (as amended)

## Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Location	
Disclaimer: We can only make rec	commendations based on the answers given in the questions.
If you cannot provide a postcode, the help locate the site - for example "f	he description of site location must be completed. Please provide the most accurate site description you can, to ield to the North of the Post Office".
Number	16
Suffix	
Property Name	
Address Line 1	
Balder Road	
Address Line 2	
Address Line 3	
Stockton-on-tees	
Town/city	
Norton	
Postcode	
TS20 1BE	
December 6 16 1 1	Construct the constructed of the section do Co. 1991
	ion must be completed if postcode is not known:
Easting (x)	Northing (y)
444470	521622
Description	

Applicant Details
Name/Company
Title
mr
First name
stephen
Surname
abbott
Company Name
Address
Address line 1
16 balder rd
Address line 2
norton
Address line 3
Town/City
Stockton-on-tees
County
Country
United Kingdom
Postcode
TS20 1BE
Are you an agent acting on behalf of the applicant?  ○ Yes  ⊙ No
Contact Details
Primary number
***** REDACTED *****

Secondary number
Fax number
Email address
***** REDACTED ******
Description of Proposed Works
Please describe the proposed works
fitting of heat pump
Has the work already been started without consent?
○ Yes
⊙ No
Materials
Does the proposed development require any materials to be used externally?
⊗ Yes
○ No
Please provide a description of existing and proposed materials and finishes to be used externally (including type, colour and name for each material)
Type: Other
Other (please specify):
heat pump
Existing materials and finishes:  Proposed materials and finishes:
Daikin Altherma 3M heatpump
Are you supplying additional information on submitted plans, drawings or a design and access statement?
<ul><li></li></ul>
If Yes, please state references for the plans, drawings and/or design and access statement
Planning Permission due to Noise Assessment

Trees and Hedges  Are there any trees or hedges on the property or on adjoining properties which are within falling distance of the proposed development?  ○ Yes ② No  Will any trees or hedges need to be removed or pruned in order to carry out your proposal?  ○ Yes ② No
Pedestrian and Vehicle Access, Roads and Rights of Way
Is a new or altered vehicle access proposed to or from the public highway?  ○ Yes  ⊙ No
Is a new or altered pedestrian access proposed to or from the public highway?  ○ Yes  ⊙ No
Do the proposals require any diversions, extinguishment and/or creation of public rights of way?  ○ Yes  ⊙ No
Parking  Will the proposed works affect existing car parking arrangements?  ○ Yes  ⊙ No
Biodiversity net gain
Householder developments are currently exempt from biodiversity net gain requirements.
However, this exemption still needs to be confirmed by the applicant or agent when making a householder planning permission application.
✓ I/we confirm that the proposed development, if granted permission, would be exempt from the general biodiversity gain condition.
Paragraph 13 of Schedule 7A of the Town and Country Planning Act 1990 (as amended) sets out that every planning permission granted for the development of land in England shall be deemed to have been granted subject to the 'general biodiversity gain condition'.
However, the 'general biodiversity gain condition' does not apply in relation to planning permission for a development which is the subject of a householder application, within the meaning of Article 2(1) of the Town and Country Planning (Development Management Procedure) (England) Order 2015 (as amended).
Site Visit  Can the site be seen from a public road, public footpath, bridleway or other public land?  ○ Yes ○ No

Pre-application Advice  Has assistance or prior advice been sought from the local authority about this application?  ② Yes ③ No  If Yes, please complete the following information about the advice you were given (this will help the authority to deal with this application more efficiently):  Officer name:  Title  ———————————————————————————————————	he agent he applicant ther person
Has assistance or prior advice been sought from the local authority about this application?  ② Yes ③ No  If Yes, please complete the following information about the advice you were given (this will help the authority to deal with this application more efficiently):  Officer name:  Title	
<ul> <li>         Ø Yes         ○ No     </li> <li>         If Yes, please complete the following information about the advice you were given (this will help the authority to deal with this application more efficiently):     </li> <li>         Officer name:         Title     </li> <li>         TREDACTED *****     </li> <li>         Surname         *****             *****             *****</li></ul>	e-application Advice
If Yes, please complete the following information about the advice you were given (this will help the authority to deal with this application more efficiently):  Officer name:  Title  ******TREDACTED*******  First Name  ***********************************	
Title  Ti	s, please complete the following information about the advice you were given (this will help the authority to deal with this application
First Name  *******REDACTED *******  Surname  *****************  ****************	er name:
First Name  ***********************************	
Surname	** REDACTED *****
Surname  ****** REDACTED ******  Reference  This document was classified as: OFFICIAL  Date (must be pre-application submission)  29/02/2024  Details of the pre-application advice received  Please forgive the delay in my response, I have taken a look at the information you have provided and I find the situation borderline as given the location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future neighbouring properties.  I would recommend you request the company fitting the equipment to see what options there are for a noise assessment of the background noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	Name
Reference  This document was classified as: OFFICIAL  Date (must be pre-application submission)  29/02/2024  Details of the pre-application advice received  Please forgive the delay in my response, I have taken a look at the information you have provided and I find the situation borderline as given the location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future neighbouring properties.  I would recommend you request the company fitting the equipment to see what options there are for a noise assessment of the background noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	** REDACTED *****
Reference  This document was classified as: OFFICIAL  Date (must be pre-application submission)  29/02/2024  Details of the pre-application advice received  Please forgive the delay in my response, I have taken a look at the information you have provided and I find the situation borderline as given the location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future neighbouring properties.  I would recommend you request the company fitting the equipment to see what options there are for a noise assessment of the background noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	name
This document was classified as: OFFICIAL  Date (must be pre-application submission)  29/02/2024  Details of the pre-application advice received  Please forgive the delay in my response, I have taken a look at the information you have provided and I find the situation borderline as given the location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future neighbouring properties.  I would recommend you request the company fitting the equipment to see what options there are for a noise assessment of the background noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	** REDACTED *****
Date (must be pre-application submission)  29/02/2024  Details of the pre-application advice received  Please forgive the delay in my response, I have taken a look at the information you have provided and I find the situation borderline as given the location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future neighbouring properties.  I would recommend you request the company fitting the equipment to see what options there are for a noise assessment of the background noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	erence
Details of the pre-application advice received  Please forgive the delay in my response, I have taken a look at the information you have provided and I find the situation borderline as given the location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future neighbouring properties.  I would recommend you request the company fitting the equipment to see what options there are for a noise assessment of the background noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	is document was classified as: OFFICIAL
Details of the pre-application advice received  Please forgive the delay in my response, I have taken a look at the information you have provided and I find the situation borderline as given the location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future neighbouring properties.  I would recommend you request the company fitting the equipment to see what options there are for a noise assessment of the background noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	e (must be pre-application submission)
Please forgive the delay in my response, I have taken a look at the information you have provided and I find the situation borderline as given the location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future neighbouring properties.  I would recommend you request the company fitting the equipment to see what options there are for a noise assessment of the background noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	/02/2024
the location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future neighbouring properties.  I would recommend you request the company fitting the equipment to see what options there are for a noise assessment of the background noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	ills of the pre-application advice received
noise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you	ne location, directional noise and the ability to use the unit free over a 24hr period the noise level of the 8Kw unit may cause issues to future
	oise level at you property before they install the unit and whether they have any mitigation options should the noise assessment prove you
They may say they have fitted hundreds but every location is individual and as you need to use this location and you have no option to move it further away from the boundary then they need to help you with this assessment. They need to assess the background level over a 24 hour period and ensure that the unit doesn't exceed that level during the night. This is the condition that will need to be addressed.	orther away from the boundary then they need to help you with this assessment. They need to assess the background level over a 24 hour
Noise disturbance from New Plant	Noise disturbance from New Plant
The rating level of sound emitted from any fixed plant and/or machinery associated with the development shall not exceed background sound levels by more than 5dB between the hours of 0700-2300 (taken as a 1-hour LA90 at the nearest sound sensitive premises) and shall not exceed the background sound level between 2300-0700 (taken as a 15 minute LA90 at the nearest sound sensitive premises). Where access	evels by more than 5dB between the hours of 0700-2300 (taken as a 1-hour LA90 at the nearest sound sensitive premises) and shall not
to the nearest sound sensitive property is not possible, measurements shall be undertaken at an appropriate location and corrected to establish the noise levels at the nearest sound sensitive property.  Any deviations from the LA90 time interval stipulated above shall be agreed in writing with the Local Planning Authority.	the nearest sound sensitive property is not possible, measurements shall be undertaken at an appropriate location and corrected to stablish the noise levels at the nearest sound sensitive property.

If the planning authority needs to make an appointment to carry out a site visit, whom should they contact?

With respect to the Authority, is the applicant and/or agent one of the following:  (a) a member of staff  (b) an elected member  (c) related to a member of staff  (d) related to an elected member
It is an important principle of decision-making that the process is open and transparent.
For the purposes of this question, "related to" means related, by birth or otherwise, closely enough that a fair-minded and informed observer, having considered the facts, would conclude that there was bias on the part of the decision-maker in the Local Planning Authority.
Do any of the above statements apply?
<ul><li>○ Yes</li><li>⊙ No</li></ul>
Ownership Certificates and Agricultural Land Declaration
Certificates under Article 14 - Town and Country Planning (Development Management Procedure) (England) Order 2015 (as amended)
Please answer the following questions to determine which Certificate of Ownership you need to complete: A, B, C or D.
Is the applicant the sole owner of all the land to which this application relates; and has the applicant been the sole owner for more than 21 days?  O No
Is any of the land to which the application relates part of an Agricultural Holding?  ○ Yes  ⊙ No
Certificate Of Ownership - Certificate A
I certify/The applicant certifies that on the day 21 days before the date of this application nobody except myself/ the applicant was the owner* of any part of the land or building to which the application relates, and that none of the land to which the application relates is, or is part of, an agricultural holding**
* "owner" is a person with a freehold interest or leasehold interest with at least 7 years left to run.
** "agricultural holding" has the meaning given by reference to the definition of "agricultural tenant" in section 65(8) of the Act.
NOTE: You should sign Certificate B, C or D, as appropriate, if you are the sole owner of the land or building to which the application relates but the land is, or is part of, an agricultural holding.
Person Role
○ The Agent
Title
mr
First Name
stephen
Surname
abbott

Authority Employee/Member

Declaration Date
14/03/2024
✓ Declaration made
Declaration
I/We hereby apply for Householder planning permission as described in the questions answered, details provided, and the accompanying plans/drawings and additional information.  I/We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them.  I/We also accept that, in accordance with the Planning Portal's terms and conditions:  - Once submitted, this information will be made available to the Local Planning Authority and, once validated by them, be published as part of a public register and on the authority's website;  - Our system will automatically generate and send you emails in regard to the submission of this application.
Signed
stephen abbott
Date
14/03/2024