






Warning! Damaging a large diameter trunk main (12"/300mm and above) can result in loss of life and major water supply and water quality problems. If you're planning any extension work in the vicinity of any large diameter mains shown on our maps, you must contact Scottish Water to arrange a site visit 08000 778 778 WELL IN ADVANCE OF THE WORKS.

|   |   |  |  |   |
|---|---|--|--|---|
|  | Edington street - Fresh Water   |  |  | The Bridge<br>6 Buchanan Gate<br>Stepps<br>Glasgow<br>G33 6FB |
|   | The representation of physical assets and the boundaries of areas in which Scottish Water and others have an interest does not necessarily imply their true positions. For further details contact the appropriate District office. |  | © Crown copyright and database rights 2023 OS 100023460.<br>You are granted a non-exclusive, royalty free, revocable licence solely to view the Licensed Data for non-commercial purposes for the period during which Scottish Water makes it available. You are not permitted to copy, sub-license, distribute, sell or otherwise make available the Licensed Data to third parties in any form. Third party rights to enforce the terms of this licence shall be reserved to OS. |   |
| Date Plotted: 14/09/2023  | SCALE: 1:2,646  | Plotted By: peter@siteinvest.co.uk   |  |   |



Warning! Damaging a large diameter trunk main (12"/300mm and above) can result in loss of life and major water supply and water quality problems. If you're planning any extension work in the vicinity of any large diameter mains shown on our maps, you must contact Scottish Water to arrange a site visit 08000 778 778 WELL IN ADVANCE OF THE WORKS.

|   |  |  |   |   |
|---|--|--|---|---|
|  | Edington street - Waste Water  |  |   | The Bridge<br>6 Buchanan Gate<br>Stepps<br>Glasgow<br>G33 6FB |
|   | <p>The representation of physical assets and the boundaries of areas in which Scottish Water and others have an interest does not necessarily imply their true positions. For further details contact the appropriate District office.</p> |  | <p>© Crown copyright and database rights 2023 OS 100023460.<br/>         You are granted a non-exclusive, royalty free, revocable licence solely to view the Licensed Data for non-commercial purposes for the period during which Scottish Water makes it available. You are not permitted to copy, sub-license, distribute, sell or otherwise make available the Licensed Data to third parties in any form. Third party rights to enforce the terms of this licence shall be reserved to OS.</p> |   |
| Date Plotted: 14/09/2023  | SCALE: 1:2,646   | Plotted By: peter@siteinvest.co.uk   |   | Tel No: 08000 778 778   |

## **Appendix F**

### **Historical Borehole Records (courtesy of The BGS)**

**BGS** British Geological Survey


# GeoIndex Onshore

Enter location

Data

Borehole records

Add Data Show Legend



Location: HEASLOW

Site: WOODSIDE

B.H. No. 26

Size of Borehole: 2 1/2"

Commenced: 15.11.60

Ground Level:

Reduced Size of Hole to: at:

Completed:

Initial Water Level:

Final Water Level:

Reduced Size of Hole to: at:

N - No. of Blows from Standard Penetration Test.

C - Cohesion (lbs/ft<sup>2</sup>)

Ø - Angle of Friction

γ - Bulk Density (lbs/ft<sup>3</sup>)

M - Moisture Content

L.L. - Liquid Limit

P.L. - Plastic Limit

Sp.G. - Specific Gravity

m - Max. Dry Density (lbs/ft<sup>3</sup>)

Mo - Optimum Moisture Content

| Soil Description                   | Thickness of Layer | Depth    | Level | Samples |     |          |        | Sample Test Results |      |   |   |     |       |      |       |   |    |  |
|------------------------------------|--------------------|----------|-------|---------|-----|----------|--------|---------------------|------|---|---|-----|-------|------|-------|---|----|--|
|                                    |                    |          |       | Type    | No. | Depth    | Diam.  | N                   | C    | Ø | γ | M   | L.L.  | P.L. | Sp.G. | m | Mo |  |
| Concrete                           | 1' 9"              | 1' 9"    |       |         |     |          |        |                     |      |   |   |     |       |      |       |   |    |  |
| Rubble fill                        | 0' 2"              | 1' 11"   |       |         |     |          |        |                     |      |   |   |     |       |      |       |   |    |  |
| Firm dark brown boulder clay       | 4' 6"              | 2' 0" 5" |       | U       | 1   | 3' 2"    | 1 1/2" |                     | 5265 |   |   | 132 | 13.1  |      |       |   |    |  |
| Firm dark grey boulder clay        | 4' 6"              | 2' 0" 5" |       | U       | 2   | 5' 4"    | 1 1/2" |                     | 2662 |   |   | 157 | 15.25 |      |       |   |    |  |
| Firm dark grey boulder clay        | 4' 6"              | 2' 0" 5" |       | U       | 3   | 2' 0" 5" | 1 1/2" |                     | 2105 |   |   | 128 | 28.0  |      |       |   |    |  |
| Soft dark grey sandy boulder clay  | 4' 8"              | 2' 2" 1" |       | U       | 4   | 2' 8" 6" | 1 1/2" |                     | 3062 |   |   | 130 | 12.0  |      |       |   |    |  |
| Soft dark brown sandy boulder clay | 3' 13"             | 21' 13"  |       | U       | 5   | 21' 0"   | 1"     |                     | 6098 |   |   | 130 | 43.5  |      |       |   |    |  |
| Firm dark grey boulder clay        | 5' 3"              | 55' 7"   |       | U       | 6   | 23' 0"   | 1 1/2" |                     | 5697 |   |   | 138 | 9.3   |      |       |   |    |  |
| Firm dark grey boulder clay        | 5' 3"              | 55' 7"   |       | U       | 6   | 37' 0"   | 1 1/2" |                     | 4514 |   |   | 138 | 9.4   |      |       |   |    |  |
| Firm hard sandstone                | 5' 0"              | 58' 7"   |       | D       | 7   | 50' 0"   |        |                     |      |   |   |     |       |      |       |   |    |  |