Re: Planning Application 24/00636/CA - more information is needed

Austin Reece

Thu 28/03/2024 14:37

To:Trees Hart <trees@hart.gov.uk>

CAUTION: This email originated from outside of Hart District Council. Do not click links or open aΣ achments unless you recognise the sender and know the content is safe.

Ηi

That seems fine. I'm happy with that if you feel it gives the necessary clarity.

Have a great Easter

Aus**O**n

From: Trees Hart <trees@hart.gov.uk>

Sent: 28 March 2024 14:35

To: Ausen Reece

Subject: Re: Planning ApplicaOon 24/00636/CA - more informaOon is needed

Good Afternoon,

Many thanks for this clarification, please advise if you are happy with the below description of the works proposed:

Pine - Remove 3 limbs from the top of each fork and remove one limb touching the electrical cables which are running through the tree

Two Norway Maples and one Oak - Crown reduce back to previous reduction points

Many Thanks

Sharon Embleton

Trees
Place Directorate
Hart District Council
01252 774419

www.hart.gov.uk

Twitter: @HartCouncil

Facebook: /HartDistrictCouncil

From: AusOn Reece

Sent: 28 March 2024 14:28

To: Trees Hart <trees@hart.gov.uk>

Subject: Re: Planning ApplicaOon 24/00636/CA - more informaOon is needed

CAUTION: This email originated from outside of Hart District Council. Do not click links or open aΣ achments unless you recognise the sender and know the content is safe.

Many thanks for your quick response.

The pine tree in question does have two distinct "stems" where the main trunk splits. Hopefully the attached photos will make it clearer.

Kind regards Austin Reece

Sent from Outlook for Android

From: trees@hart.gov.uk <trees@hart.gov.uk> Sent: Thursday, March 28, 2024 1:40:07 PM

To

Subject: Planning Applicaeon 24/00636/CA - more informaeon is needed

Thank you for your application to Hart District Council. Before we can progress your application further, we need more information from you - please see attached letter for more details.