



Water Use Assessment

Calculation Report

Certificate Ref: BE45259420 Performance Target: 110 (litres / person / day)

Issued: 01 November 2023 Building Regulations Part G - 110l

Flat 4 - 12 Lind Road Number of Bedrooms: 1

David Barnard Occupancy for Calculation Purposes 2

Installation Type	Unit	Capacity/ Flow Rate	Use Factor	Fixed use (I/p/day)	Total Use (I/p/day)
WC's	Volume (I)	3.50	4.42	0.00	15.47
Taps Exc. Kitchen	Flow Rate	5.00	1.58	1.58	9.48
Baths	(1)	180.00	0.11	0.00	19.80
Showers	(I/s)	8.00	4.37	0.00	34.96
Kitchen Taps	(I/s)	8.00	0.44	10.36	13.88
Washing Machines	(I/kgdry)	8.17	2.10	0.00	17.16
Dishwashers	(I/place)	1.25	3.60	0.00	4.50
Waste Disposal	(I/s)				0.00
Water Softener	(I/s)				0.00
Total Calculated Water Use (I/p/day)					115.25
Grey/Rainwater Reused (I)					0.00
Normalisation Factor					0.91
Total Water Consumption (I/p/day)					104.88
External Water Use Allowance (I)					5.00
Total Consumption Part G (I/p/day)					109.88
Part G Reg Assessment Result					Pass √

The calculation methodology uses the water consumption figures provided from manufacturers' product details. Where details have not been provided, assumed figures have been used to achieve compliance. These must be met in order to satisfy the Part G Calculation for Flat 4 - 12 Lind Road. The calculation methodology is to be used to assess compliance against the water performance targets in Regulation 36. It is not a design tool for water supply and drainage systems. It is also not capable of calculating the actual potable water consumption of a new dwelling. Behaviour and changing behaviour can also have an effect on the amount of potable water used throughout a home.



Appliance/Usage Details

Topo / Evoludio - Kilab	[anal			Chaurana					
Taps (Excluding Kitchen Tap Fitting Type	l aps) Flow Rate	Quantity	Total per	Showers Shower fitting	Flow Rate	Quantity	Total per		
rap ritting Type	Litres/Min	(No.)	Fitting type	Type	Litres/Min	(No.)	Fitting type		
Bathroom sink mixer taps		1	5.00	Shower	8	1	8.00		
Datin Com Sink mixer taps	9		3.00	SHOWEI	O	Τ	0.00		
T			4	T			4		
Total No. of Fittings (No.) Total Flow (I/s)			5.00	Total No. of Fittings (No.) Total Flow (I/s)			8.00		
Maximum Flow (I/s)			5.00	Maximum Flow (I/s)			8.00		
Average Flow (I/s)			5.00	Average Flow (I/s)			8.00		
Weighted Average Flow (l/s)		3.50	Weighted Average Flow (I	5.60				
Flow for Calculation (I/s)			5.00	Flow for Calculation (I/s)	8.00				
Dotho				WCs					
Baths Bath Type	Capacity to	Quantity	Total per	VVCS	Full Flush	Part Flush	Quantity (No		
Datii i ypt	Overflow	(No.)	Fitting type	WC Type	Volume	Volume	Qualitity (110		
Bath	180	1	180.00	Dual flush toilet	4.5	3	1		
							_		
Total No. of Fittings (No.)			1	T			4		
Total Capacity (I)			180.00 180.00	Total number of fittings Average effective flushing volume			3.50		
Maximum Capacity (I) Average Capacity (I)			180.00	Average effective flushing	volume		3.50		
Weighted Average Capac	ity (I)		126.00						
Capacity for Calculation (180.00						
Dishwashers				Washing Machines					
Dishwasher Type	L per Place	Quantity	Total per	Washing Machine	L per Kg	Quantity	Total per		
	Setting	(No.)	Fitting type	Type	Dry Load	(No.)	Fitting type		
Dishwasher	1.25	1	1.25	Washing Machine	8.17	1	8.17		
T			4	T			4		
Total No. of Fittings (No.) Total Consumption (I)			1.25	Total No. of Fittings (No.)			8.17		
Maximum Consumption (1)		1.25	Total Consumption (I) Maximum Consumption (I)			8.17		
Average Consumption (I/s			1.25	Average Consumption (I/s			8.17		
Weighted Average Consu			0.88	Weighted Average Consumption (I)			5.72		
Consumption for Calculat			1.25	Consumption for Calculation (I/s)			8.17		
What are Tare				Others Fittings					
Kitchen Taps Tap Fitting Type	Flow Rate	Ougatity	Total per	Other Fittings Waste Disposal Y/N		N			
rap ritting rype	Litres/Min	Quantity (No.)	Fitting type	Water softener		IN			
Kitchen Tap	8	1	8.00	Consumption beyond 4% I	/p/d				
ээ. гар	Ü	<u> </u>	5.55		, ,, ,,		J		
T . IN				Use of grey water and harvested rainwater					
Total No. of Fittings (No.)			1	Talal Carrier Carrier	ID 1 - /'\		1		
Total Flow (I/s)			8.00	Total Grey water from WHB taps (I)					
Maximum Flow (I/s) Average Flow (I/s)			8.00	Total Available Grey Wate Possible Demand (I)	r Supply (I)				
Weighted Average Flow (I/s)		5.60	Grey/Rain Installed Capacity (I)					
Flow for Calculation (I/s)	11 J		8.00	Figure for Calculation lit/person/day					
			0.00	1	J. 3011, day		J		