


Level 03
 9760

Existing lead roofing gutter
 Existing external rendered wall

New skirting board
 Acoustic isolation strip
 Existing floor boards
 Screed Board 28 or similar acoustic floating floor TBC

Existing timber sash window refurbished
 Secondary Glazing mounted via magstrip to frame

300
 Existing floor joists
 Existing ceiling to be retained
 Acoustic resilient hangers
 100mm Acoustic insulation
 Metal frame ceiling grid
 2no. 15mm Fireboard plasterboard
 3mm Plaster skim finish
 Intumescent seal



Client's Name
 Rengen

Drawing Title
 Section Detail Window Head and Floor/Ceiling Non-Retained Features

Drawn: PF, Checked: AB, Date: 02/21/24
 Job Title: 10-12 Cave Street, Bristol

Job No	Origin	Volume	Level	Type	Role	Number	Rev
W0904	WW	ZZ	02	DT	A	6002	P1

Status: PRELIMINARY

Rev	Date	Revision Details	Dr	Ch
P1	28-03-24	First Issue	AB	SMc

WESTWORKS
 Bristol: Westworks, Colston Tower, Colston Street, Bristol, BS1 4XE
 T 0117 214 1101 E bristol@ecwestworks.com
 Sussex: Brooklyn Chambers, 11 Goring Road, Worthing, West Sussex, BN12 4AP
 T 01903 248777 E sussex@ecarchitecture.com
 London: 76 Great Suffolk Street, London, SE1 0BL
 T 0207 928 2773 E london@ecarchitecture.com
 www.ecwestworks.com