



- Existing floor joists
- Existing Ceiling to be retained
- Feature Coving to be retained
- Timber Trimmer
- Masonry Wall Anchor Fixing to structural engineers details
- Joist hanger
- Intumescent seal
- 100mm Acoustic Insulation
- 2no. 15mm Fireboard to achieve 60 minutes
- 3mm Plaster skim finish

Client's Name: **Rengen** Drawing Title: **Section Detail Floor/Ceiling - With retained features**

Job No	Origin	Volume	Level	Type	Role	Number	Rev
W0904	WW	ZZ	01	DT	A	6006	P1

Drawn	Checked	Date
PF	AB	03/04/24

Job Title: **10-12 Cave Street, Bristol**

Status: **PRELIMINARY**

P1 28-03-24 First Issue AB SMC

Rev Date Revision Details Dr Ch

WESTWORKS
 www.ecwestworks.com

Bristol: Westworks, Colston Tower, Colston Street, Bristol, BS1 4XE
 T 0117 214 1101 E bristol@ecwestworks.com
 Sussex: Brooklyn Chambers, 11 Goring Road, Worthing, West Sussex, BN12 4AP
 T 01903 248777 E sussex@ecarchitecture.com
 London: 76 Great Suffolk Street, London, SE1 0BL
 T 0207 928 2773 E london@ecarchitecture.com