


Level 00
0

Existing external rendered wall

Existing timber door

New skirting board
 Acoustic isolation strip
 Existing floor boards
 Screed Board 28 or similar acoustic floating floor TBC

Existing floor joists
 100mm Mineral wool min. 10kg/m3 set between joists
 Existing lath and plaster ceiling to be removed
 2no. layers 15mm fireboard plasterboard
 3mm Plaster skim finish
 Acoustic resilient bars
 Intumescent sealant



Client's Name Rengen		Drawing Title Section Detail Door Head and Floor/Ceiling - Basement					
Job No	Origin	Volume	Level	Type	Role	Number	Rev
W0904	WW	ZZ	B1	DT	A	6001	P1

Drawn	Checked	Date
PF	AB	01/31/24
Job Title 10-12 Cave Street, Bristol		
Status PRELIMINARY		

P1 28-03-24 First Issue AB SMc

Rev	Date	Revision Details	Dr	Ch
-----	------	------------------	----	----

Bristol: Westworks, Colston Tower, Colston Street, Bristol, BS1 4XE
 T 0117 214 1101 E bristol@ecwestworks.com
Sussex: Brooklyn Chambers, 11 Goring Road, Worthing, West Sussex, BN12 4AP
 T 01903 248777 E sussex@ecarchitecture.com
London: 76 Great Suffolk Street, London, SE1 0BL
 T 0207 928 2773 E london@ecarchitecture.com
WESTWORKS
 www.ecwestworks.com

CAD Plot Date: 03/04/2024 14:23:41