

NO	TREE SPECIES		HEIGHT m	SPREAD m	DIA mm	N	CAT.	Life		NOTES
	Common Name	Scientific Name						Stage	exp yrs	
H1	Hawthorn	Crataegus monogyna	6	2.5	50-75		C2	Young	40+	approx. 75no, grown out
H2	Hawthorn	Crataegus monogyna	2	2.5	75-100		C2	Early-Mature	40+	approx. 100no, topped
H3	Hawthorn	Crataegus monogyna	2	2	75-125		C2	Mature	40+	approx. 100no, topped
H4	Holly	Ilex aquifolium	2	1.5	50-75		C2	Early-Mature	40+	approx. 15no, topped
H5	Hawthorn	Crataegus monogyna	2	2	100-200		C2	Over-Mature	10+	approx. 15no, topped and sparse
G6	Hawthorn	Crataegus monogyna	6-8	6.5	150-300		C2	Mature	40+	6no.
H7	Beech	Fagus sylvatica	2-4	2.5	75-150		C2	Mature	40+	approx. 85no, Previously topped
T8	Cherry	Prunus avium	7	4	75		C1	Young	40+	Slight lean
T9	Ash	Fraxinus excelsior	4	3	50		C1	Young	40+	
T10	Hawthorn	Crataegus monogyna	6	6	250		C1	Mature	20+	Ivy covered stem, some dead wood
H11	Hawthorn	Crataegus monogyna	2	1.5	50-150		C2	Semi-Mature	40+	approx. 50no, previously topped
T12	Ash	Fraxinus excelsior	7	3	150		C1	Semi-Mature	20+	Slight lean
T13	Pear	Pyrus. Sp.	5	4	100		C1	Semi-Mature	20+	lean
G14	Leyland Cypress	Cupressus x leylandii	8	4.5	150-250		C2	Mature	20+	6no.
T15	Apple	Malus sylvestris	4	6	200	N	C1	Mature	10+	Twin at ground level, basal damage/decay
G16	Ash	Fraxinus excelsior	6-7	4	75-100		C2	Young	20+	3no.
T17	Ash	Fraxinus excelsior	8	3.5	150		C1	Semi-Mature	20+	
H18	Hawthorn	Crataegus monogyna	6	5	100-200		C2	Semi-Mature	40+	approx. 15no, grown out
H19	Holly	Ilex aquifolium	6-8	7.5	100-200		C2	Early-Mature	40+	approx. 10no,
T20	Oak	Quercus rubur		6	250		C1	Early-Mature	20+	Suppressed, lean
H21	Hawthorn	Crataegus monogyna	6	5.5	100-200		C2	Semi-Mature	40+	approx. 15no, grown out
T22	Holly	Ilex aquifolium	6	2	200	N	C1	Early-Mature	40+	multistem at ground level

TREE SURVEY TO BS5837:2012

KEY

COLOUR	QUALITY	DESCRIPTION
GREEN	A: HIGH	Vigorous healthy good form, visually important, historic or rare
BLUE	B: MODERATE	Slightly impaired condition, numerous immature, A' potential
GREY	C: LOW	Adequate condition requiring minimal surgery
RED	U: FELL	Dead dying, dangerous insecure rooting, significant fungal disease
GREEN	SHRUBS	

- SUB-CATEGORY:**
- 1 ARBORICULTURAL
 - 2 LANDSCAPE
 - 3 CULTURAL/CONSERVATION
- Site Boundary

In accordance with BS5837:2012 'Trees in relation to design, demolition and construction', offsite trees within a distance equal to 12x stem diameter from boundary should be surveyed. In accordance with good working practice, all trees within 12m of the site boundary have been surveyed.

The original of this drawing is produced in colour - a monochrome copy should not be relied upon.

LIMITATION OF THIS SURVEY
This survey records amenity quality and desirability of tree retention in relation to proposed construction by visual inspection from ground level where accessible.

It does not constitute a Tree Inspection or detailed report on condition.

Tree heights and spread approximate. The diameter of single stem trees is taken at 1.5m above ground level. For the diameter of multistemmed trees, each multistem is measured at 1.5m above ground level and calculated to give a notional diameter as if all multistems were fused into one stem.

The branch spread is an accurate representation of the crown as clause 4.4.2.5 (e)

Tree inspections should take place annually in September/October when trees are in leaf.

Tree positions are approximate and are to be verified by topographic survey.

Based on Topographic Survey drawing no. 3320_REMAP SURVEYS rec'd 2017/12/13

Weddle Landscape Design
LANDSCAPE ARCHITECTURE
ENVIRONMENTAL PLANNING
Mews Studio, Charnwood House, Tel (0114) 250 1181
8 Kenwood Bank, Sheffield S7 1NU Fax (0114) 250 1188
www.weddles.co.uk mail@weddles.co.uk

Job PARK FARM, HOLMESFIELD

Title TREE SURVEY

scale@A3	drawn	date	job number	number	revision
1:500	TB	MAR 20	1063	PFH 01	-

